

## Product datasheet for MR225713

### Ctr9 (NM\_009431) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Ctr9 (NM\_009431) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Ctr9  
**Synonyms:** AA409336; mKIAA0155; Sh2bp1; Tsbp; Tsp  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >MR225713 representing NM\_009431  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGTCGGGGGCTCCATCGAGATCCCCTCCGGGATACTGACGAGGTCATTGAACCTGACTTCGATCAGT  
 TACCGGAGGGAGACGAAGTCATCAGCATTCTGAAGCAGGAGCACACAACTGCACATATGGATTGCCTT  
 GGCCTGGAATACTACAAGCAAGGAAAACAGAAGAGTTGTGAAGCTGCTGGAGGCAGCACGGATAGAT  
 GGCAATTTGGACTATCGAGATCACGAGAAAGACCAGATGACTTGCTTGATACATTGGCAGCCTACTATG  
 TACAACAGGCTCGAAAAGAAAAGAACAAGGACAATAAGAAGGACCTTATTACGCAGGCAACTTTGTTATA  
 TACAATGGCTGATAAAATTATTATGTATGATCAGAACCATTTGTTGGGAAGAGCCTGCTTCTGTCTGCTC  
 GAGGGCGACAAAATGGACCAAGCTGACGCACAGTTTCACTTTGTACTTAACCAAGTCTCCAAACAATATTC  
 CAGCCCTTCTTGGGAAAGCTTGATTTTCACTTAACAAGAAGGATTACAGAGGAGCTCTGGCTTACTATAA  
 AAAAGCATTGCGCACTAACCCGGGATGTCCAGCTGAAGTTCGTTTAGGAATGGGCCATTGCTTTGTCAA  
 CTTAACAACTGGAAAAGCTCGACTGGCATTACAGCAGAGCCCTGGAACCTCAACTCGAAGTGTGTGGGAG  
 CACTGGTTGGACTGGCTGTTCTAGAACTCAACAATAAAGAGGCTGATTCCATCAAAAATGGCGTGCAGCT  
 TCTTCCAGAGCCTATACTATTGATCCTAGCAACCCGATGGTACTGAACCATTTGGCAAACCACTTTTTTC  
 TTCAAGAAGGATTATAGTAAAGTGCAGCACCTGGCTCTCCAGCATTCCACAACCCGAGGTGGAGGCTA  
 TGCAAGCAGAAAAGCTGTTACCAGCTGGCTCGGTCTTCCATGTTACAGGAAGATTATGACCAAGCCTTCA  
 GTACTACTATCAAGCCACACAGTTTGTCTCATCTTCTTTGTCCTACCATTTTTTGGTTTGGGACAAATG  
 TATATTTATCGAGGTGACAAAGAGAATGCATCTCAGTGCTTTGAGAAAGTTTTGAAAGCTTATCCGAACA  
 ATTATGAACTATGAAAATCTTGGCTCTCTATGCTGCTTCAGAAGATCAGGAGAAACGAGACATAGC  
 CAAGGGCCATTTGAAGAAGGTCACAGAACAGTATCCTGATGACGTGGAAGCTTGGATTGAGTTGGCCAG  
 ATCTTAGAACAGACTGACATACAGGGTGCCTTTACGCTTATGGAACAGCCACACGCATCCTGCAGGAGA  
 AAGTGCAGGCCGATGTCCCTCCCGAGATTTGAATAATGTTGGGGCCCTCCATTTAGACTCGGAAACCT  
 GGGGAAGCAAAGAAATACTTCTGGCCTCACTGGACCGCAAAGGCAGAGGCCGAGCATGATGAACAC



[View online »](#)

TACTACAATGCCATCTCTGTCACCACATCCTACAATTTAGCCAGGCTCTATGAGGCCATGTGTGAATTTCC  
ACGAAGCAGAGAACTGTACAAAAACATTTTACGAGAGCATCCTAACTACGTTGATTGCTATCTACGCCT  
AGGAGCCATGGCCAGAGATAAAGGAACTTCTATGAAGCTTCAGACTGGTTTAAGGAAGCCCTTCAGATC  
AATCAGGATCATCCGGATGCCTGGTCTTTGATTGGTAACCTCCATCTGGCAAAACAAGAAATGGGGCCAG  
GTCAGAAGAAGTTTGAGAGGATATTAACACAGCCAGCCACACAGAGTGACACCTACTCTATGCTGGCCCT  
TGGCAATGTGTGGCTCCAGACTTTGCATCAGCCAACCCGAGACCGAGAAAAGAAAAGCCCATCAAGAC  
CGTGCCCTGGCCATCTACAAACAAGTCCTCAGAAATGATGCCAAGAACCCTGTATGCTGCCAATGGCATAG  
GAGCTGTCTTGGCCACAAAGGATACTTCCGTGAAGCTCGTGATGTTTTCGCCCAAGTGAGAGAAGCAAC  
AGCAGATATCAGTGATGTGTGGTTGAACCTAGCACACATCTACGTGGAGCAGAAGCAGTATATCAGCGCC  
GTTCAGATGTATGAGAACTGCCTCAGAAAGTTCTATAAGCACAAAACTGAGGTTGTGCTCTACCTGG  
CCCAGCCCTCTTCAAGTGCAGCAAGCTGCAGGAGTGCAAGCAGACTCTGCTGAAGGCCAGACAGTGGC  
ACCCAGTGACACAGTTCTGATGTTAATGTGGCCTTGGTCTTGCAAGATTAGCTACCTCTGTCTGAAA  
GATGAAAAAGTAATCTGAAGGAAGTCCTAATGCTGTGAAAGAGCTGGAGCTCGCACACAGGTAATTTCA  
GTTACTTGAGCAAAGTTGGAGATAAAATGAGATTTGATTTGGCCCTTGTGCCTCTGAAGCCAGGCAGTG  
CTCTGACTTACTGAGCCAGGCCAGTACCATGTGGCCCGGCACGCAAGCAGGATGAGGAAGAACGGGAG  
CTGCGGGCCAAGCAGGAGCAGGAAAAGGAGCTCTTAAGACAGAAGCTTCTCAAAGAGCAGGAAGAGAAAC  
GTCTCAGAGAAAAGGAAGAACAAAAGAACTTTTGAACAGCGTGCCCAAGTATGTGGAGAAGACAAAAA  
TATCCTTATGTTCACTGGCGAGACTGAAGCAACAAGGAGAAGAAAAGAGGTGGAGGTGGAGGGCGCGCT  
TCCAAGAAAGGAGGCGAGTTTGATGAATTTGTCAACGATGACACCGACGATGACCTCCCTGTATCCAAAA  
AGAAGAAGAGAAGGAAGGGCAGTGGCAGTGAACAGGAAGGCGAAGAAGAGGAAGGTGGAGAGAGGAAGAA  
GAAGAGGAGGAGAAGACCTCCAAGGGAGAAGAGGGATCTGAGGAGGAGGAGACAGAAAAATGGCCCCAAA  
CCAAAGAAGCGCCGCCACCAGAGCAGAGAAAAAGAAGGCTCCAAGCCAGAACGCCTGCCTCCTTCAA  
TGAAGGGAAAAATAAAATCCAAAGCCATTATATCATCAAGTGATGATTCTTCAGATGAGGATAAACTGAA  
AATTGCTGATGAAGGACATCCCAGGAATAGCAACAGCGATTCTGATGACGACGAGAGGCCCAACAGACGC  
GCCTCATCTGAGAGCGACTCAGATGACAACCAGAACAAGTCTGGCAGCGAGGCAGGCAGCCCTCGGAGGT  
CGGGTAGACAGGAGTCCGATGAGGATCCGACAGTGACCAGCCGTCCAGAAAAGAGAAGGCCTCCGGCTC  
TGAGCAGTCGGACAATGAGTCTGTGCAGTCAGGGAGAAGCCCTCCGGAGCTTCTGAGAACGAGAACGAT  
TCTCGCCCGCTTCTCAAGTGCAGAATCGGACCAGAAATCAGAGCAGGGCTCTGACAACGAGGGCTCTG  
GCCAAGGCTCTGGAATGAATCAGAACCAGAGGGCTCAAACAACGAGGCCTCAGACCGAGGCTCAGAACA  
TGGTCAGATGATAGCGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225713 representing NM\_009431  
 Red=Cloning site Green=Tags(s)


MSRGSIEIPLRDTDEVIELDFDQLPEGDEVISILKQEHTQLHIWIALALEYKQKGKTEEFVKLLEAARID  
 GNLDYRDHEKDQMTCLDTLAAYYVQQRKEKNKDNKKDLITQATLLYTMADKIIMYDQNHLLGRACFCLL  
 EGDKMDQADAQHFVFLNQSPNNIPALLGKACISFNKKDYRGALAYYKKALRTNPGCPAEVRLGMGHCFVK  
 LNKLEKARLAFSRALELNSKCVGALVGLAVLELNNKEADSIKNGVQLLSRAYTIDPSNPMVLNHLANHFF  
 FKKDYSKVQHLALHAFHNTEVEAMQAESCYQLARSFHVQEDYDQAFQYYQATQFASSSFVLPFFGLGQM  
 YIYRGDKENASQCFEKVLKAYPNNYETMKILGSLYAASEDQEKRDIKAGHLKQVTEQYPPDVEAWIELAQ  
 ILEQTDIQGALSAYGTATRILQEKVQADVPPEILNNVGALHFRLGNLGEAKKYFLASLDRAKAEAEHDEH  
 YYNAISVTTSYNLARLYEAMCEFHEAEKLYKNILREHPNYVDCYLRGAMARDKGNFYEASDWFKEALQI  
 NQDHPDAWSLIGNLHLAKQEWGPGQKKFERILKQPATQSDTYSMLALGNVWLQTLHQPTRDREKEKRHQD  
 RALAIYKQVLRNDAKNL YAANGIGAVLAHKGYFREARDVFAQVREATADISDVWLNLAHIYVEQKQYISA  
 VQMYENCLRKFYKHQNTVVLYLARALFKCGKQLECKQTLKARHVAPSDTVLMFNVALVLQRLATSVLK  
 DEKSNLKEVLANVKELELAHRYFSYLSKVGDKMRFDLALAASEARQCSDLLSQAQYHVARARKQDEEERE  
 LRAKQEQEKELLRQKLLKEQEEKRLREKEEQKLLLEQRAQYVEKTKNILMFTGETEATKEKKRGGGGRR  
 SKKGGFEDEFVNDTDDDLPVSKKKKRRKSGSGEQEGEEEGGERKKRRRRPPKGEEGSEEEETENGPK  
 PKRRRPPRAEKKKAPKPERLPPSMKGIKSKAIISSDDSSDEDKLIADGHPRNSNSDSDDERPNRR  
 ASSESDDNQNKSGSEAGSPRRSGRQESDESDSDQPSRKRSSGSEQSDNESVQSGRSPSGASENEND  
 SRPASPAESDHESEQSDNEGSGQSGNESEPEGSNNEASDRGSEHGSDSDSD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/mm9037\\_e10.zip](https://cdn.origene.com/chromatograms/mm9037_e10.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM\_009431

ORF Size: 3519 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_009431.2</a> , <a href="#">NP_033457.2</a>
<b>RefSeq Size:</b>	4317 bp
<b>RefSeq ORF:</b>	3522 bp
<b>Locus ID:</b>	22083
<b>UniProt ID:</b>	<a href="#">Q62018</a>
<b>Cytogenetics:</b>	7 57.98 cM
<b>MW:</b>	133.9 kDa

**Gene Summary:**

Component of the PAF1 complex (PAF1C) which has multiple functions during transcription by RNA polymerase II and is implicated in regulation of development and maintenance of embryonic stem cell pluripotency. PAF1C associates with RNA polymerase II through interaction with POLR2A CTD non-phosphorylated and 'Ser-2'- and 'Ser-5'-phosphorylated forms and is involved in transcriptional elongation, acting both independently and synergistically with TCEA1 and in cooperation with the DSIF complex and HTATSF1. PAF1C is required for transcription of Hox and Wnt target genes. PAF1C is involved in hematopoiesis and stimulates transcriptional activity of KMT2A/MLL1. PAF1C is involved in histone modifications such as ubiquitination of histone H2B and methylation on histone H3 'Lys-4' (H3K4me3). PAF1C recruits the RNF20/40 E3 ubiquitin-protein ligase complex and the E2 enzyme UBE2A or UBE2B to chromatin which mediate monoubiquitination of 'Lys-120' of histone H2B (H2BK120ub1); UB2A/B-mediated H2B ubiquitination is proposed to be coupled to transcription. PAF1C is involved in mRNA 3' end formation probably through association with cleavage and poly(A) factors. Required for mono- and trimethylation on histone H3 'Lys-4' (H3K4me3) and dimethylation on histone H3 'Lys-79' (H3K4me3). Required for Hox gene transcription (By similarity). Required for the trimethylation of histone H3 'Lys-4' (H3K4me3) on genes involved in stem cell pluripotency; this function is synergistic with CXXC1 indicative for an involvement of the SET1 complex. Involved in transcriptional regulation of IL6-responsive genes and in JAK-STAT pathway; may regulate DNA-association of STAT3. [UniProtKB/Swiss-Prot Function]

**Product images:**

Circular map for MR225713