

Product datasheet for MR225752L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Gna12 (NM_010302) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Gna12 (NM 010302) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Gna12

Synonyms: Al414047; Al504261; Galpha12

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_010302 **ORF Size:** 1137 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR225752).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 010302.2</u>, <u>NP 034432.1</u>

 RefSeq Size:
 1880 bp

 RefSeq ORF:
 1140 bp

 Locus ID:
 14673

 UniProt ID:
 P27600

 Cytogenetics:
 5 79.3 cM





Gene Summary:

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems (PubMed:19151758, PubMed:21212405, PubMed:22609986). Activates effector molecule RhoA by binding and activating RhoGEFs (ARHGEF12/LARG) (By similarity). GNA12-dependent Rho signaling subsequently regulates transcription factor AP-1 (activating protein-1) (PubMed:19151758, PubMed:21212405). GNA12-dependent Rho signaling also regulates protein phosphatese 2A activation causing dephosphorylation of its target proteins (By similarity). Promotes tumor cell invasion and metastasis by activating RhoA/ROCK signaling pathway and up-regulating proinflammatory cytokine production (By similarity). Inhibits CDH1-mediated cell adhesion in process independent from Rho activation (By similarity). Together with NAPA promotes CDH5 localization to plasma membrane (By similarity). May play a role in the control of cell migration through the TOR signaling cascade (PubMed:22609986).[UniProtKB/Swiss-Prot Function]