

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR225783L3V

Tcf3 (NM_001164150) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Tcf3 (NM_001164150) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Tcf3
Synonyms:	A1; AA408400; ALF2; AW209082; bHLHb21; E2A; E12; E12/E47; E47; KA1; ME2; Pan1; Pan2; TCF-3; Tcfe2a
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001164150
ORF Size:	1944 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR225783).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001164150.1, NP 001157622.1</u>
RefSeq Size:	3311 bp
RefSeq ORF:	1953 bp
Locus ID:	21423
Cytogenetics:	10 39.72 cM



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Transcriptional regulator. Involved in the initiation of neuronal differentiation. Heterodimers
between TCF3 and tissue-specific basic helix-loop-helix (bHLH) proteins play major roles in
determining tissue-specific cell fate during embryogenesis, like muscle or early B-cell
differentiation. Dimers bind DNA on E-box motifs: 5'-CANNTG-3'. Binds to the kappa-E2 site in
the kappa immunoglobulin gene enhancer. Binds to IEB1 and IEB2, which are short DNA
sequences in the insulin gene transcription control region.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US