

Product datasheet for MR225793

Sry (NM_011564) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Sry (NM_011564) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Sry

Synonyms: Tdf; Tdy

Mammalian Cell Neomycin


Selection:

Vector: pCMV6-Entry (PS100001)


E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:







	ECOR V							Flag. Tag								Pme I		rse i
GAT	CTG	GCA	GCA	AAT	GAT	ATC	CTG	GAT	TAC	AAG	GAT	GAC	GAC	GAT	AAG	GTT	TAA	ACGGCCGGCC
D	L	A	A	N	D	I	L	D	Y	K	D	D	D	D	K	v	Stop	

^{*} The last codon before the Stop codon of the ORF

ACCN: NM_011564

ORF Size: 1185 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: <u>NM 011564.1, NP 035694.1</u>

 RefSeq Size:
 1188 bp

 RefSeq ORF:
 1188 bp

 Locus ID:
 21674

 UniProt ID:
 Q05738

 Cytogenetics:
 Y A1


MW: 49.5 kDa



Gene Summary:

Transcriptional regulator that controls a genetic switch in male development. It is necessary and sufficient for initiating male sex determination by directing the development of supporting cell precursors (pre-Sertoli cells) as Sertoli rather than granulosa cells. In male adult brain involved in the maintenance of motor functions of dopaminergic neurons (By similarity). Involved in different aspects of gene regulation including promoter activation or repression. SRY HMG box recognizes DNA by partial intercalation in the minor groove. Promotes DNA bending. Also involved in pre-mRNA splicing (By similarity). Binds to the DNA consensus sequence 5'-[AT]AACAA[AT]-3'.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225793