

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR225796L3V

## Sgk1 (NM\_001161847) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Sgk1 (NM_001161847) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Sgk1
Synonyms:	Sg; Sgk
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001161847
ORF Size:	1212 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR225796).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001161847.2, NP 001155319.1</u>
RefSeq Size:	2622 bp
RefSeq ORF:	1215 bp
Locus ID:	20393
UniProt ID:	<u>Q9WVC6</u>
Cytogenetics:	10 A3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Sgk1 (NM_001161847) Mouse Tagged ORF Clone Lentiviral Particle – MR225796L3V
Gene Summary:	This gene encodes a serine/threonine protein kinase that plays an important role in cellular stress response. This kinase activates certain potassium, sodium, and chloride channels,
	stress response. This kinase activates certain potassium, sodium, and chloride channels,

suggesting an involvement in the regulation of processes such as cell survival, neuronal excitability, and renal sodium excretion. This enzyme is activated by protein phosphorylation and degraded via the ubiquitination and proteasome pathway. Multiple transcript variants encoding different isoforms have been found for this gene. A pseudogene of this gene was identified on chromosome 12. [provided by RefSeq, Sep 2009]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US