

Product datasheet for **MR225819**

Nfatc2 (NM_001136073) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nfatc2 (NM_001136073) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Nfatc2
Synonyms:	AI607462; NF-ATc2; NF-ATp; NFAT1; NFAT1-D; Nfatp
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>MR225819 representing NM_001136073
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACGTCCCGAGCCGCAGCCCGACCCCGATGGCGGGACGGCCCCGGCCACGAGCCCGGGGACGTC
 CCCAAGACGAGCTGGACTTTTCCATCCTCTTCGATTATGACTATCTGAACCCTATCGAAGAAGAACCGAT
 CGCACATAAGGCCATCAGCTCACCTCCGGACTCGCATACCCGGATGATGTCCTGGACTATGGCCTCAAG
 CCATGCAACCCCTTGCCAGTCTCTCTGGCGAGCCCCCTGGCCGGTTCGGAGAGCCGGATAGTATAGGGT
 TCCAGAACTTTCTGAGCCGGTCAAGCCAGCAGGGGCTTCGGGCCGAGCCCTCGGATCGAGATCACTCC
 ATCCCACGAACTGATGCAGGCAGGGGGGCCCTCCGTGGGAGAGACGCCGGCCTGTCCCCGAGCAGCCG
 GCCCTGGCCCTGGCCGGCTGGCCGCCAGCCGAGGTTACACTGCCCGTGCCGGCTACGAGGGCTACC
 GCGAGCCGCTTTGCTTGAGCCCCGCTAGCAGCGGCTCCTCTGCCAGTTCATTTCTGACACCTTCTCCCC
 CTACACCTCGCCCTGCGTCTCACCAATAACGCCGGGCCGACGACCTGTGTCCCGAGTTTCAAACATC
 CCTGCTCATTATCCCCCAGAACCTCTCCAATAATGTCACCTCGAACCAGCCTCGCCGAGGACAGCTGCC
 TGGGCCGACACTCGCCCGTGCCCGTCCGGCATCCCGCTCCTCCTCACCCGGTGCCAAGCGGAGGCAATTC
 GTGCGCAGAGGCTTTGGTTGCTCCTCTGCCCGCAGCCTCACCCAGCGCTCCCGGAGCCCTCGCCACAG
 CCCTCGCCTCAGTGGCACTGCAGGACGACAGCATCCCGCTGGGTACCCCCACGCGCCGGCTCTGCTG
 TTCTCATGGATGCCCTCAACACCTGGCCACCGACTCGCCCTGCGGGATCCCTCCAAGATATGGAAGAC
 CAGTCTGACCCGACGCTGTGTCCACCGCTCCGTCCAAGGCTGGCTGGCCGCCACATCTACCTACT
 GTGGAGTTCCTGGGCCATGTGAGCAGGAGGAGAGGAAATTCGCTCCAGAGTCCATCCTGTGGTAC
 CACTTGGCCCAAGCAGTTGGTGGCCGATTCATCCATGTCAGCATCCCTGTGATCCCTGATCCCTCCC
 ACCACTCGAGTGGCCACTCTCCAATCAGTCGGGCTCCTATGAGCTACGGATTGAGGTCCAACCCAAGCCC
 CATCACCGGGCCACTATGAGACGGAGGCGAGCCGTGGCGCTGTCAAAGCCCCAACAGGAGGACACCCCTG
 TGGTGCAGCTCCACGGCTACATGGAGAACAAGCCTCTGGGGCTTCAGATCTTCATTGGGACAGCAGATGA
 GAGGATCCTTAAGCCGCACGCTTCTACCAAGTACACAGGATCACTGGGAAAACGGTACCACCACGAGC
 TATGAGAAGATCGTAGGCAACACCAAGTCTGGAGATCCCTGGAGCCAAAGAACAACATGAGAGCCA
 CCATCGACTGTGCAGGCATCCTGAAGCTCCGAAACGCTGACATCGAGCTGCGGAAGGGCAGACGGACAT
 CGGCAGGAAGAACACGCGTGTGCGCCTGGTGTCCGCGTGCACGTCCAGAGCCAGTGGGCGCATCGTC
 TCCTGCAGGCTGCGTCAACCCCATCGAGTGTCTCAGCGCTCTGCCACGAGCTGCCATGGTGGAGA
 GACAAGACATGGACAGCTGCCTGGTCTACGGGGCCAGCAGATGATCCTCACGGGCCAGAACTTACAGC
 GGAGTCCAAGGTTGTGTTTCATGGAGAAGACTACAGATGGGCAGCAGATTTGGGAGATGGAAGCTACGGT
 GATAAAGACAAGAGCCAGCCTAACATGCTTTTTGTTGAGATCCCCGAGTATCGGAACAAGCACATCCGCG
 TGCCCGTGAAGTCAACTTCTACGTATCAACGGAAAGAGGAAACGAAGTACGCCACAGCACTTTACCTA
 CCACCCAGTCCCTGCCATCAAGACAGAGCCAGCGATGAGTATGAACCATCTTTGATCTGCAGCCCCGCC
 CATGGAGGCTGGGGAGCCAGCCATATTACCCACAGCACCAATGCTGGCCGAGTCCCCCTCCTGCCTTG
 TGGTACCATGGCCCCCTGCCAACAGTTCGCTCGGGGCTCTCATCCCCGATGCTCGTACCAACAGCA
 GAGCCCCGAGCTGCCCTTACCAGAGAAGCAAGAGCCTGAGTCCCGGCTGCTGGGCTACCAGCAGCCG
 TCCCTCCTGGCAGCACCTTGGGTCTGGCTGATGCCACCGCTCTGTGCTGGTGCATGTGGTTCTCAGG
 GGCAGGGGAGGGCTCCACCCTGCCACACATCCTCGGCCAGCCAGCAGGCTCACCCGTGATCCACTA
 CTCACCCACCAACCAGCAGTTCGCGGTGGGGTACCAGGAGTTCAGCATATCATGACTGTGAAAAC
 TTCGGCCCCAGCTCTGCCAGGCTGGCCCGCTCCCATCAACCAAGGTGAGAGGCTGAGCCCGGGCGCT
 ACCCCACAGTATCCAACAACAGACTGCCCCGAGCCAAAGAGCTGCCAAAACGGACCCAGTGACCAGAA
 GGAAGCTCTGCCACGGGAGTGACCGTCAAACAGGAACAGAACCTGGACCAGACCTACCTGGATGACGAG
 TTGATAGACACACCTTAGCTGGATACAAAACATATTA

AG**CGGACCG**ACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225819 representing NM_001136073
 Red=Cloning site Green=Tags(s)


MDVPEPQPPDGGDGPHEPGGSPQDELDF SILFDYDYLNPIDEEPIAHKAISSPSGLAYPDDVLDYGLK
 PCNPLASLSGEPGRFGEPDSIGFQNFLSPVKPAGASGSPRIEITPSHELMQAGGALRGRDAGLSPEQP
 ALALAGVAASPRFTLPVPGYEGYREPLCLSPASSGSSASFISDTFSPYTPSPCVSPNAGPDDLCPQFQNI
 PAHYSPRTSPIMSPRTSLAEDSCLGRHSPVPRPASRSSSPGAKRRHSCEALVAPLPAASQSRSPSPQ
 PSHVALQDDSI PAGYPPTAGSAVLM DALNLTATDSPCGIPSKIWKTS PDPTPVSTAPSKAGLARHIYPT
 VEF LGPCEQEERRNSAPESILLVPPTWPKQLVPAIPICISIPVTASLPLEWPLSNQSGSYELRIEVQPKP
 HHRAYETEGSRGAVKAPTGGHPVVQLHG YMENKPLGLQIFIGTADERILKPHAFYQVHRITGKTVTTTS
 YEKIVGNTKVLEIPLPKNNMRATIDCAGILKLRNADIELRKGETDIGRKNTRVRLVFRVHVPEPSGRIV
 SLQAASNPIECSQRSAHELPMVERQDMDSCLVYGGQQMILTGQNF TAESKVVFMKTTDGGQI WEMEATV
 DKDKSQPNMLFVEIPEYRNKHIRVPVKVNFYVINGKRKRSQPQHFTYHPVPAIKTEPSDEYEPSLICSPA
 HGGLGSQPPYYPQHPMLAESPCLVATMAPCQQFRSGLSSPDARYQQQSPAALYQRSKLSPGLLGYQQP
 SLLAAPLGLADAHRSVLVHAGSQGGQGSTLPHTSSASQQASPIHYSP TNQQLRGGGHQEFQHIMYCEN
 FGPSSARPGPPP INQQQLSPGAYPTVIQQQTAPSQRAAKNGPSDQKEALPTGVTVKQEQLNDQTYLDDE
 LIDTHLSWIQNIL


SGPTRRRL**EQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-RsrII

Cloning Scheme:



Plasmid Map:


ACCN: NM_001136073

ORF Size: 2769 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001136073.2](#), [NP_001129545.1](#)

RefSeq Size: 6651 bp

RefSeq ORF: 2772 bp

Locus ID: 18019

Cytogenetics: 2 88.91 cM

MW: 100.1 kDa

Gene Summary:

Plays a role in the inducible expression of cytokine genes in T-cells, especially in the induction of the IL-2, IL-3, IL-4, TNF-alpha or GM-CSF. Promotes invasive migration through the activation of GPC6 expression and WNT5A signaling pathway.[UniProtKB/Swiss-Prot Function]