

Product datasheet for MR225824

Gnas (NM 022000) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Gnas (NM_022000) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Gnas

Synonyms: 5530400H20Rik; A930027G11Rik; C130027O20Rik; G; Ga; Galphas; Gn; Gnas1; Gnasxl; GPSA;

Gs-; Gs-alpha; Gsa; GSP; N; Nes; Nesp; Nesp55; Nespl; Oed; Oed-Sml; Oedsml; P; P1; P2; P3;

PHP1A; PHP1B; POH; SCG; SCG6; XL

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >MR225824 representing NM_022000

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MR225824 representing NM_022000

Red=Cloning site Green=Tags(s)

MDRRSRAQQWRRARHNYNDLCPPIGRRAATALLWLSCSIALLRALASSNARAQQRAAQRRSFLNAHHRSA AAAAAAQVLPESSESESDHEHEEVEPELARPECLEYDQDDYETETDSETEPESDIESETEIETEPETEPE TEPETEPEDERGPRGATFNQSLTQRLHALKLQSADASPRRAQPTTQEPESASEGEEPQRGPLDQDPRDPE EEPEERKEENRQPRRCKTRRPARRRDQSPESPPRKGPIPIRRH

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



CTATAGGGCGGCCGG	EcoRI GAATTCGT		HI Kpn I	RBS			sus Sgf/	c 🔼	TG -		
ORF	· MNN	Mlu I ACG CG T R	ACG C	Vot I GG CCG R P	Zhol CTC GAG L E	CAG AA	A CTO	e.Tag E ATC I	TCA S	GAA E	gag E
GAT CTG GCA GCA		ORV ATC CTG I L	GAT TA	Flag.Ta CAAG(-	GAC GA:	T AAG	GTT	me I	ACGG	se I

^{*} The last codon before the Stop codon of the ORF

ACCN: NM 022000

ORF Size: 759 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 022000.3</u>, <u>NP 068840.2</u>

RefSeq Size: 2480 bp RefSeq ORF: 762 bp

 Locus ID:
 14683

 UniProt ID:
 Q9Z0F1

 Cytogenetics:
 2 97.89 cM

 MW:
 29.4 kDa


Gene Summary: This locus has a highly complex imprinted expression pattern. It gives rise to maternally,

paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, which is commonly found in imprinted genes and correlates with transcript expression. This gene has an antisense transcript. One of the transcripts produced from this locus, and the antisense transcript, are both paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Additional transcript variants have been found for this gene, but the full-length nature and/or biological validity of some variants have not been determined. [provided by

RefSeq, Jun 2015]



Product images:



Circular map for MR225824