

Product datasheet for **MR225858**

Gnas (NM_001077510) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Gnas (NM_001077510) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Gnas
Synonyms:	5530400H20Rik; A930027G11Rik; C130027O20Rik; G; Ga; Galphas; Gn; Gnas1; Gnasxl; GP5A; Gs-; Gs-alpha; Gsa; GSP; N; Nes; Nesp; Nesp55; Nesp1; Oed; Oed-Sml; Oedsml; P; P1; P2; P3; PHP1A; PHP1B; POH; SCG; SCG6; XL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR225858 representing NM_001077510
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGGCTGCCTCGGCAACAGTAAGACCGAGGACCAGCGCAACGAGGAGAAGGCGCAGCGGAGGCCAACA
 AAAAGATCGAGAAGCAGCTGCAGAAGGACAAGCAGGTCTACCGGCCACGCACCGCCTGCTGCTGCTGGG
 TGCTGGAGAGTCTGGCAAAAGCACCAATTGTGAAGCAGATGAGGATCCTGCATGTTAATGGGTTTAAACGGA
 GATAGTGAGAAGGCCACTAAAGTGCAGGACATCAAAAACAACCTGAAGGAGGCCATTGAAACCATTGTGG
 CCGCCATGAGCAACCTGGTGCCCTGTGGAGCTGGCCAAACCTGAGAACCAGTTCAGAGTGGACTACAT
 TCTGAGCGTGATGAACGTGCCGAACCTTTGACTTCCACCTGAATTCTATGAGCATGCCAAGGCTCTGTGG
 GAGGATGAGGGAGTGCCTGCTACGAGCGCTCCAATGAGTACCAGCTGATTGACTGTGCCAGTACT
 TCCTGGACAAGATTGATGTGATCAAGCAGGCCGACTACGTCCAAGTGACCAGGACCTGCTTCGCTGCCG
 TGTCCTGACCTCTGGAATCTTTGAGACCAAGTCCAGGTGGACAAAGTCAACTTCCACATGTTTCGATGTG
 GGCGGCCACGGGATGAGCGCCCAAGTGGATCCAGTGTCAATGATGTGACTGCCATCATCTTCGTGG
 TGGCCAGCAGCAGCTACAACATGGTCATTCTGGGAGGACAACCAGACTAACCAGCTGCAGGAGGCTCTGAA
 CCTCTTCAAGAGCATCTGGAACAACAGATGGCTGCGCACCATCTCTGTGATTCTCTTCTCAACAAGCAA
 GACCTGCTTGCTGAGAAAGTCTCGCTGGCAAAATCGAAGATTGAGGACTACTTTCCAGAGTTCGCTCGCT
 ACACCCTCTGAGGATGCGACTCCCGAGCCGGGAGAGGCCACCGCGTGACCCGGGCCAAGTACTTCAT
 TCGGGATGAGTTTCTGAGAATCAGCACTGCTAGTGGAGATGGGCGCCACTACTGCTACCTCACTTTACC
 TGGCCCGTGGACTGAGAACATCCGCCGTGTCTCAACGACTGCCGTGACATCATCCAGCGCATGCATC
 TCCGCCAATACGAGCTGCTC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:


>MR225858 representing NM_001077510
 Red=Cloning site Green=Tags(s)

MGCLGNSKTEDQRNEEKAQREANKKIEKQLQKDKQVYRATHRLLLLGAGESGKSTIVKQMRILHVNGFNG
 DSEKATKVQDIKNNLKEAIEIIVAAMSNLVPPVELANPENQFRVDYILSVMNVPNDFPPEFYEHAKALW
 EDEGVRACYERSNEYQLIDCAQYFLDKIDVIKQADYVPSDQDLLRCRVLTSGIFETKFQVDKVNFMFDV
 GGQRDERRKWIQCFNDVTAIIFVVASSYNMVIREDNQTNRLQEALNLFKSIWNNRWLRTISVILFLNKQ
 DLLAEKVLGKSKIEDYFPEFARYTTPEDATPEPGEDPRVTRAKYFIRDEFRLISTASGDGRHYCYPHFT
 CAVDTENIRRVFNDCRDIIQRMHLRQYELL

SGP**TRTRRLEQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-RsrII

Cloning Scheme:


ACCN: NM_001077510

ORF Size: 1140 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001077510.5](#)

RefSeq Size: 1713 bp

RefSeq ORF: 1143 bp

Locus ID: 14683


UniProt ID: [P63094](#)

Cytogenetics: 2 97.89 cM

MW: 44.7 kDa

Gene Summary: This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, which is commonly found in imprinted genes and correlates with transcript expression. This gene has an antisense transcript. One of the transcripts produced from this locus, and the antisense transcript, are both paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Additional transcript variants have been found for this gene, but the full-length nature and/or biological validity of some variants have not been determined. [provided by RefSeq, Jun 2015]

Product images:



Circular map for MR225858