

Product datasheet for **MR225877**

Hace1 (NM_172473) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hace1 (NM_172473) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Hace1
Synonyms:	1700042J16Rik; A730034A22Rik; BC025474
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR225877 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGAGAGCGATGGAGCAGCTCAACCGTCTGACGCGCTCGCTGCGCCGCGCGCACCGTGGAGCTGC
 CCGAGGATAATGAGACTGCTGTTTACACTGATGCCAATGGTGTGGCCGACCAGCACAGGTCTGTTTC
 TGAACCTCTATCAAATCAAATTTGATGTCAATTATGCATTGCGACGTGTGAAGAGAAGCTTGCTTCAC
 ATTGCTGCAAACGTGGATCTGTGGAATGCTTGGTTCTTCTGTTGAAGAAAGCGCAAACCTAACTATC
 AAGATATTTAGGCTGTACACCCCTTACTCTCGCTGCTAGAAAAGGACAGAAAGAAATGCATGAGTAAAT
 ACTGGAGTACAGTGGGATGTCAACATTTGTAATAATGAAGGCCTTACAGCAATACACTGGCTGGCTGTG
 AATGGGAGGACAGAGCTCCTCCATGACCTCGTCAACACGTCACAGATGTGGATGTGGAGGATGCCATGG
 GGCAGACAGCGCTACACGTAGCCTGCCAGAACGGGCACAAAACGACAGTGCAGTGTCTGCTAGACAGCGG
 TGCTGATATTAACAGGCCGAATGTATCAGGAGCCACGCCACTGTACTTTGCTTGCAGTCAATGGTCAAGAG
 GATACTGCACAGATTTCTCTATTACGAGGAGCCAAATATTTACCAGATAAAAAATGGAGTAAACCCCTCTAG
 ATCTATGTGTACAGGGTGGTTACGGACAGACTTGTGAAGTGTAAATTCAGTACCACCCGAGGCTTTTCCA
 GACTATTGTTCAAATGACACAGAATGAAGACCTTCGGGAAAACATGTTACGGCAAGTTCTGCAGCATTTG
 TCTCAGCAAAGTGAAGCCAGTACCTAAAGATCCTGACAGGCCTTGTGAAGTTGCTACGACAAATGGCC
 ATAAGCTGCTTAGTTTATCTAGCAATTATGATGCGCAGATGAAGAGCCTTTTGAGGATTGTGAGGATATT
 TTGTCATGTCTTCGAATTGGTCCCTCATCTCCAGTAATGGAATCGATATGGGCTACAATGGAAATAAA
 ACTCCAAGAAGCCAGGTGTTCAAGCCTTTGGAATTGCTTTGGCACTCATTGGATGAATGGTTAGTTTTAA
 TAGCCACAGAATTAATGAAAAACAAAGAGGATTCAACAGATATTACTTCTATCTTGCTGAAACAAAAAGG
 CCAGGATCAAGAGGCCCTTCTCTTTCTGCAATTTGAGCCACCAGGCCCTGGGAGCTATGAAAGCCTGCC
 CCTGGTCCAGGGACTCCAAGCCAGAGGTGCTTGCAAGGGAGCAGGAAGCCAGTGCAGCTGTCAAGACG
 TCATCTGTGACAGCCAACCGCTGAGTGTGCTGCTCATTCAAGCCTTCTACATGTGCTGTTCTGTGAGAT
 GCCTCCAGGAATGACTTCACCTCGTTTCATTGAGTTTGTCTGCAAGCATGATGAAGTATTGAAATGCTTT
 GTGAATAGAAACCCAAAATTATATTTGACCATTTTCACTTTCTTCTGAAATGCCTGAATTGATGTCAA
 GATTTCATGCATATCATAAAGCACAGCCATTTAAAGATCGATGTGAGTGGTTCTATGAACATCTGCACTC
 AGGACAGCCGGACTCAGACATGGTCCACAGACCAGTGTGAGTGAAGCATATCCTCCTGGTTCACAGAGAT
 TCTATTTTAGGAGTAGCTGTGAAATTGTATCAAAGCAAACGTGCAAAGCTAAAGCAGGGGATTGCTG
 TACGATTTTCATGGAGAAGAAGGCATGGGTCAAGGCGTTGTGCGTGAATGGTTTGATATTCTGTCTAATGA
 GATCGTCAACCTGACTATGCACTGTTCACCCAGTCAGCAGACGGAACTTTCCAGCCAAACAGCAAC
 TCCTATGTCAATCCTGATCACTTGAACATTTCCGGTTTGTGGACAGATCTTGGGGTAGCTTTGAACC
 ACAGGCAGCTGGTCAATATTTACTTCACACGATCATTCTACAAGCACATTCTCGGTATTCTGTAAATTA
 CCAAGATGTAGCATCTATTGATCCTGAATATGCCAAAAATTTGCAATGGATTTTAGATAATGATATTAGT
 GACTTGGGTCTAGAATTGACTTTTTCTGTTGAGACTGATGATTTGGAGCTATGGAAGAGGTGCCTTTAA
 AGCCTGGGGTGGAAAGTATTCTGTGACACAAAATAACAAAGCGGAGTATGTCCAGCTCGTTACTGAACT
 GCGTATGACAAGAGCCATTCAGCCGAGATCAATGCGTTTTTACAGGGTTTTCATATGTTTATCCCGCCT
 TCCTCATACAACCTGTTTGACGAGTATGAATTGGAGCTACTGCTTCTGGCATGCCGGAATTTGATGTAA
 ATGATTGGATAAAAAATACAGAATACACAAGTGGCTATGAAAGAGAAGATCCAGTTATTCAGTGGTTCTG
 GGAAGTTGTGGAAGACATTAACAAGAAGAAAGAGTTCTTCTCTTGCAGTTGTTACTGGCAGTTCCAGG
 GTCCCGCATGGTGGCTTTGCCAATATTATGGGTGGAAGTGGTTTGAACAACTTTACAATTGCTGTGTC
 CATATACTCCAAATCTTTACCAACTCCAGCACATGCATCAACATGCTCAAGTTACCTGAATACCCAAG
 TAAAGAAATACTCAAGGACAGACTCCTGTAGCACTGCATTGTGGCAGCTATGGTTATACAATGGCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225877 protein sequence
 Red=Cloning site Green=Tags(s)


```
MERAMEQLNRLTRSLRRARTVELPEDNETAVYTLMPVMADQHRVSSELLSNSKFDVNYAFGRVKRSLH
IAANCGSVECLVLLLKKGANPNYQDISGCTPLHLAARNGQKKCMSKLL EYSADVNICNNEGLTAIHWLAV
NGRTELLHDLVQHVTVDVEDAMGQ TALHVACQNGHKTTVQCLLD SGADINRPNVSGATPLYFACSHGQR
DTAQIILLRGAKYLPDKNGVTPDLDCVQGGYGQTCEVLIQYHPRLFQTI VQMTQNE DLRENMLRQVLQHL
SQQSESQYLKILTGLAEVATTNGHKLLSLSSNYDAQMSLLRIVRIFCHVFRIGPSSPSNGIDMGYNGNK
TPRSQVFKPLELLWHSLEWLVL IATELMKNKEDSTDITSILLKQKGDQ EAPSLSAFEP PPGSYESLP
PGPGDSKPEVLAGEQEASADCQDVISVTANRLSAVIQAFYMCCSCQMPGMTSPRFIEFVCKHDEV LKCF
VNRNPKIIFDHFHFLLECEPELMSRFMHI IKAQPFKDRCEWFYEHLSHGQPDS DMVHRPVSENDILLVHRD
SIFRSSCEIVSKANCAKLKQGI AVRFGEEGMGQGVVREWF DILSNEIVNPDYALFTQSADGTT FQPNSN
SYVNPDLNRYFRFAGQILGLALNHRQLVNIYFTRSFYKHILGIPVNYQDVASIDPEYAKNLQWILDNDIS
DLGLELTF SVETDVF GAMEEVLPKPGGGSILVTQNNKAEYVQLVTELRMTRAIQPQINAF LQGFMFIPP
SLIQLFDEYELELLL SGMPEIDVNDWIKNTEYTSYEREDPVIQWFWEVVEDITQEERV LLLQFVTGSSR
VPHGGFANIMGGSGLQNF TIAAVPYTPNLLPTSSTCINMLKLPEYPSKEILKDRLLVALHCGSYGYTMA
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_172473

ORF Size:	2730 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_172473.3 , NP_766061.2
RefSeq Size:	3785 bp
RefSeq ORF:	2730 bp
Locus ID:	209462
UniProt ID:	Q3U0D9
Cytogenetics:	10 B2
MW:	102.1 kDa
Gene Summary:	E3 ubiquitin-protein ligase involved in Golgi membrane fusion and regulation of small GTPases. Acts as a regulator of Golgi membrane dynamics during the cell cycle: recruited to Golgi membrane by Rab proteins and regulates postmitotic Golgi membrane fusion. Acts by mediating ubiquitination during mitotic Golgi disassembly, ubiquitination serving as a signal for Golgi reassembly later, after cell division. Specifically interacts with GTP-bound RAC1, mediating ubiquitination and subsequent degradation of active RAC1, thereby playing a role in host defense against pathogens (By similarity). May also act as a transcription regulator via its interaction with RARB.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225877