

Product datasheet for MR225933

ErbB4 (NM_010154) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ErbB4 (NM_010154) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ErbB4
Synonyms:	c-erbB-4; Her4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR225933 representing NM_010154 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGAAGCTGGCGACGGGACTCTGGGTCTGGGGAGCCTTCTGATGGCAGCGGGGACCGTCCAGCCCAGCGCTTCTCAGTCAGTGTGCGCAGGAACAGAGAACAACTGAGCTCTCTCTGACCTGGAACAGCAGTACCGAGCCTTGCCAAATACTATGAAACTGCGAGGTAGTCATGGGCAACCTGGAGATCACCAGCATCGAGCACACCGGGACCTCTCCTTCTGCGGTCTATCCGAGAAGTACAGGCTACGTCCTGGTGGCCCTCAACCAGTTTCGTTACTTGCCTCTGGAGAATTTACGCATTATTCGTGGACAAAATATATGAAGATCGCTATGCCTTAGCGATATTCTTAACTACAGGAAAGATGGCAACTTTGGACTCCAAGAACTTGGATTAAAGAACCTGACCGAAATACTAAATGGTGGAGTCTATGTAGACCAGAACAAATTCCTATGTTATGCTGACACTATACACTGGCAAGATATTGTTCCGAATCCATGGCCTTCCAACATGACTCTGGTGTCAACAAATGGAAGTTCTGGATGTGGAAGATGCCATAAGTCTTGCACTGGCCGATGCTGGGACCCACAGAAAATCACTGCCAGACCTTGACCAGAACTGTGTGTGCTGAACAATGTGATGGCAGGTGCTATGGACCCTACGTTAGTGACTGCTGCCATCGAGAATGTGCTGGAGGCTGCTCAGGACCAAGGACACTGACTGCTTTGCCTGCATGAACCTCAATGACAGTGGAGCTGCGTTACTCAATGTCCCCAAACATTTGTCTACAATCCAACCACCTTTCAACTGGAACACAACCTCAATGCAAAGTACAGTATGGAGCATTCTGTGTTAAGAAATGTCCACATAACTCGTGGTAGATTCCAGTTCTGTGTACGAGCCTGCCCTAGTTCTAAGATGGAAGTAGAAGAAAATGGGATTAATAATGTGTAAGCCTTGCCACCGATATTTGCCCAAAGCATGTGATGGAATCGGCACGGGATCACTGATGTCTGCTCAGACTGTGGATTCAAGTAACATTGACAAATTCATAAACTGCACAAAGATCAATGGCAATCTCATCTTTCTTGCTACTGGCATTCTATGGAGACCCTTACAATGCTATTGACGCCATAGATCCAGAGAACTGAATGTCTTTCCGACTGTCAGAGAAATAACAGGTTTCTGAACATACAGTCTTGCCCCCAAATATGACAGATTTCAAGTGTCTTCTCAACCTCCTCACAAATGGAGGAAGAGTCTCTACAGTGGTCTCTCATTGCTGATCCTCAAACAACAAGGTATCACTCCCTACAGTTCCAGTCTCTGAAGGAAATCAGTGGGGCAATATCTACATCACTGACAACAGCAACCTGTGTTATTACCATAACCATAACTGGACAACACTCTTACGACCATAACCAGAGAATAGTGATCCGAGATAAC



[View online >](#)

AGAAGAGCTGAGAATTGTACTGCTGAAGGCATGGTATGCAACCACCTGTGTTCAAATGATGGTTGTTGGG
GACCTGGGCCGGACCAGTGCCTGTATGTGCGCGCTTCAGCAGGGGAAAGATCTGCATAGAGTCTTGCAA
CCTTTATGATGGGGAATTTGAGAGTTTAAAACGGCTCCATCTGTGTTGAGTGTGACTCCCAGTGTGAG
AAAATGGAAGATGGACTCCTCACATGCCATGGACCGGGACCTGACAACTGCACAAAGTGTCTCATTTTA
AGGATGGTCCAACTGTGTGGAGAAATGTCAGATGGCTACAGGGAGCAAACAGTTTCATTTTTAAGTA
TGCAGATCAGGATCGGGAGTGCCACCCTTGCCATCCAACTGCACCCAGGGGTGAACGGTCCCAGTGTG
CATGACTGCATTTACTACCCATGGACGGGCCATCCACTTACCACAACACGCTAGAACTCCAAGTATTG
CAGCCGGAGTCATTGGAGGCCTTTCATCCTGGTGATCATGGCTTTGACATTTGCTGTCTATGTCAGAAG
AAAGAGCATCAAAAAGAAACGTGCTTTGAGGAGATTCTGGAGACAGAGCTGGTAGGCCCTTAACTCCC
AGTGGCACGGCACCCAATCAAGCTCAACTTCGCATTTTGAAGGAAACCGAACTAAAGAGGGTAAAGGTCC
TTGGCTCGGGAGCTTTTGAACCGTTTATAAAGGTATTTGGTGCCTGAAGGTGAAACAGTGAAAATCCC
TGTGGCTATAAAGATCCTCAATGAAACAACTGGCCCCAAAGCCAACGTGGAGTTCATGGATGAGGCTCTG
ATCATGGCAAGTATGGATCACCCACACCTAGTTCGCCTATTGGGAGTGTGTCTGAGTCCCAGTATCCAGT
TGGTTACGCAGCTGATGCCGCATGGCTGCCTACTGGACTATGTTTCATGAACACAAGGATAACATTGGATC
ACAGCTGTGTTGAACTGGTGTGTCAGATTGCTAAGGGAATGATGTACCTAGAAGAAAGACGGCTTGT
CATCGGGATCTGGCAGCCGCAATGTCTTAGTGAATCTCCAAATCATGTTAAAAACACAGATTTTGGAC
TGGCCCGCTCTTGAAGGAGATGAAAAAGAATACAATGCTGATGGTGGCAAGATGCCAATTAATGGAT
GGCTCTGGAATGTATACATTATAGGAAATTCACACATCAAAGTGTGTTGGAGCTATGGCGTACTATA
TGGGAAGTGTGACCTTTGGAGGAAAGCCCTATGATGGAATCCAACCCGAGAAATCCCCGATTTACTGG
AGAAAGGAGAGCGTCTGCCTCAGCCTCCCATCTGCACTATTGATGTTTACATGGTCATGGTCAAATGTTG
GATGATCGATGCTGACAGCAGACCTAAATTCAAAGAACTGGTGTGAGTTTTCAAGAATGGCTAGAGAC
CCTCAAAGTACCTAGTTATTCAGGGTGTGATCGTATGAAGCTTCCCAGTCCAATGACAGCAAATCT
TCCAGAATCTCTTGATGAAGAGGATTTGGAAGACATGATGGATGCTGAGGAATATTTGGTCCCCAGGC
TTTCAACATACCTCCTCCATCTACACATCCAGAACAAGAATTGACTCCAATAGGAATCAGTTTGTGTAC
CAAGATGGGGCTTTGCTACACAACAAGGAATGCCATGCCCTACAGAGCCACAACCAGCACCATACCAG
AGGCTCCAGTAGCTCAGGGTGAACGGCTGAGATGTTTGTGACTCCTGTGTAATGGTACCCTACGAAA
GCCAGTGGCACCCCATGTCCAAGAGGACAGTAGCACTCAGAGGTATAGTGTGATCCCACAGTGTTCGCC
CCAGAACGGAATCCTCGAGGAGAACTGGATGAAGAAGGCTACATGACTCCAATGCATGACAAGCCCAAAC
AAGAATATCTGAATCCTGTGGAAGAGAACCCTTTTGTGTCCGAAGGAAGAATGGAGATCTCAAGCTTT
AGATAATCCGGAGTATCACAGTGTTCAGCGGTCCACCAAGGCGGAGGATGAATACGTGAATGAGCCT
CTATACCTCAACACCTTCGCCAATGCCTTGGGGAGTGCAGAGTACATGAAAAACAGTGTACTGTCTGTGC
CAGAGAAAGCCAAGAAAGCATTGACAACCCCGACTACTGGAACCACAGCCTGCCACCCCGAGCACCCCT
TCAGCACCCAGACTACCTGCAGGAATACAGCACAAAATATTTTTATAAACAGAATGGACGGATCCGCCCC
ATTGTGGCAGAGAATCCTGAGTACCTCTCGGAGTCTCGTGAAGCCTGGCACTATGCTGCCCCCTCCG
CCTACAGACACCGGAATACTGTGGTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225933 representing NM_010154
 Red=Cloning site Green=Tags(s)

```

MKLATGLVWVWGSLLMAAGTVQPSASQSV CAGTENKLSLSDLEQQYRALRKYENCEVVMGNLEITSIEH
NRDLSFLRSIREVTGYVLVALNQFRYLPLENLRIIRGTKLYEDRYALAIFLNRYRKDGNFGLQELGLKNLT
EILNGGVYVDQNKFLCYADTIHWQDIVRNPWPSNMTLVTNGSSGCGRCHKSGTGRCWGPTENHCQTLTR
TVCAEQCDGRCYGPYVSDCCHRECAGGCSGPKDTCFACMNFNDSGACVTQCPQTFVYNPTTFQLEHNFN
AKYTYGAFVCVKKCPHNFVVDSSSCVRACPSKMEVEENGIMCKPCTDICTPKACDGI GTGSLMSAQTVDS
SNIDKFINCTKINGNLIFLVTGIHGDPYNAIDAIDPEKLN VFRTVREITGFLNIQSWPPNMTDFSVFNL
VTIGGRVLYSGLSLLILKQQGITSLSLQFQSLKEISAGNIYITDNSNL CYYHTINWTTLFSTINQRIVIRDN
RRAENCTAEGMVCNHLCSNDGCWGPDPDQCLSCRFSRGKICIESCNLYDGEFREFENGSI CVECDSSQCE
KMEDGLLTCHGPGDNTKCSHFKDGPNCVEKCPDGLQGANSFIFKYADQDRECHPCHPNTQG CNGPTS
HDCIYYPWTHSTLPQHARTPLIAAGVIGGLFILVIMALTFVAVYVRRKSIKKRALRRFLET ETELVEPLTP
SGTAPNQAQLRILKETELKRVKVLGSGAFGTVYKGIWVPEGETVKIPVAIKILNETTGPKANVEFMDEAL
IMASMDHPHLVRLLVGCL SPTIQLVTQLMPHGCLLDYVHEHKDNI GSQLLLNWCVQIAKGM MYLEERRLV
HRDLAARNVLVKSPNHVKITDFGLARLLEGEKEYNADGGKMPIKWMAL ECIHYRKFTHQSDVWSYGTI
WELMTFGGKPYDGIPTR EIPDLLEKGERLPQPPICTIDVYVMVKCWMIDADSRPKFKELAAEF SRMARD
PQRYLVIQGDDRMKLPSPNDSKFFQNLLEEDLEDMDMAEEYLVPAQFNIPPIYTSRTRIDSNRNQFVY
QDGGFATQQGMPPYRATTSTIPEAPVAQGATAEMFDDSCCNGTLRKPVAPHVQEDSSTQRY SADPTVFA
PERNPRGELDEEGYMPMHDKPKQEYLN PVEENPFVSRKNGDLQALDNPEYHSASSGPPKA EDEYVNEP
LYLNTFANALGSAEYMKNSVLSVPEKAKAFDNPDYWNHSLPPRSTLQHPDYLQEYSTKYFYKQNGRIRP
IVAENPEYLSFSLKPGTMLPPPPYRHRNTVV
  
```

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9001_e08.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_010154


ORF Size: 3876 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010154.2 , NP_034284.1
RefSeq Size:	4257 bp
RefSeq ORF:	3879 bp
Locus ID:	13869
UniProt ID:	Q61527
Cytogenetics:	1 33.8 cM
MW:	145.7 kDa

Gene Summary:

Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins and EGF family members and regulates development of the heart, the central nervous system and the mammary gland, gene transcription, cell proliferation, differentiation, migration and apoptosis. Required for normal cardiac muscle differentiation during embryonic development, and for postnatal cardiomyocyte proliferation. Required for normal development of the embryonic central nervous system, especially for normal neural crest cell migration and normal axon guidance. Required for mammary gland differentiation, induction of milk proteins and lactation. Acts as cell-surface receptor for the neuregulins NRG1, NRG2, NRG3 and NRG4 and the EGF family members BTC, EREG and HBEGF. Ligand binding triggers receptor dimerization and autophosphorylation at specific tyrosine residues that then serve as binding sites for scaffold proteins and effectors. Ligand specificity and signaling is modulated by alternative splicing, proteolytic processing, and by the formation of heterodimers with other ERBB family members, thereby creating multiple combinations of intracellular phosphotyrosines that trigger ligand- and context-specific cellular responses. Mediates phosphorylation of SHC1 and activation of the MAP kinases MAPK1/ERK2 and MAPK3/ERK1. Isoform JM-A CYT-1 and isoform JM-B CYT-1 phosphorylate PIK3R1, leading to the activation of phosphatidylinositol 3-kinase and AKT1 and protect cells against apoptosis. Isoform JM-A CYT-1 and isoform JM-B CYT-1 mediate reorganization of the actin cytoskeleton and promote cell migration in response to NRG1. Isoform JM-A CYT-2 and isoform JM-B CYT-2 lack the phosphotyrosine that mediates interaction with PIK3R1, and hence do not phosphorylate PIK3R1, do not protect cells against apoptosis, and do not promote reorganization of the actin cytoskeleton and cell migration. Proteolytic processing of isoform JM-A CYT-1 and isoform JM-A CYT-2 gives rise to the corresponding soluble intracellular domains (4ICD) that translocate to the nucleus, promote nuclear import of STAT5A, activation of STAT5A, mammary epithelium differentiation, cell proliferation and activation of gene expression. The ERBB4 soluble intracellular domains (4ICD) colocalize with STAT5A at the CSN2 promoter to regulate transcription of milk proteins during lactation. The ERBB4 soluble intracellular domains can also translocate to mitochondria and promote apoptosis. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225933