

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR226080L3V

Eif5a (NM_001166596) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Eif5a (NM_001166596) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Eif5a
Synonyms:	AA410058; D19Wsu54; D19Wsu54e; eIF-4D; eIF-5A; eIF-5A-1; eIF-5A1; Eif4d; Eif5a1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001166596
ORF Size:	465 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR226080).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001166596.1, NP 001160068.1</u>
RefSeq Size:	1293 bp
RefSeq ORF:	465 bp
Locus ID:	276770
UniProt ID:	<u>P63242</u>
Cytogenetics:	11 B3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes an elongation initiation factor, which participates in protein synthesis. The
encoded protein also plays roles in mRNA metabolism, cell proliferation, and cell cycle
control. This protein contains a modified lysine residue called hypusine, which appears to be
necessary for its function. Alternatively spliced transcript variants have been described.
Related pseudogenes exist on chromosomes 2, 5, and 19. [provided by RefSeq, Oct 2009]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US