

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR226081L3V

Gtf2i (NM_001080749) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Gtf2i (NM_001080749) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Gtf2i
Synonyms:	6030441I21Rik; BAP-135; Diws1t; Gtfll-l; Spin; TFll-l; WBSCR6
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001080749
ORF Size:	2886 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR226081).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001080749.1</u>
RefSeq Size:	4347 bp
RefSeq ORF:	2889 bp
Locus ID:	14886
Cytogenetics:	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gtf2i (NM_001080749) Mouse Tagged ORF Clone Lentiviral Particle – MR226081L3V

Gene Summary:Interacts with the basal transcription machinery by coordinating the formation of a
multiprotein complex at the C-FOS promoter, and linking specific signal responsive activator
complexes. Promotes the formation of stable high-order complexes of SRF and PHOX1 and
interacts cooperatively with PHOX1 to promote serum-inducible transcription of a reporter
gene deriven by the C-FOS serum response element (SRE). Acts as a coregulator for USF1 by
binding independently two promoter elements, a pyrimidine-rich initiator (Inr) and an
upstream E-box (By similarity). Required for the formation of functional ARID3A DNA-binding
complexes and for activation of immunoglobulin heavy-chain transcription upon B-
lymphocyte activation.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US