

Product datasheet for MR226156

Nhlrc1 (NM_175340) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nhlrc1 (NM_175340) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Nhlrc1
Synonyms:	A1505271; B230309E09Rik; EPM2B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR226156 representing NM_175340 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGGGAGGAGGCGACGGCGGTGGCAGCGGCTGGGGTGCGGCCGAGCTGGTGCGGGAGGCGGAGGTCA
GCCTGCTGGAGTGCAAGGTGTGCTTCGAGAGGTTGGCCACTGGCAGCAGCGCGCCCGCAACCTGCC
CTGCGGCCACGTGGTCTGCTTGGCTGTGTCGCCGCTCTCGCGCACCCGCGGACGCTGGGCTCGAGTGT
CCCTTCTGCCGGCGGGCTGCCGAGCCTGTGACACCAGCGATTGCCTGCCGGTGTGCACCTCCTGGAGC
TCCTGGGTCCACCCTCCACGCGTCCCCGGCTGCCCTCAGCGCCGCCCTTCGCGCCGGGACTCTCAC
CTGCTACCACGCCCTTCGGCGGGTGGGGACCCTAGTGAACCCACAGGGCTTGCCTGTGCCCAAGACC
GGACGGGTAGTGGTCTGCACGACGGAAGAGACGGGTCAAGATCTTTGACTCCGGAGGAGGAGGTGCAC
ACCAGTTTGGAGAAAAGGGGGACGCAGCGCACGACGTGAAGTACCCACTGGATGTCGCCGTACCAACGA
CTGCCATGTGGTTGTACCGACGCTGGCAGTGTCCCTCAAAGTGTGGTTGATTTCTTTGGCCAGATCAAG
CTGTTGTGGAAAGCAGTTTTCCCTGCCTTGGGGTGTGGAGATCACCCCTACAATGGGGTCTGGTGA
CTGATGCAGAGGCAGGGACTTTGCACCTGCTGGAAGCGGATTTCCCTGAAGGGTCTTCGGAGGATTGA
GAGGTTGAAGCTCACCTATGCAGTCCCCGTGGGTTGGCAGTGTATGGCTCACGGGGCCATCGCGGTC
CTAGAGCATCCTTGTGCCTTGGGAGGACTGGCTGTAACAACACAAGGGTGAAGGTGTTCAACTCCACTA
TGCACTGATTGCCAGGTGGATAGCTTCGGGCTGAACCTCCTCTTCCCCTCAAAGTAACTGCCTCTGC
TGTGACCTTCGATCACCAAGGAAACGTGATTGTTGCTGACACCTCTGGTCCAGCCATCGTCTGCTTGGG
AAACCCGAAGAATCCCAGCCCTGAAGCCTATAATCACTACGGCCTCTCCCGTCTGTGGCACTGGCCT
TCACCAAGGAGAATTCTCTTCTTGTGCTGGATACTGCATCCCATTCTATAAAAGTCTTTAAAGTATGGA
GGCAACGGAGGG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR226156 representing NM_175340
Red=Cloning site Green=Tags(s)


MGEEATAVAAAGVRPELVREAESLLECKVCFERFGHWQRRPRNLPCGHVVCLACVAALHPRTLGLEC
 PFCRRACRACDTSCLPVLHLELLGSTLHSPAALSAAPFAPGTLTCYHAFGGWGLVNPTGLALCPKT
 GRVVVHDGKRRVKIFDSGGGAHQFGEKGDAAHDVKYPLDVAVTNDCHVVVTDAGDCSLKVFDFFGQIK
 LVVGKQFSLPWGVEITPHNGVLVTD A EAGTLHLL EADFP EGVLRRIERLQAHLCSPRGLAVSWLTGAIIV
 LEHPCAFGRTGCNTRVKVFNSTMQLIGQVDSFGLNLLFPSKVTASAVTFDHQGNVIVADTSGPAIVCLG
 KP EEFALKPIITHGLSRPVALAFTKENSLLVLDTASHSIKVFVMEGNGG

SGPTRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9091_e03.zip

Restriction Sites: SgfI-RsrII

Cloning Scheme:



ACCN: NM_175340

ORF Size: 1203 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_175340.4](#), [NP_780549.1](#)

RefSeq Size: 2308 bp

RefSeq ORF: 1206 bp

Locus ID: 105193


UniProt ID: [Q8BR37](#)

Cytogenetics: 13 A5

MW: 42.7 kDa

Gene Summary: E3 ubiquitin-protein ligase. Together with the phosphatase EPM2A/laforin, appears to be involved in the clearance of toxic polyglucosan and protein aggregates via multiple pathways. In complex with EPM2A/laforin and HSP70, suppresses the cellular toxicity of misfolded proteins by promoting their degradation through the ubiquitin-proteasome system (UPS). Ubiquitinates the glycogen-targeting protein phosphatase subunits PPP1R3C/PTG and PPP1R3D in a laforin-dependent manner and targets them for proteasome-dependent degradation, thus decreasing glycogen accumulation. Polyubiquitinates EPM2A/laforin and ubiquitinates AGL and targets them for proteasome-dependent degradation. Also promotes proteasome-independent protein degradation through the macroautophagy pathway. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR226156