

Product datasheet for MR226166L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Slc1a2 (NM_001077514) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Slc1a2 (NM 001077514) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Slc1a2

Synonyms: 1700091C19Rik; 2900019G14Rik; Al159670; Eaat2; GLT-1; GLT1; MGLT1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001077514

ORF Size: 1716 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR226166).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001077514.3

RefSeq Size: 11571 bp
RefSeq ORF: 1719 bp
Locus ID: 20511
UniProt ID: P43006

Cytogenetics: 2 54.13 cM





Gene Summary:

Sodium-dependent, high-affinity amino acid transporter that mediates the uptake of L-glutamate and also L-aspartate and D-aspartate (PubMed:7698742, PubMed:7557442, PubMed:9373176). Functions as a symporter that transports one amino acid molecule together with two or three Na(+) ions and one proton, in parallel with the counter-transport of one K(+) ion. Mediates Cl(-) flux that is not coupled to amino acid transport; this avoids the accumulation of negative charges due to aspartate and Na(+) symport (By similarity). Essential for the rapid removal of released glutamate from the synaptic cleft, and for terminating the postsynaptic action of glutamate (PubMed:9180080).[UniProtKB/Swiss-Prot Function]