

Product datasheet for MR226171L3

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com CN: techsupport@origene.cn

Spo11 (NM_001083960) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Spo11 (NM_001083960) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Spo11

Synonyms: Al449549; Spo11a; Spo11b

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR226171).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001083960

ORF Size: 1074 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 001083960.1, NP 001077429.1

2 95.64 cM

 RefSeq Size:
 1602 bp

 RefSeq ORF:
 1077 bp

 Locus ID:
 26972

 UniProt ID:
 Q9WTK8


Gene Summary:

Cytogenetics:

Isoform 1: Component of a topoisomerase 6 complex specifically required for meiotic recombination. Together with TOP6BL, mediates DNA cleavage that forms the double-strand breaks (DSB) that initiate meiotic recombination (PubMed:26917764). The complex promotes relaxation of negative and positive supercoiled DNA and DNA decatenation through cleavage and ligation cycles. Essential for the phosphorylation of SMC3, HORMAD1 and HORMAD2 (PubMed:22346761).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR226171L3