

Product datasheet for **MR226178**

Krit1 (NM_001170552) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Krit1 (NM_001170552) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Krit1
Synonyms:	2010007K12Rik; A630036P20Rik; AA432855; AI450393; AI643869; BB155247; BB235701; Ccm1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>MR226178 representing NM_001170552
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGAAATCCAGAAAACATCGAAGATGCTTACGTTGACGTTATTCGTCCAAAGAACACTGCTAGTCTCA
ACTCCCGGGAGTATAGAGCTAAGTCCTATGAAATTTTATTGCATGAAGTCCCATTTGAAGGACAGAAAA
AAAGCGAAAGAAAGTTTTGCTGGAACTAACTTCAAAGCAACAGTGAAATAGCACAAGGCATATTGGAC
TATGTAGTAGAAAACACAAACCAATTTCTCTGCAAACAGGGGATTAAAGGGAAACGAGTGGTCTGA
TGAGGAAGTTTCTCTGGACGGAGAGAAGACAGGCAGAGAAGCAGCACTGTTTATCGTGCCATCAGTTGT
CAAAGATAATACTAAATATGCATATACTCTGGATGCCAATTTTTTACTGCTTACAAGATATTATGAGA
GTTTGTAGTGAATCCAGTACTCACTTTGCAACACTTACAGCAAGGATGTTAATAGCCTTGGATAAGTGGT
TAGATGAACGTCATGCGCAGTCTCACTTTATTCCAGCTTTATTCCGACCTTCTCCCCTTGAACGGATAAA
GACAAATGTCATAAACCCCTGCGTATGCTGCTGAATTAGGCCAGGTAGACAATTCACTACATATGGGCTAT
AGTGCCTAGAAAATAAAGAGTAAAATGCTAGCCCTAGAGAAAGCAGACACTGCATTTACAACCCCTTGT
TTGGATCAGATCTTCAGTATACAATCGGGTAGATAAAAGTGGTAATAAATCCATACTTTGGTCTCGGAGC
TCCAGACTACTCAAAAATCCAAATCCCAAACAGGAAAAATGGCAGCGAAGCATGAGCAGCGTTGTGGAA
GACAAAGAACGACAGTGGGTTGATGACTTTCTTTACATCGAAATGCCTGTGAAGGAGATTCAGAATTAC
TGAGCCATCTTCTCGATAAAGGACTTTCACTCAACCACTAGATAATGACCACTGGGCACCCATTCATTA
TGCATGCTGGTATGGAAAAGTTGAGGCCACTCGCATATTATTAGAGAAAGGAAAGTGAATCCAAACCTT
TAAATGGGCAGCTCAGCTCACCCTTCACTTTGCTGCTGGAGGGGCCATGCTGAAATAGTGCAGATCC
TCCTGACTCACCAGACATTGACAGGCACATAACAGATCAACAAGGAAGATCCCCATTAATGTTTGTGA
AGAAAACAAACAAAATAAAGTGGGAAGAAGCTGCAAAATTTGTTGAAAGACGCCATTAACAAGCCATATGAA
AAAGTTGGAATCTATAGAATGGATGGATCATACCGTTCTGTTGAACTAAAGCATGGCAATAATACCACAG
CACAGCAGATAATGGAGGGAATGCGGCTCTCTCAGGAACTCAGCGATATTTCACTATTTGGATCTGTTT
AGAAAATCTTAGTCTTCAAGCTTATCATAAACCCCTTGAACAAGTTCATGACTGGCCAGAAAATA
CTTGCTGAATTGACTAATTTGGATCCACAAGAGAAAACACCACAGCTTTTCTAAGAAGAGATGTGGGAC
TTCCTTTAGAAGTTGAGAAAAAGATTGAAGACCCACTAGCTATTCTTATTCTCTTTGATGAAGCCAGATA
TAATTTACTGAAGGGCTTTTATACAGCTCCTGATGCTAACTGATAAAGTGAAGTCTACTGTTACAA
ATAGTTTATGGGAATTATGAGAGTAAAAGCACAACAAGGTTTCTTAAATGAAGAACTCTGAAATCCA
TCGTACCTATTACTAACTGAAAAGTAAGGCGCCTCACTGGATAAACCGAATACTCCATGAGTACAAGAA
TCTGAGTCTGAGTGAAGGCGTCAGTAAGGAAATGCACCACCTGCAGCGCATGTTCTACAGAACTGCTGG
GAGATCCCTACGTACGGAGCCGCTTCTTACAGGACAGATATTTACAAAGGCAAGCCCAAGCAATCATA
AAGTCAATCCCTGTGTATGTAGGAGTGAATATAAAGGACTTCACTCTCTGAAATGGAACATAAGGCTGG
CCTTGTGGTAAAGCTGCTAATGAAGTAAATGGACAATAATGCCCTCTGAAAGAAATTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226178 representing NM_001170552
Red=Cloning site Green=Tags(s)

MGNPENIEDAYVAVIRPKNTASLNSREYRAKSYEILLHEVPIEGQKKRKKVLLLETKLQSNSEIAQGILD
 YVVETTKPISPANQGIKGRVLMRKFPLDGEKTGREAAFLIVPSVVKDNTKYAYTPGCPIFYCLQDIMR
 VCSESSTHFATLTARMLIALDKWLDERHAQSHFIPALFRPSPLERIKTNVINPAYAAELQVDNSLHMGY
 SALEIKSKMLALEKADTCIYNPLFGSDLQYTNRVVDKVVINPYFGLGAPDYSKIQIPKQEKWQRSMSVVE
 DKERQWVDDFPLHRNACEGDSELLSHLLDKGLSVNQLDNDHWAPIHYACWYGKVEATRILLEKGCNPNL
 LNGQLSSPLHFAAGGGHAEIVQILLTHPDIRHITDQQGRSPLNVCEENKQNNWEEAAKLLKDAINKPYE
 KVRIYRMDGSYRSVELKHGNNNTAQQIMEGMRLSQETQRYFTIWCSENLSQLFKPYHKPLQQVHDWPEI
 LAELTNLDPQRETPQLFLRRDVGLPLEVEKKIEDPLAILILFDEARYNLLKGFYAPDAKLITLASLLQ
 IVYGNYESKHKQGLNEETLKSIVPITKLKSKAPHWINRILHEYKNLSLSEGVSKEMHHLQRMFLQNCW
 EIPTYGAFFTGQIFTKASPSNHKVIPVYGVNLIKGLHLLNMETKAGLVVKKLLMKNLQGLMPSEKNS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_001170552

ORF Size: 2091 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001170552.1](#), [NP_001164023.1](#)

RefSeq Size: 6034 bp

RefSeq ORF: 2094 bp

Locus ID: 79264


UniProt ID: [Q6S5I6](#)

Cytogenetics: 5 2.26 cM

MW: 80 kDa

Gene Summary: Component of the CCM signaling pathway which is a crucial regulator of heart and vessel formation and integrity. Negative regulator of angiogenesis. Inhibits endothelial proliferation, apoptosis, migration, lumen formation and sprouting angiogenesis in primary endothelial cells. Promotes AKT phosphorylation in a NOTCH-dependent and independent manner, and inhibits ERK1/2 phosphorylation indirectly through activation of the DELTA-NOTCH cascade. Acts in concert with CDH5 to establish and maintain correct endothelial cell polarity and vascular lumen and these effects are mediated by recruitment and activation of the Par polarity complex and RAP1B. Required for the localization of phosphorylated PRKCZ, PARD3, TIAM1 and RAP1B to the cell junction, and cell junction stabilization. Plays a role in integrin signaling via its interaction with ITGB1BP1; this prevents the interaction between ITGB1 and ITGB1BP1. Microtubule-associated protein that binds to phosphatidylinositol 4,5-bisphosphate (PIP2)-containing membranes in a GTP-bound RAP1-dependent manner (By similarity). Plays an important role in the maintenance of the intracellular reactive oxygen species (ROS) homeostasis to prevent oxidative cellular damage. Regulates the homeostasis of intracellular ROS through an antioxidant pathway involving FOXO1 and SOD2. Facilitates the down-regulation of cyclin-D1 (CCND1) levels required for cell transition from proliferative growth to quiescence by preventing the accumulation of intracellular ROS through the modulation of FOXO1 and SOD2 levels.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR226178