

Product datasheet for MR226195

Pum2 (NM_001160219) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Pum2 (NM_001160219) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Pum2
Synonyms: 5730503J23Rik; Pumm2
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR226195 representing NM_001160219
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGAATCATGATTTTCAAGCTCTTGCATTAGAATCTCGGGGAATGGGAGAGCTTTTGCCTACCAAAAAGT
 TTTGGAACTGATGATTCAACAAAAGATGGACAAAAGGCATATTTCTGGGGATGATGAATGGAGAGA
 GACTGCATGGGAACTTCTCATCATTCAATGTCCAGCCTATTATGGTGCAGAGAAGATCTGGACAGAGT
 TTTTCATGGAAACAGTGAAGTAAATGCAATTCTTTCTCCAGCTCAGAAAAGTGGAGGCCTTGGTGTGAGCA
 TGGTAGAATATGTATTAAGTTCTCTCCTGCTGATAAAATTGGATTCTCGATTTAGGAAGGAACTTTTGG
 TACTAGAGATGCTGAAACAGATGGACCTGAGAAAGGAGATCAAAAAGGCAAGGCTTCTCCATTTGAGGAG
 GACCAAAACAGAGATCTTAAACAAGATGATGAGGACTCTAAAAATAATGGCAGAGGTTTGCCAAATGGAA
 TGGATGCCGATTGCAAAGATTTAATCGCACTCCTGGAAGTCGCCAAGCCTCTCCAAGTGAAGTAGTTGA
 GCGCCTTGGCCCTAGTACTAATCCCCAGAAGGATTGGGCCCTCTCCTAATCCGACAGCGAATAAACCA
 CTTGTTGAAGAATTTTCAAACCTGAAACTCAGAATCTGGATGCAATGGACCAAGTTGGTCTGGATTCTT
 TACAGTTTGACTATCCTGGTAATCAGGTACCCATGGATTCTTCAGGAGCTACTGTAGGCCTTTTTGACTA
 CAATCCCAACAGCAGCTCTTTTCAGAGGACTAGTGCCTAACAGTTTCAGCAGTTAACTGCAGCTCAGCAG
 CAGCAGTATGCATTAGCAGCAGCTCAGCAGCCACATATAGCTGGTGTATTCTCAGCAGGCCTTGCTCCAG
 CTGCATTTGTGCCAAATCCATATATTATTAGTGTCTCCTCCAGGGACTGACCCGTATACTGCAGCAGG
 ATTGGCTGCAGCAGCAACATTAGCAGGTCCAGCAGTGGTTCACCTCAGTATTACGGTGTCCATGGGGA
 GTGTATCCAGCAATTTATTTTCAGCAACAAGCTGCAGCTGCGGCAAGCAACACAGCAACAGCAAGCAG
 CATCACAAGCTCAGCCTGGACAGCAGCAGGTTCTTCGTCTGGAGCAGGTGAGCCTCTATTACTCCAAG
 TCAGGGCCAACAAGGGCAGCAAGCAGAGTCACTGCAGCAGCTGCAAACCAACTTTGGCTTTTGGTCAG
 AGTCTTGCTGCAGGCATGCCAGGCTATCAAGTACTAGCTCCAAGTGCCTATTATGATCAGACTGGTGCCT
 TAGTGGTTGGCCCGGAGCAAGAAGTGGCTTGGAGCTCAGTACGATTAAATGGCTCCAACACCTGTCTT
 AATAAGTTCAACAGCAGCACAAGCTGCAGCAGCAGCAGCAGCAGCTGGAGGAACTGCAAATAGTCTTACA
 GGCAGCACAATGGTCTGTTTCGGCAATTGGCACTCAGCCACCACAGCAGCAGCAGCAGCAGCAGCAAC



[View online >](#)

CAAGCTAACCTGCAGTCTAATTCATTTTATGGGAGCAGCTCTTTGACTAACAGCTCCCAGAGCAGCTC
 TTTATTCTCTCATGGACCTGGCCAACTGGAAGTGCCTCTTTGGCTTTGGAAGTGGTAGCTCTTTAGGA
 GCTGCTATAGGCTCAGCTCTCAGTGGATTTGGCTCATCAGTTGGCAGTTCTGCAAGTAGTAGGCCAA
 GGAGAGAGTCTCTATCTACTAGCTCTGACTTGTACAAAAGATCTAGTAGCAGCCTAGCACCCATAGGGCA
 ACCATTTTACAATAGTCTGGGATTTTCTCCTCTCCAAGTCCAATAGGCATGCCTCTGCCAAGCCAACT
 CCAGGACATTCACTTACGCCACCGCCATCACTTTCATCACATGGATCCTCATCCAGTTTGCATTTAGGAG
 GACTGACAAACGGTAGTGGTCGGTATATCTCGCAGCACCTGGAGCAGAAGCAAAGTACCGAAGTGCCTC
 AAGCATTCCAGTCTATTTAGTCCAGCAGCCAGCTCTTCTCCTTCTCGGCTCCGCTATAATAGATCT
 GACATCATGCCCTCCGGCCGAGTAGGTTATTGGAAGATTTAGGAACAACCGCTTCCCCAACCTTCAGC
 TCAGAGACTTAATTGGACATATAGTCGAGTTTTCTCAAGACCAGCATGGTTCAGATTATACAGCAAAA
 GCTAGAGAGAGCTACTCCAGCTGAGCGACAAAATAGTATTTAATGAAATCTACAGGCAGCCTATCAATTA
 ATGACAGATGTTTTGGAACTATGTTATACAGAAATTTTTGAGTTTGGAAATTTGGATCAGAAATTAG
 CCCTGGCTACTCGTATTCGTGGTCATGTTCTACCATTAGCCTGCAGATGTATGGCTGCCGTGTTATTCA
 AAAGCGTTAGAATCTATTTCTCTGATCAGCAGGTAATTAGTGAATGGTTAAGGAACTAGATGGCCAT
 GTACTTAAATGTGTAAAGATCAAAATGGAACCATGTTGTACAGAAATGCATTGAATGTGTTACGCCAC
 AGTCACTGCAGTTCATCATCGATGCTTTCAAAGGACAAGTATTTGTGCTTCAACCCATCCTTATGGCTG
 CAGAGTCAATTCAGCGTATCTTAGAGCACTGCACGGCAGAGCAGACCTTACCCATCTTAGAAGAATTCAC
 CAACACACAGAACAGTTGGTACAGGATCAGTATGGCAATTATGTTATTCAGCATGTACTGGAACATGGTC
 GACCTGAAGACAAGCAAAAATGTTTCCGAAATCAGAGGAAAGGCTTACGCCCTGAGTCAACACAAAT
 TGCCAGCAATGTAGTAGAAAAGTGTGTTACTCATGCCTCCCGTGCAGAGAGCTTTACTGATTGATGAG
 GTCTGCTGTCAGAATGATGGTCTCACAGTGCCTTATACACCATGATGAAGGATCAGTATGCCAACTATG
 TGGTTCAGAAGATGATTGATGGCTGAGCCTGCCAGAGAAAAGATAATCATGCACAAGATTCGACCTCA
 TATTACTCTTCGCAAATACACATATGGGAAGCATATACTGGCCAAGTTGAAAAATACTATCTGAAA
 AACAGCCCAGATCTAGGGCAATTGGAGACCACCAAAATGGGATGCTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR226195 representing NM_001160219

Red=Cloning site Green=Tags(s)


MNHDFQALALESRMGELLPTKFWPDDSTKDGQKGFILGDDEWRETAWGTSHHSMSQPIMVQRRSGQS
 FHGNSEVNAILSPRESGGLGVSMVEYVLS SSPADKLD SFRKGTGTRDAETDGPEKGDQK GKASPFEE
 DQNRDLKQDDEDSKINGRGLPNGMDADCKDFNRTPGSRQASPTVEVVERLGPSTNPPEGLGPLNPPTANKP
 LVEEF SNPETQNL DAMDQVGLDSLQFDYPGNQVPM DSSGATVGLFDYNSQQQLFQRTSAL TVQQLTAAQQ
 QQYALAAAQQPHIAGVFSAGLAPAAFVNPYII SAAPP GTDPYTAAGLAAAATLAGPAVVPPQYYGVPWG
 VYPANLFQQQAAAAASNTANQQAASQAQPGQQQVLRPGAGQRPITPSQGGQQQAE S LAAAANPTLAFGQ
 SLAAGMPGYQVLAPTAYYDQTGALVVGPGARTGLGAPVRLMAPTPVLI SSTAQAAAAAAAAGGTANSLT
 GSTNGLFRPIGTQPPQQQQQQPSTNLQSN SFYGS SSSL TNSSQSSSLF SHGPGQPGSASLGF GSGSSLG
 AAIGSALSGFGSSVGS SSSATRRESLSTSSDLYKRSSSLAPIGQPFYNSLGFSSSPSIGMPLPSQT
 PGHSLTPPPSLSSHGSSSLHLGGLTNGSGRYISAAPGAEAKYRSASSTSSLFSSSSQLFPPSRLRYNRS
 DIMP SGRSRLLED FRNRFPNLQLRDLIGHIVEFSQDQHGSRFIQKLERATPAERQIVFNEILQAAYQL
 MTDVFGNYVIQKFFEFGLDQKLALATRIRGHVLPALQMYGCRVIQKALESISSDQQVISEMVKELDGH
 VLKCVKQDQNGNHVVQKCI ECVQPQLQF IIDAFKGVFV LSTHPYGCRVIQRILEHCTAEQTLPILEELH
 QHTEQLVQDQYGNVVIQHVLEHGRPEDKSKIVSEIRGKVLALSQHKFASN VVEKCVTHASRAERALLIDE
 VCCQNDGPHSALYTMKQDYANYVVQK MIDMAEPAQRKIIMHKIRPHITL RKYTYGKHILAKLEYLKL
 NSPDLGPIGGPPNGML

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001160219

ORF Size: 3198 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001160219.1, NP_001153691.1</u>
RefSeq Size:	6311 bp
RefSeq ORF:	3201 bp
Locus ID:	80913
UniProt ID:	<u>Q80U58</u>
Cytogenetics:	12 A1.1
MW:	114.8 kDa
Gene Summary:	Sequence-specific RNA-binding protein that acts as a post-transcriptional repressor by binding the 3' UTR of mRNA targets. Binds to an RNA consensus sequence, the Pumilio Response Element (PRE), 5'-UGUANAUA-3', that is related to the Nanos Response Element (NRE). Mediates post-transcriptional repression of transcripts via different mechanisms: acts via direct recruitment of the CCR4-POP2-NOT deadenylase leading to translational inhibition and mRNA degradation. Also mediates deadenylation-independent repression by promoting accessibility of miRNAs. Acts as a post-transcriptional repressor of E2F3 mRNAs by binding to its 3' UTR and facilitating miRNA regulation. Plays a role in cytoplasmic sensing of viral infection. Represses a program of genes necessary to maintain genomic stability such as key mitotic, DNA repair and DNA replication factors. Its ability to repress those target mRNAs is regulated by the lncRNA NORAD (non-coding RNA activated by DNA damage) which, due to its high abundance and multitude of PUMILIO binding sites, is able to sequester a significant fraction of PUM1 and PUM2 in the cytoplasm. May regulate DCUN1D3 mRNA levels. May support proliferation and self-renewal of stem cells. Binds specifically to miRNA MIR199A precursor, with PUM1, regulates miRNA MIR199A expression at a postranscriptional level (By similarity).[UniProtKB/Swiss-Prot Function]