

Product datasheet for **MR226277**

Hgf (NM_010427) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hgf (NM_010427) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Hgf
Synonyms:	C230052L06Rik; HGF/S; HGF/SF; NK; NK1; NK2; SF; SF/HG; SF/HGF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR226277 representing NM_010427
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGATGTGGGGACCAAACCTTCTGCCGGTCTGTGTCTGCAGCATGTCTCTGCACCTCTCTGCTTC
 ATGTCGCCATCCCTATGCAGAAGGACAGAAGAAAAGAAGAAATACACTTCATGAATTTAAAAAGTCAGC
 AAAAATACTCTTACCAAGGAAGACCCATTACTGAAGATTTAAAACCAAAAAAGTGAACCTCTGCAGATGAG
 TGTGCCAACAGGTGTATCAGGAACAGGGGCTTTACGTTCACTTGAAGGCCTTCGTTTTTGATAAGTCAA
 GAAAACGATGCTACTGGTATCCTTTCAATAGTATGTCAAGTGGAGTGAAAAAGGGTTTGGCCATGAATT
 TGACCTCTATGAAAACAAAGACTATATTAGAACTGCATCATTGGTAAAGGAGGCAGCTATAAAGGGACG
 GTATCCATCACTAAGAGTGGCATCAAATGCCAGCCTTGGAAATCCATGATCCCCATGAACACAGCTTTT
 TGCCCTCGAGCTATCGCGGTAAGACCTACAGGAAAACACTGTGCGAAATCCTCGAGGGGAAGAAGGGGG
 ACCCTGGTGTTCACAAGCAATCCAGAGGTACGCTACGAAGTCTGTGACATTCTCAGTGTTCAGAAAGTT
 GAATGCATGACCTGCAATGGTGAAGACTACAGAGGTCCCATGGATCACACAGAATCAGGCAAGACTTGTG
 AGCGCTGGGACCAGCAGACACCACCCGGCACAAGTTCTTGCCAGAAAAGATATCCCGACAAGGGCTTTGA
 TGATAATTATTGCCGCAATCCTGATGGCAAGCCGAGGCCATGGTGTACACTCTTGACCCCTGACACCCCT
 TGGGAGTATTGTGCAATTTAAACGTGCGCTCACAGTGTGTGAATGAGACTGATGTCCCTATGAAAACAA
 CTGAATGCATTCAAGGCCAAGGAGAAGGTTACAGGGGAACCAGCAATACCATTTGGAATGGAATTCCTG
 TCAGCGTTGGGATTTCGAGTACCCTCACAAGCATGATATCACTCCCGAGAACTTCAAATGCAAGGACCTT
 AGAGAAAATTATTGCCGCAATCCAGATGGGGCTGAATCACCATGGTGTTCCTGACTGACCCAAACATCC
 GAGTTGGCTACTGCTCTCAAATCCCAAGTGTGACGTGTCAAGTGGACAAGATTGTTATCGTGGCAATGG
 GAAAAATTACATGGGCAACTTATCCAAAACAAGGTCTGGACTTACATGTTCCATGTGGGACAAGAATATG
 GAGGATTTACACCGTCATATCTTCTGGGAGCCAGATGCTAGCAAATTGAATAAGAATTACTGCCGGAATC
 CTGATGATGATGCCCATGGACCTTGGTGTACACGGGGAATCCTCTTATTCTTGGGATTATTGCCCTAT
 TTCCCCTGTGAAGGAGATACTACACCTACAATTGTCAATTTGGACCATCCTGTAATATCCTGTGCCAAA
 ACAAACAACCTGCGGGTTGTAATGGCATTCCAACACAAACAACAGTAGGGTGGATGGTTAGTTTGAAT
 ACAGAAAATAACATATCTGTGGAGGATCATTGATAAAGGAAAGTTGGGTTCTTACTGCAAGACAATGTTT
 TCCAGCCAGAAAACAAGACTTGAAGACTATGAAGCTTGGCTTGGCATCCACGATGTTTCATGAGAGAGGC
 GAGGAGAAGCGCAAGCAGATCTTAAACATTTCCAGCTGGTCTATGGTCTGAAGGCTCAGACTTGGTTT
 TACTGAAGCTTGTGCGACCTGCAATCCTGGATAACTTTGTGAGTACAATTGATTTACCTAGTTATGGTTG
 TACAATCCCTGAAAAGACCACTTGCAGTATTTACGGCTGGGGCTACACTGGATTGATCAACGCGGATGGT
 TTATTACGAGTAGCTCATCTGTATATTATGGGGAATGAGAAATGCAGTCAGCACCATCAAGGCAAGGTGA
 CTTTGAATGAGTCTGAGTTATGTGCTGGGGCTGAAAAGATTGGATCAGGACCATGTGAGGGAGATTATGG
 TGGCCCACTCATTTGTGAACAACAAAAATGAGAATGGTCTTGGTGTGATTGTTCTGCTGGTGGATGT
 GCCATCCCAATCGTCTGGTATTTTTGTTTCGAGTAGCATATTATGCAAAATGGATACACAAAGTAATTT
 TGACATACAAGTTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226277 representing NM_010427
Red=Cloning site Green=Tags(s)


```
MMWGTKLLPVLLLQHVLLHLLLLHVAIPYAEGQKKRRNTLHEFKKSAKTLLTKEDPLLIKTKKVNSADE
CANRCIRNRGFTFTCKAFVFDKSRKRKYWYFPNSMSSGVKKGFGHEFDL YENKDYIRNCIIGKGGSYKGT
VSITKSGIKCQPWNSMIPHEHSFLPSSYRGKDLQENYCRNPRGEEGGPWCFTSNPEVRYEVCDIPOCSEV
ECMTCNGESYRGPMDHTESGKTCQRWDQQTPHRHKFLPERYPDKGFDNNYCRNPDGKPRPWCYTLDPDTP
WEYCAIKTCAHSVNETDVPMETTECIQQQGEGRGTSNTIWNIGIPCQRWDSQYPHKHDIIPENFKCKDL
RENYCRNPDGAESPWCFTTDPNIRVGYCSQIPKCDVSSGQDCYRGNGKNYMGNL SKTRSGLTC SMWDK NM
EDLHRHIFWEPDASKLNKNYCRNPDDDAHGPWCYTGNPLIPWDYCPISRCEGDTTPTIVNLDHPVISCAK
TKQLRVVNGIPTQTTVGWMVSLKYRNKHC GGSLIKESWVL TARQCFARNKDLKDYEAWLG IHDVHERG
EEKRKQILNISQLVYGPEGSDLVLLKLARPAILDNFVSTIDLPSYGCTIPEKTTCSIYGWYGTGLINADG
LLRVAHL YIMGNEKCSQH HQKVTLNESEL CAGAEKIGSGPCEGYGGLICEQH KMRMVLGVI V PGRGC
AIPNRPGIFVRVAYYAKWIHKVILTYKL
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja2388_f12.zip

Restriction Sites: Sgfl-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

ACCN: NM_010427

ORF Size: 2187 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_010427.5](#)

RefSeq Size: 2810 bp

RefSeq ORF: 2187 bp

Locus ID: 15234


UniProt ID: [Q08048](#)

Cytogenetics: 5 7.07 cM

MW: 82.9 kDa

Gene Summary: This gene encodes a protein that binds to the hepatocyte growth factor receptor to regulate cell growth, cell motility and morphogenesis in numerous cell and tissue types. The encoded preproprotein is proteolytically processed to generate multiple protein products, including the hepatocyte growth factor alpha and beta chains, which heterodimerize to form the mature active protein. Although this protein is a member of the peptidase S1 family of serine proteases, it lacks peptidase activity. Homozygous knockout mice for this gene exhibit embryonic lethality due to impaired development of the placenta and liver. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Sep 2015]

Product images:



Circular map for MR226277