

Product datasheet for MR226278L4

Tyrp1 (NM_031202) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tyrp1 (NM_031202) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Tyrp1

Synonyms: b; brown; isa; Oca3; TRP-1; TRP1; Tyrp

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(MR226278).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_031202

ORF Size: 1611 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Tyrp1 (NM_031202) Mouse Tagged Lenti ORF Clone - MR226278L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 031202.3</u>, <u>NP 112479.1</u>

 RefSeq Size:
 2755 bp

 RefSeq ORF:
 1614 bp

 Locus ID:
 22178

 UniProt ID:
 P07147

Cytogenetics: 4 37.89 cM

Gene Summary: Plays a role in melanin biosynthesis (PubMed:2245916). Catalyzes the oxidation of 5,6-


dihydroxyindole-2-carboxylic acid (DHICA) into indole-5,6-quinone-2-carboxylic acid

(PubMed:7813420). May regulate or influence the type of melanin synthesized


(PubMed:7813420, PubMed:2245916). Also to a lower extent, capable of hydroxylating tyrosine and producing melanin (PubMed:1537333).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR226278L4



Double digestion of MR226278L4 using Sgfl and Mlul $\,$