

## Product datasheet for MR226304

### Kcnk18 (NM\_207261) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Kcnk18 (NM_207261) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Kcnk18
Synonyms:	Gm781; Tresk; Tresk-2; Trik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR226304 representing NM_207261 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGGCTGAGGAGCCACCTGAGGCCAGGAGATGCTGTCCCGAGGCCCTGGGAAGGCCAGGGGATGCT  
GCCCCGAAGCCCTGGGCAAGCTTCTGCCCGCCTCTGCTTCTTTGCTGCCTGGTACCTATGCGCTGGT  
GGGTGCTGCTCTTCTCCGCTGTCGAGGGCCGCCCTGACCCAGAAGCAGAGGAGAACCCTGAGTTGAAG  
AAGTTCCTGGACGATCTGTGCAACATCCTGAAATGTAACCTGACAGTGGTTGAAGGTAGCAGGAAGAACT  
TGTGTGAGCATCTGCAACACCTCAAGCCCCAGTGGCTCAAGGCGCCCCAGGACTGGTCTTCTGAGCGC  
TCTCTTCTTCTGCTGCACAGTGTTCAGCACAGTGGTTATGGCCACATGTACCCTGTACCAGGCTCGGT  
AAGTTCCTGTGCATGCTGTATGCGCTCTTTGGAATCCCTCTAATGTTCTTCTGGTCCCTCACAGACATAGGAG  
ATATCCTGGCCACCATCTTATCCAGGGCTTACAGTTCGGTTCAGGCTCTCCTTTGCTCCCCACGATAT  
CTTCAAATGGCGCTCCCTCCCGCTCTGCCGGAAGCAGCCTGACAGCAAACCGGTGGAGGAAGCCATCCCT  
CAGATTGTCATTGATGCTGGTGTGGATGAACTCCTAAACCCGAGCCAGCAAGGACCCCCCTCTCCGA  
GCTGCAATGTGGAGCTGTTTGAGAGATTAGTTGCCCGTGAAGAAAAGAACAAGCTACAACCCACCGCG  
TCCCGTGGAGAGGAGCAACTCCTGTCCCAGCTGGTGTGGGGCGACTGTCTGTCTATTCTCAGCAAT  
CTGGATGAAGTGGCCAGCAGGTGGAGAGGCTGGACATCCCTCTCCCGTCAATCGCCCTGGTCTGTTTGA  
CATACATCTCCTGCGCGCTGCTATCCTCCCCTTCTGGGAGACCGAGCTAGGCTTCGAGGATGCTTTCTA  
CTTCTGCTTTGTGACACTGACCACCATCGGTTTGGGGACATCGTGTGTGCACCTCATTCTTCTCCTC  
TTCTTCTCCATCTACATCATCGTGGCATGGAGATCCTGTTTATTGCCTTCAAGCTGATGCAGAACCAGGC  
TCCTGCACACCTACAAAACCTCATGCTGTTTGTGGCCAAAGGAAGTTTCGCTACCTGG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
TGGATTACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >MR226304 representing NM\_207261  
Red=Cloning site Green=Tags(s)


MEAEPPPEARCCPEALGKARGCCPEALGKLLPGLCFLCCLVTYALVGAALFSAVEGRPDPEAEENPELK  
 KFLDDLNCNLKCNLTVVEGSRKNLCEHLQHLKPQWLKAPQDWSFLSALFFCCTVFSTVGYGHMYPVTRLG  
 KFLCMLYALFGIPLMFLVLTDIGDILATILSRAYSRFQALLCLPHDIFKWRSLPLCRKQPDSPVEEAIP  
 QIVIDAGVDELLNPQPSKPPSPSCNVELFERLVAREKKNLQPPTRPVERSNSCPPELVGRLSCSILSN  
 LDEVGQQVERLDIPLVIALVVFAYISCAAAILPFWETELGFEDAFYFCFVTLTTIGFGDIVLVHPHFFL  
 FFSIYIIVGMEILFIAFKLMQNRLHTYKTLMLFVCQREVSLPW

SGPTRTRPLEQKLI SEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mm9018\\_g04.zip](https://cdn.origene.com/chromatograms/mm9018_g04.zip)

**Restriction Sites:** SgfI-RsrII

**Cloning Scheme:**



**ACCN:** NM\_207261

**ORF Size:** 1182 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_207261.3](#), [NP\\_997144.1](#)

**RefSeq Size:** 3032 bp

**RefSeq ORF:** 1185 bp

**Locus ID:** 332396


**UniProt ID:** [Q6VV64](#)

**Cytogenetics:** 19 D3

**MW:** 44.9 kDa

**Gene Summary:** Outward rectifying potassium channel. Produces rapidly activating outward rectifier K(+) currents. May function as background potassium channel that sets the resting membrane potential. Channel activity is directly activated by calcium signal. Activated by the G(q)-protein coupled receptor pathway. The calcium signal robustly activates the channel via calcineurin, whereas the anchoring of 14-3-3/YWHAH interferes with the return of the current to the resting state after activation. Inhibited also by arachidonic acid and other naturally occurring unsaturated free fatty acids. Channel activity is also enhanced by volatile anesthetics, such as isoflurane. Appears to be the primary target of hydroxy-alpha-sanshool, an ingredient of Schezuan pepper. May be involved in the somatosensory function with special respect to pain sensation.[UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MR226304