

Product datasheet for **MR226365**

Kcnma1 (NM_010610) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kcnma1 (NM_010610) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Kcnma1
Synonyms:	5730414M22Rik; BKCα; MaxiK; mSlo; mSlo1; Slo; Slo1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR226365 representing NM_010610 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCAAACGGTGGCGGGCGGGCGGCGGCAGCAGCGGGCGGGCGGGCGGGCGGGCGGGGAGGCAGCGGTC
TTAGAATGAGCAGCAATATCCACGGAACCATCTCAGCCTAGACGCGTCTCTCTCTCTCTCTCTCTCTCTCT
CT
ATACCGGTGACCATGGAGGTGCCGTGCGACAGCCGGGCGCAACGCATGTGGTGGGCTTTCTTGGCCTCCT
CCATGGTGACTTTCTTCGGGGGCTCTTATCATCTTGTCTGGCGGACGCTCAAGTACCTGTGGACCGT
TTGCTGCCACTGCGGGGCAAGACGAAGGAGGCCAGAAATAACAATGGCTCCAGCCAGGAGATGGT
ACTCTCAAGCCAGTGGACGAAAAAGAGGAGGTGGTGCCAGCCGAGGTCCGCTGGATGACATCTGTGAAGG
ACTGGGCAGGGGTGATGATATCCGCCAGACACTGACTGGCAGAGTCTGGTTGTGTTAGTCTTTGCTCT
CAGCATTGGTGCCCTCGTAATACTTCATAGACTCGTCAAACCAATAGAATCCTGCCAGAATTTCTAC
AAAGATTCACATTACAGATCGACATGGCTTCAACGTGTTCTTCTCTCTACTTTGGCTTGGCGTTTA
TTGCAGCAACGATAAGCTGTGGTCTGGCTGGAAGTGAATTAGTAGATTTCTTACAGTCCCTCC
TGTTGTTGTCTGTGTACTTAAACAGAAGTTGGCTTGCTTGATTTTAAAGACTCTCAGACTGATA
CAGTTTTCAGAGATTTTGCAGTTTCTGAATATCCTTAAAACAAGTAACTCCATCAAGCTGGTGAATCTGC
TCTCCATATTATCAGCAGTGGCTGACTGCAGCTGGATTCATCCAATTTGGTGGAGAATTCAGGGGACCC
ATGGGAAAATTTCCAAAACAACAGGCCTTACGTAAGTGGGAAATGTGTCTACTTACTCATGGTACAATG
TCTACAGTGGGTTATGGGACGTTTATGCAAAAACCACTTGGAGCGCTTTCATGGTCTTCTTATCC
TCGGGGGACTGGCCATGTTTGCCAGTACGTCCTGAAATCATAGAGTTAATAGGAAACCGCAAGAAATA
CGGGGGTCTCTATAGCGCGTTAGTGAAGAAAGCACATTGTAGTCTGTGGACACATTACTCTGGAGAGT
GTCTCTAACTTCCTGAAGACTTTCTGCACAAGGACCGGGATGATGTCAACGTGGAGATTGTCTTTCTTC
ACAACATCTCCCTAACCTTGAAGCTTGAGCTTGAGGCTCTGTCAAACGGCATTCTACTCAGTGGAGTTTATCA
GGCTCTGCTCAATCCACATGATCTTGCCAGAGTCAAGATAGAGTCAAGATAGAGTCAAGATGATGCTGATCCTT



[View online »](#)

GCCAATAAGTATTGCGCTGACCCGGATGCAGAAGATGCCTCCAACATCATGAGAGTGATCTCCATCAAAA
ACTACCACCCAAAGATCAGGATCATCACTCAGATGCTGCAGTATCACAACAAGGCCCATCTGCTCAACAT
CCCCAGCTGGAAGTGGAAAGAGGGTGTGACGCAATATGCCTTGACAGCTCAAGTTGGGTTTCATAGCC
CAGAGCTGTCTGGCTCAAGGCCTCTCCACAATGCTTGCCAATCTTTCTCTATGAGGTCATTATAAAGA
TTGAGGAAGACACATGGCAGAAATACTACTTGAAGGAGTCTCCAATGAAATGTACACAGAATATCTCTC
CAGTGCCTTCGTGGTCTGTCTCCCTACTGTTTGTGAGCTGTGTTTTGTGAAGCTTAAGCTCCTGATG
ATAGCCATTGAGTACAAGTCTGCCAACAGAGAGAGCCGAATATTAATTAACCCCTGGGAACCACTTAAGA
TCCAAGAAGTACTTTAGGATTTTTTCATCGCAAGTGTGCCAAAGAAGTTAAAAGGGCATTTTTTACTG
CAAGGCCTGTCATGATGACGTCACAGATCCAAAAGAATTAATAAATGTGGCTGCAGGCGGCCAAGATG
TCCATCTACAAGAGAATGAGACGAGCATGTTGTTTTGATTGCGGACGTTCTGAGCGTGACTGCTCGTGCA
TGTGAGCCGTGTGCGTGGTAACGTGGACACCCTTGAGAGAACCCTCCCGCTTTCTTCTGTCTGTGTTAA
TGATTGCTCCACCAGTTTCCGTGCCTTTGAAGATGAGCAGCCGCCAACCCCTGTCACCAAAAAAAAAAACA
CGTAATGGGGCATGAGGAACCTCGCCAACACCTCCCCGAAGCTGATGAGGCATGACCCCTGTGTAATTC
CTGGCAATGATCAGATTGACAACATGGACTCCAATGTAAAAAGTACGACTCCACTGGAATGTTTACTG
GTGTGCACCCAAGGAGATTGAGAAAGTCATCTTACTCGAAGTGAAGCTGCCATGACTGTCTGAGTGGC
CATGTCTGATGTCATCTTTGGGGATGTCAGCTCAGCCCTGATTGGCCTCCGGAACCTGGTGATGCCAC
TTCGTGCTAGCAACTTCACTATCATGAGCTCAAACACATTGTGTTTTGGGGCTCCATTGAGTACCTCAA
GAGGGAGTGGGAAACACTGCACAACCTCCCGAAAGTGTCCATATTGCCTGGTACACCATTAAAGTCGGGT
GATTTAAGGGCTGTCAACATCAACCTCTGTGACATGTGCGTTATCCTGTGAGCCAATCAGAATAATTTG
ATGATACTTCGCTTCAGGACAAGGAATGCATCTTGGCGTCACTCAACATCAAATCTATGCAGTTTGTGTA
CAGCATCGGGTCTTGCAGGCTAATCCCAAGGATTCACACCTCCTGGAATGGACAGATCATCACCCGAC
AACAGCCAGTGCACGGGATGTTACGCCAGCCGTCCATCAAACTGGGGTCAACATTCATCATCACGG
AACTCGTGAATGATACCAATGTTTCAAGTTTTGGACCAAGACGATGACGATGACCCCTGACACAGAGTGA
CCTCACACAGCCCTTGTGTTGGGACAGCATTTGCCGTGAGCGTCTGGACTCACTCATGAGCGGACA
TACTTCAATGACAATATCCTCACCTAATACGGACCCTGGTGACAGGAGGAGCCACACCAGAGCTCGAGG
CTCTAATAGTGAGGAGAATGCACCTTCGAGGAGGCTACAGCACTCCGACAGATTGGCCAACAGGGACCG
TTGCCGAGTGGCCAGTTAGCCCTGTTAGATGGTCCCTTTCAGACTTAGGGGATGGTGGTTGTTATGGT
GATCTGTTCTGCAAAGCTCTGAAAACATATAATATGCTTTGTTTTGGAATTTACCGGCTGAGAGATGCC
ACCTCAGCACCCAGCCAGTGTACAAAAGGTACGTATCACCATCCTCCCTACGAGTTTGTGAGCTCGT
ACCAACAGACCTGATCTTCTGCCTGATGCAGTTTGACCACAACGCTGGCCAATCCCGGGCCAGTCTGTCT
CATTCTCCACTCCTCACAGTCGTCCAGTAAGAAGAGCTCCTCCGTCCACTCCATCCCGTCCACAGCAA
ATCGGCCGAACCGGCCAAGTCCAGGGAGTCCCGGACAAACAGAACAGAAAAGAATGGTTTACAGA

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226365 representing NM_010610
 Red=Cloning site Green=Tags(s)


MANGGGGGGGSSGGGGGGGSGLRMSSNIHANHLSLDASSSSSSSSSSSSSSSSSSSSSVHEPKMDALI
 IPVTMEVPCDSRQRMWAWFLASSMVTFFGGFLIILLWRTLKYLWTVCCCHCGGKTKEAQKINNGSSQADG
 TLKPVDEKEEVAAEVGWMTSVKDWAGVMISAQTLTGRVLLVLFALSIGALVIYFIDSSNPIESCQNFY
 KDFTLQIDMAFNVFLLYFGLRFIAANDKLWFLEVNVSVDFFTVPPVFSVYLNRSWGLRFLRALRLI
 QFSEILQFLNILKTSNSIKLVNLLSIFISTWLTAAAGFIHLVENSGBPWFNFQNNQALTYWECVYLLMVTM
 STVGYGDVYAKTTLGRLFMVFFILGGLAMFASYVPEIIEILIGNRKKYGGSYSAVSGRKHIVVCGHITLES
 VSNFLKDFLHKDRDDVNVIEIVFLHNI SPNLELEALFKRHFTQVEFYQGSVLNPHDLARVKIESADAACLIL
 ANKYCADPDAEDASNIMRVISIKNYHPKIRIITQMLQYHNKAHLNIPSWNKEGDDAICLAELKLGFIGA
 QSCLAQGLSTMLANLFSMRSFIKIEEDTWQKYYLEGVSNEMYTEYLSSAFVGLSFPTVCELFCVVKLLLM
 IAIEYKSANRESRILINPGNHLKIQEGLGFFIASDAKEVKRAFFYCKACHDDVTDPKRIKKGCRRPKM
 SIYKMRNRACCFDCGRSERDCSCMSGRVGRNVDTLERTFPLSSVSNDCSTSFRAFEDEQPPTLSPKKKQ
 RNGGMRNSPNTSPKLMRHDPLLIPGNDQIDNMSNVKKYDSTGMFHWCAPKEIEKVILTRSEAMTVL SG
 HVVVCIFGDVSSALIGLRNLVMPLRASNFHYHELKHIVFVGSIEYLKREWETLHNFPKVSILPGTPLSRA
 DLRAVNINLDCMCVILSANQNNIDDTSLQDKECILASLNIKSMQFDDSIGVLQANSQGFPPGMDRSSPD
 NSPVHGLMRQPSITTVNIPIITELVNDTNVQFLDQDDDDDPDELYLTQPFACGTAFVSVLDSLMSAT
 YFNDNILTLIRTLVTGGATPELEALIAEENALRGGYSTPQTLANRDRCRVAQLALLDGPFDLGDGGCYG
 DLFCKALKTYNMLCFGIYRLDAHLSTPSQCTKRYVITNPPYEFELVPTDLIFCLMQFDHNAGQSRASLS
 HSSHSSQSSSKSSSVHSIPSTANRPNRPKSRESRDKQNRKEMVYR

SGPTRRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9001_f10.zip

Restriction Sites: SgfI-RsrII

Cloning Scheme:




ACCN: NM_010610

ORF Size: 3708 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010610.3 , NP_034740.2
RefSeq Size:	5051 bp
RefSeq ORF:	3711 bp
Locus ID:	16531
UniProt ID:	Q08460
Cytogenetics:	14 A3
MW:	138 kDa
Gene Summary:	Potassium channel activated by both membrane depolarization or increase in cytosolic Ca(2+) that mediates export of K(+). It is also activated by the concentration of cytosolic Mg(2+). Its activation dampens the excitatory events that elevate the cytosolic Ca(2+) concentration and/or depolarize the cell membrane. It therefore contributes to repolarization of the membrane potential. Plays a key role in controlling excitability in a number of systems, such as regulation of the contraction of smooth muscle, the tuning of hair cells in the cochlea, regulation of transmitter release, and innate immunity. In smooth muscles, its activation by high level of Ca(2+), caused by ryanodine receptors in the sarcoplasmic reticulum, regulates the membrane potential. In cochlea cells, its number and kinetic properties partly determine the characteristic frequency of each hair cell and thereby helps to establish a tonotopic map. Kinetics of KCNMA1 channels are determined by alternative splicing, phosphorylation status and its combination with modulating beta subunits. Highly sensitive to both iberiotoxin (IbTx) and charybdotoxin (CTX).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR226365