

Product datasheet for MR226389

Apobec3 (NM_030255) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Apobec3 (NM_030255) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Apobec3

Synonyms: Apobec; Arp3; BC003314; Cem15; Rfv3

Mammalian Cell Neomycin

Selection:


Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme: Cloning sites used for ORF Shuttling:





GAT CTG GCA GCA ANT GAT ATC CTG GAT TAC AGG GAT GAC GAC GAT AAG GTT TAA AACGGCCGGCCC

D L A A N D I L L D Y K D D D D K V stop

ACCN: NM_030255

ORF Size: 1188 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

^{*} The last codon before the Stop codon of the ORF



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: Th

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasm

Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 030255.3</u>, <u>NP 084531.2</u>

RefSeq Size: 2360 bp RefSeq ORF: 1191 bp Locus ID: 80287

Cytogenetics: 15 37.85 cM

MW: 47.9 kDa

Gene Summary: DNA deaminase (cytidine deaminase) which acts as an inhibitor of retrovirus replication and

retrotransposon mobility via deaminase-dependent and -independent mechanisms. Selectively targets single-stranded DNA and does not deaminate double-stranded DNA or

single-or double-stranded RNA. Exhibits antiviral activity against HIV-1, simian


immunodeficiency viruses (SIVs), mouse mammary tumor virus (MMTV) and friend murine

leukemia virus (FrMLV) and may inhibit the mobility of LTR retrotransposons.

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR226389