

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR226394L3V

## Srsf7 (NM\_001195487) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Srsf7 (NM_001195487) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Srsf7
Synonyms:	9G8; 35kDa; 9430065L19Rik; NX-9; NX-96; Sf; Sfrs7
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001195487
ORF Size:	669 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR226394).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001195487.1, NP 001182416.1</u>
RefSeq Size:	2256 bp
RefSeq ORF:	672 bp
Locus ID:	225027
UniProt ID:	<u>Q8BL97</u>
Cytogenetics:	17 E3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene is a member of the serine/arginine (SR)-rich family of pre-<br/>mRNA splicing factors, which constitute part of the spliceosome. Each of these factors<br/>contains an RNA recognition motif (RRM) for binding RNA and an RS domain for binding other<br/>proteins. The RS domain is rich in serine and arginine residues and facilitates interaction<br/>between different SR splicing factors. In addition to being critical for mRNA splicing, the SR<br/>proteins have also been shown to be involved in mRNA export from the nucleus and in<br/>translation. Five transcript variants, four of them protein-coding and the other not protein-<br/>coding, have been found for this gene. [provided by RefSeq, Sep 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US