

### **Product datasheet for MR226441L3**

# Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

#### Usp30 (NM\_001033202) Mouse Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Usp30 (NM\_001033202) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Usp30

**Synonyms:** 6330590F17Rik; Al851327; D5Ertd483e

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR226441).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

ACCN: NM\_001033202

ORF Size: 1551 bp





#### Usp30 (NM\_001033202) Mouse Tagged Lenti ORF Clone - MR226441L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001033202.3</u>, <u>NP 001028374.1</u>

 RefSeq Size:
 2790 bp

 RefSeq ORF:
 1554 bp

 Locus ID:
 100756

 UniProt ID:
 Q3UN04

 Cytogenetics:
 5 55.96 cM

**Gene Summary:** Deubiquitinating enzyme tethered to the mitochondrial outer membrane that acts as a key


inhibitor of mitophagy by counteracting the action of parkin (PRKN): hydrolyzes ubiquitin attached by parkin on target proteins, such as RHOT1/MIRO1 and TOMM20, thereby blocking

parkin's ability to drive mitophagy. Preferentially cleaves 'Lys-6'- and 'Lys-11'-linked polyubiquitin chains, 2 types of linkage that participate in mitophagic signaling. Does not cleave efficiently polyubiquitin phosphorylated at 'Ser-65' (By similarity). Acts as negative regulator of mitochondrial fusion by mediating deubiquitination of MFN1 and MFN2

(PubMed:24513856).[UniProtKB/Swiss-Prot Function]



## **Product images:**



Circular map for MR226441L3