

## Product datasheet for **MR226447**

### Usp33 (NM\_001076676) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Usp33 (NM_001076676) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Usp33
Synonyms:	9830169D19Rik; AA409780; Vdu1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>MR226447 representing NM\_001076676  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGACGACTTTTCGAAATCATTGTCACATTTGGATTGAGTTGGTAAATAACGAAAGAGGACTTGATAC  
 AGAAATCTCTCGGCGCTTGTGAGGACTGTAAAGTCAGAGGACCAACCTGTGGCGTGCCTGGAGAATAG  
 GTGCTCTATGTTGGCTGCGGGGAGTCGCAAGTGACCACAGCACCATACACTCGCAGGAGACAAAGCAT  
 TATCTAACTGTGAACCTCACCCTCTTCGAGTATGGTGTATGCTTGCAGCAAAGAAGTATTTTTGGATA  
 GAAATTAGGAACTCCTCCTTACCTCATGTAAGACAGCCTCAACAAACACAAGAAAACAGTGTCCA  
 GGATTTTAAAATCCCAGTAATCCAGCATTGAAAACCCCATGGTTGCTGTGTCTGAAGACTGGATATA  
 GAAGTGAAGAGGAGACGAGCTGAAGGCTAGAGGCTGACAGGTTTAAAAACATTGAAATACTTGTT  
 ATATGAACGCGGCTGCAGGCTCTTTCTAACTGCCACCTTTGACACAGTCTTTCTTGATTGTGGAGG  
 ACTGGCTAGAACAGATAAGAAACCAGCAATTTGTAAAAGTTATCTCAAATAATGACCGAGTTGTGGCAC  
 AAGAGCAGGCCAGGATCTGTTGTCCGGCTAATCTGTTCCAAGGAATTAAGTGTAAATCCAATTTTC  
 GAGGTTATTCTCAGCAGGATGCCAGGAATTCCTTCGCTGTCTAATGGACCTGCTTCATGAGGAGCTGAA  
 GGAGCAGGTATGGAAATGGAGGAAGAGCCTCAACACTAACTTCTGAGGAGACGGTGGAGGAAGAGAAG  
 AGCCAGTCAGATGTGGATTTTTCAGTCGTGCGAGTCTTGTAGCAGCAGCGAAGAGCAGAAAATGAGAGTG  
 GCTCCAAGGCTTTCTGAGGACAGCAATGAGACCACCATGCTCATCCAGGACGAGGATGACCTGGAGAT  
 GGCCAAAGACTGGCAGAAAGAGAAGGTGTGCAATAAGTCAACAAGGCAAATGCCGATGTAGAATGGAC  
 AAAGACAGGGACACAGTGTGAAACAGTTGACCTAAACAGCCAGGAGACCGTCAAAGTGCAGATACACG  
 GCAGAGCCTCAGAATCTACTGATGTCCATCTGAATGACCTAGCTACGTACAGATCTTCTTCAAA  
 TGAAAGTGTAGTCCACGGTTATCAGCAAGCCCTCCTAAGCTAGGCAAGTCTGTGGCCAGGACTGTGCGCT  
 CCACACAAGAAAGCTCAGTCTACATCTGCAAGAGGAAAAAGCAGCATAAGAAATACAGAAGTGTATCT  
 CCGACATATTCGATGGAACAGTCATTAGCTCGGTACAGTGTCTGACGTGCGATAGGGTGTCTATAACCT  
 CGAGACCTTTTCAGGATCTGCTCTGCCGATTCCTGGCAAGGAGGACCTGGCTAAGCTGCACTCCTCCAGT  
 CACCCAACTATAGTCAAAGCAGGGTATGTGGTGAAGCGTACGCCCGCAGGGGTGGATAGCTTTCTTCA  
 TGGAGTATGTGAAGAGCTGGTTTTGGGGTCCAGTAGTTACCTTGAAGATTGTCTTGCTGCCTTCTTCGC  
 CAGAGATGAACCTAAAGGTGACAACATGTACAGTTGTGAAAAATGCAAAAAGTTGAGGAATGGAGTAAAG  
 TTTTGTAAAGTACAGAAGTTTCTGAGATTTTGTGTATCCACCTAAAAGATTTTCGACATGAACCTGATGT  
 TTTCCACCAAAATTAGCACCCATGTTTCTTCCCCTGGAAGGCCTCGATCTTCAGCCATTTCTTGCAAA  
 GGACAGCCAGCTCAGATTGTGACATATGATCTCCTGTACAGTCTGTGACCATGGGACTGCAAGTAGT  
 GGGCACTACATTGCCTACTGCCGAAACAATTTAAATAACCTGTGGTATGAGTTTGTGACAGAGCGTCA  
 CTGAAGTTTCAGAGTCCACTGTACAGAATGCCGAGGCCTACGTCCTTTTCTACAGGAAGAGCAGTGAAGA  
 GGCACAAAAGGAGAGGCGGAGGATATCAAAATTTGTTGAACATCATGGAACCTAGCCTCCTTCAGTTCTAC  
 ATATCTCGACAGTGGTTGAATAAATTTAAGACCTTTGCTGAACCTGGCCCTATTTCAAATAATGATTTTC  
 TCTGTATCCATGGAGTATTCTCCACGAAAAGCGAGTTATATTGAAGACTTAGTTTTGATGCTGCCTCA  
 GAACATTTGGGATAACCTCTATAGCAGGTATGGAGGAGGCTGCTGTCAACCATCTACATCTGCCAC  
 ACCTGCCAAATTGAGTTAGAGAAGATTGAAAAACGAAGAAAAACCGAATTGGAAATTTTTTTCGGCTCA  
 ACAGAGCATTTCAAGAGGAGACTCCCCAGCTACTTTTTACTGTATCAGCATGCAGTGGTTAGAGAATG  
 GGAGAGTTTTGTAAAGGATCCCCAGGTCCAATCGACAACACTAAAATTGCGGTTACTAAATGTGGCAGT  
 GTGATGCTCAAGCAAGGAGCAGACTCTGGTCAAATTTTCAGAAGAAACATGGAATTTCTGCAGTCTATAT  
 ATGGTGGGGGCTGAAGTTATCCTCCGACCTCCAGTTGTTTCATGTTGACCCTGATGTAATCCAAGCAGA  
 GAAAAGATTGAAGTAGAACTCGCTCTTTG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226447 representing NM\_001076676  
 Red=Cloning site Green=Tags(s)

MTTFRNHCPHLDSVGEITKEDLIQKSLGACQDCKVRGPNLWACLENRCSYVGCGESQVDHSTIHSQETKH  
 YLTVNL TTLRVWCYACSKVEFLDRKLGTPPSLPHVRQPQTQENSVDKIPSNPALKTPMVAVSEDLDI  
 EVEEDELKARGLTGLKNIGNTCYMNAAALQALSNCPLTQFFLDGGLARTDKKPAICKSYLKLMTLWH  
 KSRPGSVVPANLFGQIKTVNPTFRGYSQQDAQEFLRCLMDLLHEELKEQVMEMEEEPQTLTSEETVEEEK  
 SQSDVDFQSCESCSEKAENESGSKGFPEDSNETTMLIQDEDDLEMAKDWQKEKVCNKINKANADVLD  
 KDRDVTVCETVDLNSQETVKVQIHRASESITDVHLNDLATSQILPSNESVSPRLSASPPKLGSLWPLSP  
 PHKKAQSTSARKKQHKYRSVISDIFDGTVISSVQCLTCDRVSITLETQDL SLPPIPKEDLAKLHSS  
 HPTIVKAGSCGEAYAPQGWIAFFMEYVKSFWGPPVTLQDCLAFFARDELKGDNMYSCCKKLRNGVK  
 FCKVQKFEILCIHLKRFHLMFSTKISTHVSFPLEGLDLQPFLAKDSPAQIVTYDLLSVICHHTASS  
 GHYIAYCRNNLNLWYFDDQSVTEVSESTVQNAEAYVLFYRKSSEEAQKERRRISNLLNIMEPSLLQFY  
 ISRQWLNKFKTFAEPGPI SNNDFLCIHGGIPPRKASYIEDLVMLPQNIWNLYSRYGGGPAVNHLIYICH  
 TCQIELEKIEKRKTELEIFIRLNRAFQEEDSPATFYCISMQWFREWESFVKDPPGPIDNTKIAVTKCGS  
 VMLKQGADSGQISEETWNFLQSIYGGGPEVILRPPVVHVDPDVLQAEKIEVETRSL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



## Plasmid Map:



ACCN: NM\_001076676

ORF Size: 2691 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001076676.2](#), [NP\\_001070144.1](#)

RefSeq Size: 4164 bp

RefSeq ORF: 2694 bp

Locus ID: 170822

Cytogenetics: 3 H3

MW: 101.9 kDa

**Gene Summary:**

Deubiquitinating enzyme involved in various processes such as centrosome duplication, cellular migration and beta-2 adrenergic receptor/ADRB2 recycling. Involved in regulation of centrosome duplication by mediating deubiquitination of CCP110 in S and G2/M phase, leading to stabilize CCP110 during the period which centrioles duplicate and elongate. Involved in cell migration via its interaction with intracellular domain of ROBO1, leading to regulate the Slit signaling. Plays a role in commissural axon guidance cross the ventral midline of the neural tube in a Slit-dependent manner, possibly by mediating the deubiquitination of ROBO1. Acts as a regulator of G-protein coupled receptor (GPCR) signaling by mediating the deubiquitination of beta-arrestins (ARRB1 and ARRB2) and beta-2 adrenergic receptor (ADRB2). Plays a central role in ADRB2 recycling and resensitization after prolonged agonist stimulation by constitutively binding ADRB2, mediating deubiquitination of ADRB2 and inhibiting lysosomal trafficking of ADRB2. Upon dissociation, it is probably transferred to the translocated beta-arrestins, leading to beta-arrestins deubiquitination and disengagement from ADRB2. This suggests the existence of a dynamic exchange between the ADRB2 and beta-arrestins. Deubiquitinates DIO2, thereby regulating thyroid hormone regulation. Mediates deubiquitination of both 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains. [UniProtKB/Swiss-Prot Function]