

Product datasheet for **MR226477**

Ddx58 (NM_172689) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ddx58 (NM_172689) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ddx58
Synonyms:	6430573D20Rik; C330021E21; RIG-I; RLR-1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR226477 representing NM_172689
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGACAGCGGAGCAGCGGCAGAATCTGCAAGCATTAGAGACTATATCAAGAAGATTCTGGACCCACCT
 ACATCCTCAGCTACATGAGTTCCCTGGCTCGAGGATGAGGAGGTGCAGTACATTACAGGCTGAGAAGAACA
 CAAGGGCCCAATGGAAGCTGCCTCACTTCTCTCCAGTACCTGTTGAAGCTGCAGTCAGAGGGCTGGTTC
 CAGGCCTTTTTGGATGCCTGTACCATGCAGGTTACTGTGGACTTTGTGAAGCCATCGAAAGTTGGGACT
 TTCAAAAAATTGAAAAGTTAGAGGAACACAGATTACTTTTAAGACGTTTGAACCAGAAATTAAGGCCAC
 AGTTGATCCAATGATATCCTTTCTGAATATCCGAATGTTTGATTAATCAGGAATGTGAAGAAATCAGA
 CAGATCCGAGACTAAAGGGAGAATGGCAGGTGCGGAGAAGATGGCCGAATGTCTTATCAGATCCGACA
 AGGAAAAGTGGCCAAAGTCTTGCAACTTGCTTTGGGAAAAGACAACAGCAAGTTTGTGAATTGTGGAT
 TGGTGATAAAGGTTTCAAAGGGCTGAAAGCAAGGCTGATGAGGATGATGGAGCGGAGGCGTCCAGCATC
 CAGATTTTCATTAGGAAGAGCCAGAGTGTGCAATCTCAGTCAGAAATCCCGGGCCTCCTCAGAAGCGT
 CTCTAATAATTTACACAGCCCATTGAAACCAAGAAATACCAACTGGAGCTTGCCCTGCCTGCCAAGAA
 AGGGAAAAATACAATAATATGTGCCCTACTGGTTGTGAAAAACCTTTGTGCGCTTCTTATATGTGAA
 CACCATCTTAAAAATCCCATGTGGACAAAAAGGAAAGTGGTCTTCTCGCTAACCAATTCCTGTCT
 ATGAGCAGCAGGCAACTGTGTTCTCAGATATTTTGAAGACTTGGGTACAACATTGCGAGCATTCTCG
 GGCAACATCTGATAGCGTCTCAGTGCAGCACATCATTGAAGACAATGATATCATCATCTGACACCCAG
 ATCTTTGTGAACAATCTCAACAACGGAGCCATCCCCTCGTTGTCTGTCTCACTCTGATGATATTTGATG
 AGTGTCAACACTAGCAAAAACCCACATAACAATCAGATCATGTTGAGATACCTAGACCACAAACTTGG
 AGAGTACCGGGACCCACTGCCTCAGGTCGTTGGGCTGACTGCCTCCGTCCGCGTTGGAGATGCTAAGACC
 GCGGAGGAAGCCATGCAACATATCTGTAACCTCTGTGCCGCCCTGGATGCCTCCGTGATTGCCACAGTCA
 GAGACAACGTTGCAGAACTGGAACAGGTCGTTTATAAGCCCCAGAAAATTTCCAGGAAAGTGGCATCCCG
 GACTTCGAACACGTTTAAATGCATCATCTCAGCTGATGAAGGAGACAGAGAAGCTAGCCAAGGATGTC
 TCCGAGGAACTTGGAAAGCTTTTTCAAATTCAAAACAGAGAATTCGGCACCCAGAAAATGAACAGTGGA
 TTGTCCGCGTCCACAAAGCGTCTCAGTGTTCAGATGGCAGACAAGAGGAGGAGCCGGGTCTGCAA
 AGCGCTCTTCTGTACACATCACATTTGCGGAAATACAACGATGCACTCATCATCAGTGAGGATGCACAG
 ATGACAGACGCTCTAAATACCTCAAAGCCTTCTCCACGATGTCGAGAAAGCAGCATTTCGATGAGACCG
 AGCGAGAGCTTACTCGGAGGTTTGAAGAAAACTAGAGGAATTAGAAAAAGTTTCCAGGGATCCAGCAA
 TGAGAATCCTAAACTAAGAGACCTCTACTTGGTCTTACAAGAAGGTACCACTTAAAGCCAGAGACCAAG
 ACCATTCTCTTGAAGACCAGAGCACTCGTGGATGCTCTGAAGAAATGGATTGAAGAAAATCCTGCAC
 TAAGCTTTCTAAAGCCTGGCATACTGACTGGGCGTGGCAGAACAAACCGGCAACAGGAATGACGCTCCC
 GGCACAGAAGTGTGTGCTGGAGGCATTAGAGCCAGCGGAGATAACAATATTCTGATTGCTACCTCGGTC
 GCTGATGAAGGCATTGACATTGCTGAGTGAATCTCGTATTCTCTATGAGTACGTGGGCAACGTCA
 AGATGATCCAAACCAGAGGCCGAGGAAGAGCACGAGATAGCAAGTGTCTCCTGACCAGCAGCGCTGA
 CGTGATTGAAAAAGAAAAGGCGAACATGATCAAGGAAAAAATAATGAATGAATCCATCTTAAGACTGCAG
 ACATGGGATGAAATGAAATTTGGAAAGACGGTTCACCGCATACAGGTGAATGAAAAACTCCTCAGAGACA
 GTCAGCACAAACCACAACCTGTTCTGACAAAAGAAAACAAGAACTGCTGTGTGGAAGTGAAGAATTT
 TGCGTGCTACACAGCTGACATTCGAGTGGTTGAGACGTCCCACTACACTGTCTTGGAGACGCTTTTAAAG
 GAGCGCTTTGTGTGAAGCCACACCCTAAACAAAGATCTATGACAATTTTGAAGAAGAAAGCAAAGATAT
 TCTGCGCCAAACAGAACTGTAGCCAGACTGGGGAATTTTGTGAGATACAAGACGTTTCGAGATTCCAGT
 CATAAAAAATTGAAAGTTTCGTGTTGGAAGATATTGTGAGCGGAGTTCAGAACCGGCACTCAAAGTGAAG
 GACTTTCATTTTGAAGGATACAGTTCGATCCTGCAGAAATGTCCGTA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAAGTTTAA

Protein Sequence: >MR226477 representing NM_172689
 Red=Cloning site Green=Tags(s)

MTAEQRQNLQAFRDYIKKILDPTYILSYMSSWLEDEEVQYIQAENKNGPMEASLFLQYLLKLQSEGWF
 QAFDLALYHAGYCGLCEAIESWDFQKIEKLEEHRLLLRLEPEFKATVDPNDILSELSECLINQCEEIR
 QIRDTKGRMAGAEMAELIRSDKENWPKVLQLALEKDNSKFSSELWIVDKGFKRAESKADEDDGAEASSI
 QIFIQEEPECQNLSONPGPPSEASSNNLHSPKPRNYQLELALPAKKGKNTIICAPTGCCKTFVSLICE
 HHLKKFPCGQKGVVFFANQIPVYEQQATVFSRYFERLGYNIASISGATSDSVSVQHIIEDNDIILTPQ
 ILVNNLNGAIPSLSVFTLMIFDECHNTSKNHPYNQIMFRYLDHKLGESRDPLPQVVGLTASVGVGDAKT
 AEEAMQHICKLCAALDASVIATVRDNVALEQVYKPKISRKVASRTSNTFKCIIISQLMKETEKLAADV
 SEELGKLFQIQNREFGTQKYEQWIVGVHKACSVFQADKEEESRVCKALFLYTSHLRKYNDALIISEDAQ
 MTDALNYLKAFFHDVREAAFDETERELTRRFEEKLEEEKVSRDPSNENPKLRDLVLQEEYHLKPKETK
 TILFVKTRALVDALKKWIENPALSFLKPGILTGRGRTRATGMTLPAQKCVLEAFRASGDNNILIATSV
 ADEGIDIAECNLVILYEYVGNVIKMIQTRGRGRARDSKCFLLTSSADVIEKEKANMIKEKIMNESILRLQ
 TWDEMFKGKTVHRIQVNEKLLRDSQHKPQVPDKENKLLCGKCKNFACYTADIRVVETSHYTVLGDFAK
 ERFVCKPHPKPIYDNFEKKAKIFCAKQNCSDHWGIFVRYKTFEIPVIKIESFVVEDIVSGVQNRHSKWK
 DFHFERIQFDPAEMSV


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1621_c11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN: NM_172689

ORF Size: 2778 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_172689.3 , NP_766277.3
RefSeq Size:	4943 bp
RefSeq ORF:	2781 bp
Locus ID:	230073
UniProt ID:	Q6Q899
Cytogenetics:	4 A5
MW:	106.4 kDa

Gene Summary:

Innate immune receptor which acts as a cytoplasmic sensor of viral nucleic acids and plays a major role in sensing viral infection and in the activation of a cascade of antiviral responses including the induction of type I interferons and proinflammatory cytokines. Its ligands include: 5'-triphosphorylated ssRNA and dsRNA and short dsRNA (<1 kb in length). In addition to the 5'-triphosphate moiety, blunt-end base pairing at the 5'-end of the RNA is very essential. Overhangs at the non-triphosphorylated end of the dsRNA RNA have no major impact on its activity. A 3'overhang at the 5'triphosphate end decreases and any 5'overhang at the 5' triphosphate end abolishes its activity. Upon ligand binding it associates with mitochondria antiviral signaling protein (MAVS/IPS1) which activates the IKK-related kinases: TBK1 and IKBKE which phosphorylate interferon regulatory factors: IRF3 and IRF7 which in turn activate transcription of antiviral immunological genes, including interferons (IFNs); IFN-alpha and IFN-beta. Detects both positive and negative strand RNA viruses including members of the families Paramyxoviridae: newcastle disease virus (NDV) and Sendai virus (SeV), Rhabdoviridae: vesicular stomatitis virus (VSV), Orthomyxoviridae: influenza A and B virus, Flaviviridae: Japanese encephalitis virus (JEV), hepatitis C virus (HCV), dengue virus (DENV) and west Nile virus (WNV). It also detects rotavirus and orthoreovirus. Also involved in antiviral signaling in response to viruses containing a dsDNA genome such as Epstein-Barr virus (EBV). Detects dsRNA produced from non-self dsDNA by RNA polymerase III, such as Epstein-Barr virus-encoded RNAs (EBERs). May play important roles in granulocyte production and differentiation, bacterial phagocytosis and in the regulation of cell migration. [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR226477