

Product datasheet for MR226545L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Tnfrsf1a (NM_011609) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Tnfrsf1a (NM_011609) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Tnfrsf1a

Synonyms: CD120; CD120a; FPF; p5; p55; p55-R; TN; Tnf; TNF-a; TNF-a; TNF-alphaR1; TNF-R-I; TNF-R-I; TNF-

R1; TNF-R55; TNFal; TNFalpha-R1; TNFAR; TNFR; Tnfr-2; Tnfr1; TNFR60; TNFRI; TNFRp55

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_011609

 ORF Size:
 1362 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR226545).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 011609.4</u>, <u>NP 035739.2</u>

 RefSeq Size:
 2186 bp

 RefSeq ORF:
 1365 bp

 Locus ID:
 21937

 UniProt ID:
 P25118

 Cytogenetics:
 6 59.32 cM







Gene Summary:

This gene encodes a member of the TNF receptor superfamily of proteins. The encoded receptor is found in membrane-bound and soluble forms that interact with membrane-bound and soluble forms, respectively, of its ligand, tumor necrosis factor alpha. Binding of membrane-bound tumor necrosis factor alpha to the membrane-bound receptor induces receptor trimerization and activation, which plays a role in cell survival, apoptosis, and inflammation. Proteolytic processing of the encoded receptor results in release of the soluble form of the receptor, which can interact with free tumor necrosis factor alpha to inhibit inflammation. Mice lacking a functional copy of this gene exhibit impaired immune function. [provided by RefSeq, Sep 2016]