

## **Product datasheet for MR226804**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Ccl2 (NM 011333) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Ccl2 (NM\_011333) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Ccl2

Synonyms: Al323594; HC11; JE; MCA; MCAF; MCP-; MCP-1; MCP1; Scy; Scya2; Sig; Sigje; SMC-C; SMC-

CF

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR226804 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GGAGTGACCAGTGTGACAGTGAAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR226804 protein sequence

Red=Cloning site Green=Tags(s)

MQVPVMLLGLLFTVAGWSIHVLAQPDAVNAPLTCCYSFTSKMIPMSRLESYKRITSSRCPKEAVVFVTKL KREVCADPKKEWVQTYIKNLDRNQMRSEPTTLFKTASALRSSAPLNVKLTRKSEANASTTFSTTTSSTSV

GVTSVTVN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV





**Restriction Sites:** 


Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:

Sgf1 ORF Miu I

--- GCGATCGC C ATG ---//--- NIST ACG CGT ---



<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_011333

ORF Size: 447 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 011333.3, NP 035463.1

RefSeq Size: 806 bp
RefSeq ORF: 447 bp
Locus ID: 20296
UniProt ID: P10148




Cytogenetics: 11 49.82 cM MW: 16.3 kDa

**Gene Summary:** 

This gene is one of several cytokine genes clustered on chromosome 11. Chemokines are a superfamily of secreted proteins involved in immunoregulatory and inflammatory processes. The superfamily is divided into four subfamilies based on the arrangement of N-terminal cysteine residues of the mature peptide. This chemokine is a member of the CC subfamily which is characterized by two adjacent cysteine residues. This cytokine displays chemotactic activity for monocytes and memory T cells but not for neutrophils. The human ortholog has been implicated in the pathogenesis of diseases characterized by monocytic infiltrates, such as psoriasis, rheumatoid arthritis, and atherosclerosis. [provided by RefSeq, Sep 2015]

## **Product images:**



Circular map for MR226804