

## Product datasheet for MR226918L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Fgfr3 (NM\_001163216) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Fgfr3 (NM\_001163216) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Fgfr3

Synonyms: CD333; Fgfr-; Fgfr-3; Flg-2; FR3; HBGF; HBGFR; Mfr3; sa; sam3

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001163216

ORF Size: 2346 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR226918).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 001163216.2, NP 001156688.1

RefSeq Size: 3973 bp
RefSeq ORF: 2349 bp
Locus ID: 14184

**Cytogenetics:** 5 17.83 cM







## **Gene Summary:**

This gene encodes a member of the fibroblast growth factor receptor family. Members of this family are highly conserved proteins that differ from one another in their ligand affinities and tissue distribution. A representative protein consists of an extracellular region composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment, and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This family member binds acidic and basic fibroblast growth hormone and plays a role in bone development and maintenance. Mutations in this gene may be associated with craniosynostosis and multiple types of skeletal dysplasia. A pseudogene of this gene is located on chromosome 1. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Apr 2011]