

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR226977L4V

Cldn10 (NM_001160096) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Cldn10 (NM_001160096) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Cldn10
Synonyms:	6720456l16Rik; Cldn; Cldn1; Cldn10a; Cldn10b; D14Ertd728; D14Ertd728e
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001160096
ORF Size:	630 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR226977).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001160096.1, NP 001153568.1</u>
RefSeq Size:	1143 bp
RefSeq ORF:	633 bp
Locus ID:	58187
UniProt ID:	<u>Q9Z0S6</u>
Cytogenetics:	14 62.55 cM



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This intronless gene encodes a member of the claudin family. Claudins are integral
membrane proteins and components of tight unction strands. Tight junction strands serve as
a physical barrier to prevent solutes and water from passing freely through the paracellular
space between epithelial or endothelial cell sheets, and also play critical roles in maintaining
cell polarity and signal transductions. Six alternatively spliced transcript variants have been
identified, which encode different isoforms with distinct electric charge of the first
extracellular loop and with or without the fourth transmembrane region. These isoforms
exhibit distinct localization and function in paracellular anion or cation permeability.
[provided by RefSeq, Aug 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US