

Product datasheet for **MR226999**

Ern1 (NM_023913) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ern1 (NM_023913) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ern1
Synonyms:	9030414B18Rik; AI225830; C85377; Ire1a; Ire1 alpha; Ire1p
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR226999 representing NM_023913
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCGGCCCGGTGGCTGTTGCTCCTGCTGGCGTCTGCTACCGCCGCCCGGCCCGGGAGTTTTGGAA
 GAACCAGCACAGTTACACTGCCTGAGACCTTGTGTTTGTCTCGACCCTGGATGGAAGCTTGCATGCTGT
 TAGCAAGAGGACGGGCTCCATCAAGTGGACTTTAAAAGAAGATCCAGTCTGCAGGTCCCAACACACGTG
 GAAGAGCCGGCTTTCCTCCAGATCCCAATGATGGCAGTCTGTACACACTTGGAGGAAGAACAACGAAG
 GCCTGACGAAACTTCCCTTACCATCCCAGAATTGGTTCAGGCCTCCCCATGCCGAAGTTCAGATGGAAT
 CCTCTACATGGTAAAAAGCAAGATATTTGGTATGTTATCGACCTCCTGACTGGCAGAGAAGCAGCAGACT
 TTGTTCATCGCCCTTGTGATAGTCTCTGCCATCAACTCCCTTCTATATCTTGGACGGACAGAATACA
 CCATCACCATGTATGACACCAAGACCCGGGAGCTCCGCTGGAATGCCACCTATTTTGACTATGCAGCCTC
 ACTGCCGAAGACGACGTGGACTACAAGATGTCCCACTTGTGTCCAATGGCGATGGACTGGTGGTAACT
 GTGGACAGTGAATCTGGGGATGTCTGTGGATCCAAAACATATGCCTCTCCTGTGGTGGCCTTCTACGTCT
 GGCAGGGGGAGGTCTGAGAAAGGTGGTGCACATCAACGTTGCTGTGGAGACTCTACGCTACTTGACCTT
 CATGTCTGGGGAAGTGGGGCGCATCACCAAGTGGAAAGTATCCATTCGCCAAGGAGACAGAGGCCAAGAGC
 AAGCTAACGCCTACTCTGTATGTTGGGAAGTATCCACCAGCCTCTATGCCTCTCCCTCAATGGTGCATG
 AGGGGGTGTGTCGTGCCTCGAGGCAGCACTTCTCCTTGTGGAAGGCCCCAGACAGATGGCGTCAC
 CATTGGAGACAAAGGAGAGTGTGTGATCACTCCAGCACAGACCTCAAGTTTGACCCTGGACTCAAAGGG
 AAGACAAGCTGAACTACTTGAGGAATTACTGGCTTCTCATAGGACACCATGAAACTCCTCTGTCTGCAT
 CCACCAAGATGCTGGAGAGATTTCTAACAACTGCCAAACATCGAGAAAATGTGATTCCTGTGATTC
 AGAAAAAAGGAGCTTGGAGGAAGTTATCAACATAGTTGGCCAGACTTCAGACAACACACCCGACCACCGTA
 TCTCAGGATGTGGAGGAGAAGCTCGCTCGCCCTGCCAAGCCTGAGGCCCCCGTGGACTCCATGCTCA
 AGGACATGGTACCATTATCCTGAGCACCTTCTGCTGTTGGATGGGTGGCGTTCATCACTTACCC
 CCTGAGCGTGCATCAGCAGCGTCAGCTCCAGCACCAACAGTTCAGAAAGGAGCTGGAGAAGATTCAGCTC
 CTGACGACGACGAGCTGCCCTCCACCACACGGAGACCTTACCAGGACCCTGAGTTCCTGGATTAT
 CTGGCCCTTCTCAGAGAGCTCTGGCACCAGCAGCCAGCCATCCCCAGAGCCTCAACCCTCCCT
 CCACCCAGCAGCTCTGCCTCCAGGGCCGGCACCAGCCCTCTCTGGAGCAGGATGATGAGGATGAGGAA
 ACCAGAATGGTGATTGTTGGGAAAATTTCACTTCTGCCCAAGGATGTCTGGGTGATGGAGCTGAGGGCA
 CAATTGTATACAAAGGTATGTTTGACAACCGAGATGTGGCCGTGAAGAGGATCCTCCCTGAGTGTTTAG
 CTTTCCGACCGTGGAGTCCAGCTGCTTCGAGAATCAGACGAGCACCAATGTGATCCGCTACTTTTGC
 ACAGAGAAGGACCGGAGTTCAGTACATTGCTATCGAGCTGTGTGCAGCCACCCTACAAGATATGTGG
 AGCAGAAGGACTTTGCCACCTTGGCCTCGAGCCATCACCTGCTTCATCAGACCACCTCAGGCCTGGC
 ACACCTGCATTCTCAACATTGTTACAGAGACCTGAAGCCCCACAACATTCTCCTCCATGCCAAC
 GCACATGGCAGGATCAAGGCGATGATCTCTGACTTTGGCCTCTGCAAGAAGCTGGCAGTGGGCAGGCACA
 GTTTCAGCCGCCGTTTCAAGGGTACCTGGCACTGAAGGGTGGATCGCCCCAGAGATGCTGAGTGAAGACTG
 TAAGGACAACCCTACCTACACGGTGGACATCTTTTCTGCAGGCTGTGTCTTTACTATGTCATCTCTGAG
 GGCAACCATCCTTTTGGCAAATCCTTGCAGCGGCAGGCCAACATCCTCCTGGGCGCCTGCAACCTTGACT
 GTTCCACTCAGACAAGCATGAGGACGTATTGCTCGTGAATTGATAGAGAAAATGATTGCTATGGATCC
 CCAGCAGCGTCCCTCTGCAAAGCACGTGCTGAAACACCCCTTCTCTGGAGCCTGGAGAAGCAGCTCCAG
 TTTTTCCAGGATGTAAGTGACCGAATAGAAAAGGAGGCCTTGGACGGTCCAATCGTACGGCAGTTGGAGA
 GAGGGGGAGAGCTGTGGTCAAGATGGACTGGCGGGAGAACACTGTCCCCCTGCAGACAGATCTGCG
 CAAATTCAGAACCTACAAAGGTGGCTCTGTGAGAGACCTCCTCGAGCCATGAGAAAACAAGAAACACCAC
 TACCGGGAGCTCCCGTGGAGTTTCAAGGAGACGCTGGGCTCCATCCCGGATGACTTTGTGCGCTACTTCA
 CTTCCCGCTTCCCCACCTCCTCTCACACCTACCAAGCCATGGAGCTGTGCAGACATGAGAGACTCTT
 TCAGACCTACTACTGGCAGGAGCCACAGAACCCAGCCTCCAGTATTCCATATGCCCTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR226999 representing NM_023913
 Red=Cloning site Green=Tags(s)

```
MPARWLLLLLALLPPPGPGSFGRTSTVTLPETLLFVSTLDGSLHAVSKRTGSIKWLKEDPVLQVPTHV
E E P A F L P D P N D G S L Y T L G G K N N E G L T K L P F T I P E L V Q A S P C R S S D G I L Y M G K K Q D I W Y V I D L L T G E K Q Q T
L S S A F A D S L C P S T S L L Y L G R T E Y T I T M Y D T K T R E L R W N A T Y F D Y A A S L P E D D V D Y K M S H F V S N G D G L V V T
V D S E S G D V L W I Q N Y A S P V V A F Y V W Q G E V L R K V H I N V A V E T L R Y L T F M S G E V G R I T K W K Y P F P K E T E A K S
K L T P T L Y V G K Y S T S L Y A S P S M V H E G V A V V P R G S T L P L L E G P Q T D G V T I G D K G E C V I T P S T D L K F D P G L K G
K S K L N Y L R N Y W L L I G H H E T P L S A S T K M L E R F P N N L P K H R E N V I P A D S E K R S F E E V I N I V G Q T S D N T P T T V
S Q D V E E K L A R A P A K P E A P V D S M L K D M A T I I L S T F L L V G W A F I I T Y P L S V H Q Q R Q L Q H Q Q F Q K E L E K I Q L
L Q Q Q Q L P F H P H G D L T Q D P E F L D S S G P F S E S S G T S S P S P R A S N H S L H P S S S A S R A G T S P S L E Q D D E D E E
T R M V I V G K I S F C P K D V L G H G A E G T I V Y K G M F D N R D V A V K R I L P E C F S F A D R E V Q L L R E S D E H P N V I R Y F C
T E K D R Q F Q Y I A I E L C A A T L Q E Y V E Q K D F A H L G L E P I T L L H Q T T S G L A H L H S L N I V H R D L K P H N I L L S M P N
A H G R I K A M I S D F G L C K K L A V G R H S F S R R S G V P G T E G W I A P E M L S E D C K D N P T Y T V D I F S A G C V F Y Y V I S E
G N H P F G K S L Q R Q A N I L L G A C N L D C F H S D K H E D V I A R E L I E K M I A M D P Q Q R P S A K H V L K H P F F W S L E K Q L Q
F F Q D V S D R I E K E A L D G P I V R Q L E R G G R A V V K M D W R E N I T V P L Q T D L R K F R T Y K G S V R D L L R A M R N K K H H
Y R E L P V E V Q E T L G S I P D D F V R Y F T S R F P H L L S H T Y Q A M E L C R H E R L F Q T Y W H E P T E P Q P P V I P Y A L
```


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1625_c11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




* The last codon before the Stop codon of the ORF

ACCN: NM_023913

ORF Size: 2931 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_023913.2 , NP_076402.1
RefSeq Size:	3976 bp
RefSeq ORF:	2934 bp
Locus ID:	78943
UniProt ID:	Q9EQY0
Cytogenetics:	11 E1
MW:	110.6 kDa
Gene Summary:	Serine/threonine-protein kinase and endoribonuclease that acts as a key sensor for the endoplasmic reticulum unfolded protein response (UPR) (PubMed:11850408, PubMed:25164867). In unstressed cells, the endoplasmic reticulum luminal domain is maintained in its inactive monomeric state by binding to the endoplasmic reticulum chaperone HSPA5/BiP. Accumulation of misfolded protein in the endoplasmic reticulum causes release of HSPA5/BiP, allowing the luminal domain to homodimerize, promoting autophosphorylation of the kinase domain and subsequent activation of the endoribonuclease activity (PubMed:25164867). The endoribonuclease activity is specific for XBP1 mRNA and excises 26 nucleotides from XBP1 mRNA (PubMed:11850408, PubMed:25164867). The resulting spliced transcript of XBP1 encodes a transcriptional activator protein that up-regulates expression of UPR target genes (PubMed:11850408, PubMed:25164867). Acts as an upstream signal for ER stress-induced GORASP2-mediated unconventional (ER/Golgi-independent) trafficking of CFTR to cell membrane by modulating the expression and localization of SEC16A (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR226999