

Product datasheet for MR227005L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mpz (NM_008623) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Mpz (NM_008623) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Mpz

Synonyms: M; Mpp; P; P-zero; P0

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_008623

ORF Size: 744 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR227005).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 008623.4, NP 032649.2</u>

RefSeq Size: 1993 bp
RefSeq ORF: 747 bp
Locus ID: 17528
UniProt ID: P27573

Cytogenetics: 1 79.05 cM





Gene Summary:

This gene is specifically expressed in Schwann cells of the peripheral nervous system and encodes a type I transmembrane glycoprotein that is a major structural protein of the peripheral myelin sheath. The encoded protein contains a large hydrophobic extracellular domain and a smaller basic intracellular domain, which are essential for the formation and stabilization of the multilamellar structure of the compact myelin. Mutations in the orthologous gene in human are associated with myelinating neuropathies. A recent study showed that two isoforms are produced from the same mRNA by use of alternative in-frame translation termination codons via a stop codon readthrough mechanism. Alternatively spliced transcript variants have also been found for this gene. [provided by RefSeq, Oct 2015]