

Product datasheet for MR227024L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Dnajc3 (NM_008929) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Dnajc3 (NM_008929) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Dnajc3

Synonyms: AA408985; AU067833; Dnajc3a; Dnajc3b; mp58; p58; p58IPK; Prkri

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 008929

ORF Size: 1512 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR227024).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 008929.3</u>, <u>NP 032955.2</u>

 RefSeq Size:
 5190 bp

 RefSeq ORF:
 1515 bp

 Locus ID:
 100037258

 UniProt ID:
 Q91YW3

Cytogenetics: 14 E4







Gene Summary:

Involved in the unfolded protein response (UPR) during endoplasmic reticulum (ER) stress. Acts as a negative regulator of the EIF2AK4/GCN2 kinase activity by preventing the phosphorylation of eIF-2-alpha at 'Ser-52' and hence attenuating general protein synthesis under ER stress, hypothermic and amino acid starving stress conditions (PubMed:25329545). Co-chaperone of HSPA8/HSC70, it stimulates its ATPase activity. May inhibit both the autophosphorylation of EIF2AK2/PKR and the ability of EIF2AK2 to catalyze phosphorylation of the EIF2A. May inhibit EIF2AK3/PERK activity (By similarity).[UniProtKB/Swiss-Prot Function]