

Product datasheet for **MR227068**

Gria2 (NM_001039195) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Gria2 (NM_001039195) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Gria2
Synonyms:	Glu; GluA2; GluR; Glur-2; GluR-B; gluR-K2; Glur2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR227068 representing NM_001039195
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCAAAAGATTATGCATATTTCTGTCCTCTTTCTCCTGTTTTATGGGACTGATTTTTGGTGTCTCTT
 CTAACAGCATACAGATAGGGGGCTATTTCCAAGGGCGCTGATCAAGAATACAGTGCATTTCCGGTAGG
 GATGGTTCAGTTTTCCACTTCGGAGTTCAGACTGACACCCCATATCGACAATTTGGAGGTAGCCAACAGT
 TTCGCAGTCACCAATGCTTTCTGCTCCCAGTTTTCAAGAGGCGTCTATGCGATTTTTGGGTTTTACGACA
 AGAAGTCTGTAATACCATCACATCATTCTGTGGGACTGCATGTATCCTTCATCACACCAAGCTTCCC
 AACAGATGGCAGCATCCATTTGTCATCCAGATGCGACCTGACCTCAAAGGAGCACTCCTTAGCTTGATT
 GAGTACTACCAATGGGATAAGTTCGCATACCTCTATGACAGTACAGAGGCTTATCAACTGCAAGCTG
 TGCTGGATTCTGCTGCGGAGAAGAAGTGGCAGGTGACTGCTATCAATGTGGGAACATTAACAATGACAA
 GAAAGATGAGACCTACAGATCACTCTTTCAAGATCTGGAGTTAAAAAAGAACGGCGTGAATCCTTGAC
 TCGGAAAGGGATAAAGTCAATGACATTTGTGGACAGGTTATTACCATTGGAAGCATGTTAAAGGGTACC
 ATTATATCATTGCAAATCTGGGATTTACTGATGGAGACCTGCTGAAAATTCAGTTTGGAGGAGCAAATGT
 CTCTGGATTTAGATTGTAGACTACGACGACTCCCTGGTGTCTAAATTTATAGAAAGATGGTCAACACTC
 GAAGAGAAAGAATACCCTGGAGCACACACAGCGACAATTAAGTATACTTCGGCCCTGACTTATGATGCTG
 TCCAAGTGATGACTGAAGCATTCCGCAATCTTCGGAAGCAGAGGATTGAAATCTCCAGGAGAGGAAATGC
 AGGAGATTGTTGGCCAACCCAGCTGTGCCTTGGGACAAGGCGTGGAAATAGAAAGGGCCCTCAAGCAG
 GTTCAAGTTGAAGTCTCTCTGGAATATAAAATTTGACCAGAACGAAAAACGAATAAATACACAATTA
 ACATCATGGAGCTCAAAACAAATGGACCCCGAAGATTGGGTACTGGAGTGAAGTGGATAAAATGGTTGT
 CACCCTAACCGAGCTCCCTCTGGAATGACACATCTGGGCTTGAACAAAACTGTGGTTGTACCACA
 ATATTGGAATCTCCATATGTTATGATGAAGAAAAATCATGAAATGCTTGAAGGGAATGAGCGTTATGAGG
 GCTACTGTGTTGACTTAGCTGCAGAAATGGCCAAACATTGTGGATTCAAGTACAAGCTGACTATTGTTGG
 GGATGGCAAGTATGGGGCCAGGGATGCAGACACCAAAATTTGGAATGGTATGGTTGGAGAACTTGTATAT
 GGGAAAGCTGATATTGCCATTGCTCCATTAACATCACTCTCGTGAGAGAAGAGGTGATTGACTTCTCGA
 AGCCATTCATGAGCCTTGAATCTCTATCATGATCAAGAAGCCTCAGAAGTCAAACCAGGAGTGTTC
 CTTTCTTGATCCTTAGCCTATGAGATCTGGATGTGCATTGTGTTTGCCTACATTGGGGTCAGTGTAGTT
 TTATTCCTGGTCAGCAGATTTAGCCCTACGAGTGGCACACTGAGGAATTTGAAGATGGAAGAGAAACAC
 AAAGTAGTGAATCAACTAATGAATTTGGGATTTTAAATAGTCTCTGGTTTTCTTGGGTGCCTTTATGCG
 GCAAGGATGCGATATTTGCGCAAGATCTCTCTCTGGGCGCATTGTTGGAGGTGTGTGGTGGTTCTTTACC
 CTCATCATCATCTCCTCTACACGGCTAACTTAGCTGCCTTCTGACTGTAGAGAGGATGGTGTGCCCCA
 TCGAAAGTGTGAGGATCTGTCTAAGCAAACAGAAATGCTTATGGAACATTAGACTCTGGCTCCACTAA
 AGAGTTTTTCAGGAGATCTAAAATTGCAGTGTGATAAAATGTGGACTTATATGAGGAGTGCAGAGCCC
 TCTGTGTTGTGAGGACTACGGCAGAAGGAGTACCCAGAGTCAGGAAATCCAAAGGGAAGTATGCCTACT
 TGCTGGAGTCCACAATGAATGAGTACATCGAGCAGAGGAAGCCTTGGCACACCATGAAAGTGGGCGCAA
 CCTGGATTCCAAAGGCTACGGCATCGCCACACCTAAAGGATCCTCATTAAAGGTGGGTGAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227068 representing NM_001039195
 Red=Cloning site Green=Tags(s)

MQKIMHISVLLSPVLWGLIFGVSSNSIQIGGLFPRGADQEYSAFRVGMVQFSTSEFRLTPHIDNLEVANS
 FAVTNAFCSQFSRGVYAIFGFYDKKSVNTITSFCGTLHVSFITPSFPTDGTTHPFVIQMRPDLKGALLSLI
 EYYQWDFAYLYDSDRGLSTLQAVLDSAAEKKWQVTAINVGNINNDKKDETYRSLFQDLELKKERRVILD
 CERDKVNDIVDQVITIGKHVKGYHYIIANLGFDTGDLLKIQFGGANVSGFQIVDYDDSLVSKFIERWSTL
 EEKEYPGAHTATIKYTSALTYDAVQVMTEAFRNLRKQRIEISRRGNAGDCLANPAVPWQQGVEIERALKQ
 VQVEGLSGNIKFDQNGKRINYTIMELKTNGPRKIGYWSEVDKMMVVTLELPSGNDTSGLENKTVVVT
 ILESPYMMKKNHEMLEGNERYEGYCVDLAAEIAKHCGFKYKLTIVGDGKYGARDADTKIWNMGVGLVY
 GKADIAIAPLTITLVREEVIDFSKPFMSLGISIMIKKPKQSKPGVFSFLDPLAYEIWMCIVFAYIGVSVV
 LFLVSRFSPYEWHTTEFDGRETQSSESTNEFGIFNSLWFSLGAFMRQGCDSRSLSGRIVGGVWVFFFT
 LIIISSYTANLAAFLTVERMVSPIESAEDLSKQTEIAYGTLDSGSTKEFFRRSKIAVFDKMWTYMRSAEP
 SVFVRTTAEGVARVRKSKGKYAYLLESTMNEYIEQRKPCDTMKVGGNLDISKGYGIATPKGSSLRWVE


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_001039195

ORF Size: 2301 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001039195.2](#)

RefSeq Size: 3491 bp

RefSeq ORF: 2304 bp

Locus ID: 14800

Cytogenetics: 3 35.5 cM

MW: 86.7 kDa

Gene Summary: Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to a family of glutamate receptors that are sensitive to alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA), and function as ligand-activated cation channels. These channels are assembled from 4 related subunits, Gria1-4. The subunit encoded by this gene (Gria2) is subject to RNA editing (CAG->CGG; Q->R) within the second transmembrane domain, which is thought to render the channel impermeable to Ca(2+). Alternative splicing, resulting in transcript variants encoding different isoforms, (including the flip and flop isoforms that vary in their signal transduction properties), has been noted for this gene. [provided by RefSeq, Jul 2008]