

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR227087L4V

## Eomes (NM\_001164789) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Eomes (NM_001164789) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Eomes
Synonyms:	C77258; TBR-2; Tbr2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001164789
ORF Size:	2064 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR227087).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001164789.1, NP 001158261.1</u>
RefSeq Size:	3674 bp
RefSeq ORF:	2067 bp
Locus ID:	13813
UniProt ID:	<u>O54839</u>
Cytogenetics:	9 F3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Functions as a transcriptional activator playing a crucial role during development. Functions<br/>in trophoblast differentiation and later in gastrulation, regulating both mesoderm<br/>delamination and endoderm specification. Plays a role in brain development being required<br/>for the specification and the proliferation of the intermediate progenitor cells and their<br/>progeny in the cerebral cortex. Also involved in the differentiation of CD8+ T-cells during<br/>immune response regulating the expression of lytic effector genes.[UniProtKB/Swiss-Prot<br/>Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US