

## Product datasheet for MR227091

### Ehmt1 (NM\_001012518) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Ehmt1 (NM\_001012518) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Ehmt1  
**Synonyms:** 9230102N17Rik; D330003E03; Eu-HMTase1; GLP; GLP1; KMT1D; mKIAA1876  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >MR227091 representing NM\_001012518  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCCGATCGCC

ATGGCCGCCGCTGATGCTGAGCAGGCAGTTCTGGCCAAGCAAGAGACCAAGCAGGATTGCTGCATGAAAA  
 CTGAGCTGCTAAGGGAAGATACACCTATGGCTGCTGATGAAGGTTCCACAGAGAAACAAGAAGGAGAGAC  
 TCCCATGGCTGCAGATGGAGAAACAAATGGGTCTTGTGAAAAGAGTGGGGATCCCAGCCATCTAAATGCA  
 CCCAAACACACTCAGGAGAACAAGAGCTAGCCACAGGAAGGCACCAACAGAGTGTCTCGGGTGGCAG  
 AAAATGGGTTTCAGAAAGAGACACAGAAGTGGGAAGCAAACCATGTCACAGCTGACGACTTCATGCA  
 GACATCTGTCATTGGCAGCAATGGATATTTCTTAAATAAACAGCCCTGCAGGGGAGCCGTTGAGGACT  
 CCCAACATTCTAACCTCCTCGCTTCTGGTTCATGCTGCAAAAACCTCTTCTGGAGGAGCCAGTAAATGCA  
 GGACTCTGAGTGCCTCCTCAGACACCAACCACAGCACCCTGTGCCTGGGGAAGGGAGTGCAGACAC  
 AGAGGACAGAAAGCCTACAGCCTCGGGCACTGATGTCAGGGTTCACAGGGCAGCAAGACCATGCCGAAG  
 TCCATCTTGGCCTGCATGCAGCCAGCAAAGACCATAGAGAAGTTCAGAGCCATAAGGAACCAAAAGAGG  
 ATATCAACAGAAACATTTCTGAATGTGGACGACAGCAGCTTTTACCAACCTTCCCAGCCCTCCACCATG  
 GCTACCTCAGAATCAGTGTCTACATGGCCACCACAAAGTCCCAGACAGCTTGCTTGCCTTTTGTTTAGCA  
 GCTGCAGTATCTCGAAGAAAAACGAAGAATGGGAACCTATAGTTTAGTTCCCAAGAAAAAGACCAAAG  
 TATTTAAACAGAGGACGGTGATTGAGATGTTTAAAGCATAACCCATTCCACTGTGGGCGCAAGGGCGA  
 GAAAGCCTTAGATGATAGTGCCTGTCATGTAATGGCGAGAGCTTGGAGATGGACTCAGAAGATGAAGAC  
 TCCGATGAGCTGGAGGATGACGAGGACCATGGAGCTGAGCAAGCGGCTGCATTTCCACCCAGGATAGTA  
 GGACTTCTAAAGAGAGCATGTCTGAGACTGACCGGGCTGCAAAGATGGATGGAGATTAGAGGAGGAACA  
 GGAGTCTCCGACACAGGGGAGGATGAAGATGGTGGAGACGAGTCTGACCTGAGTTCTGAATCCAGTATC  
 AAGAAGAAATTTCTCAAGAGGAGAGGGAAGACTGACAGCCCTGGATCAAACCTGCTCGGAAAAGGAGGC  
 GGAGAAGTAGAAAGAAGCCGAGCAGCATGCTTGGTTCGAGGCTTGTAAAGTCATCTCCAGGAAGCATGGA  
 GCAGGCAGCTCTGGGAGACAGCCTGGCTATATGGAAGTTTCCCTGGATTCCCTGGATCTCCGTGTCAGA



[View online »](#)

GGAATTCTGTCTCCAGACAGAAAATGAAGGGCTGGCCAGTGGTCCGGATGTGCTGGGGACGGATGGCC  
TCCAGGAAGTGCCTCTCTGCAGCTGCCGAATGGAAACCCCAAGAGCCGCGAGATCAGCACCCCTGGCCAA  
CAACCAGTGCATGGCCACTGAGAGCGTGGATCACGAATTGGGCCGGTGTACAAACAGCGTGGTCAAGTAT  
GAGCTGATGCGCCATCCAACAAAGCACCGCTCTTGGTGTATGTGAAGACCATCGGGTTCGCATGGTGA  
AGCACCAGTGTCTCTGGCTGCGGCTACTTCTGCACGGCGGTAACCTCATGGAATGCCAGCTACTGCCCCATTGT  
GGGAAGAAGCTTCCAAGGCCAAAGAGGTGACCATAGCAAAGCAGACACAACCTCCACAGTACCCTTAG  
CCCTGGACAGGAGAAGAGCCTGGCTGCTGAAGGCAGGGCTGACACGACCACGGGCAGCATTGCTGGAGC  
CCCAGAGGATGAAAGATCGCAGAGCACAGCCCCCAGGCCACCAGAGTGCTTCGACCTGCCGGACCGGCT  
GGGCTCGTGAGGCCGACATCTGGCCTTTCCAGGGCCAGGAAAGGAAACCTTGAAAGTGTCTAATCG  
CTCTAGACTCTGAAAACCCAAGAACTTCGCTCCACCCAAAGCAGCTGTACTTCTGCCAGGCAGGG  
TGAGCTGCAGAAGGTGCTTCTCATGCTGGTTGATGGAATTGATCCCAACTCAAATGGAGCACCAAAGT  
AAGCGTCCCCATTACATGCTGCTGCGGAGGCTGGCCACGTGGACATCTGCCACATGCTGGTTCAGGCGG  
GTGCCAATATTGACACTGCTCAGAGGACCAGCGGACCCACTGATGGAGGCTGCAGAGAACAACCACTT  
GGATGCAGTGAAGTACCTCATCAAGGCTGGAGCACAGGTGGATCCGAAGGACGCAGAGGGCTCCACATGT  
TTGCATTTGGCTGCCAAGAAAGGCCACTATGATGTGGTTCAGTATCTGCTTCAAATGGACAGATGGATG  
TCAACTGCCAGGATGACGGTGGATGGACACCTATGATCTGGGCCACTGAGTACAAGCACGTGGAGCTGGT  
GAAGTGTCTGCTTAAGGGCTCTGACATCAACATCCGGGACAACGAGGAGAACATTTGTCTGCACTGG  
GCAGCATTTTCAGGCTGTGTGGACATAGCTGAAATACTTCTGGCTGCCAAGTGTGACCTGCATGCTGTGA  
ATATCCATGGAGACTCACCCCTGCACATCGCAGCCAGGGAGAATCGCTACGACTGTGTTGCTCTTTCT  
TTCTCGGATTCAGATGTTACTCTGAAAAACAAGGAAGGAGAGACTCCCTGCAAGTGTGCAAGTCTCAGT  
TCGCAGGTGTGGAGTGCATTGCAGATGAGCAAAGCACTTCGGACTCAGCCCTGACAAGCCCGTTGCTGT  
TTGAGAAGACGGTGAGCAGGGATATCGCTCGAGGGTATGAGCGCATTCCCATTCCTGTGTCAATGCTGT  
GGACAGTGTGCTCCTACCAACTATAAGTATGTCTCCAGAAGTGTGTGACATCCCCATGAACATT  
GACAGGAACATCACTCATTGTCAGTACTGCGTGTGTGTAGATGACTGCTCCTCTAGCACCTGCATGTGTG  
GCCAGCTGAGCATGCGTGTGTATGATAAGGATGGCCGACTTCTGCCTGAGTTAACATGGCAGAACC  
ACCCTTGATCTTCGAGTGAATCATGCCTGCTCATGCTGGAGGAACTGCCGAATCGTGTGGTGCAAAAT  
GGTCTCAGGGCAAGGCTGCAGCTTTATCGGACACAGGACATGGGCTGGGGTGTGCGGTCCCTCCAGGATA  
TCCCCTGGGCACCTTTGTCTGCGAATACGTAGGGGAGCTGATTCGGACTCTGAAGCTGATGTTCCGGGA  
AGAGGACTCTTACCTCTTTGATCTTGACAATAAGGATGGAGAGGTATACTGCATTGACGCTCGGTTCTAT  
GGGAATGTCAGCCGGTTCATAAACCACCACTGCGAACCCAACTTGTGCCTGTGCGAGTGTTCATGTCAC  
ACCAGGACCTGCGGTTTCCAGGATTGCCCTTCTCAGTACCCGCTGATTCAGGCTGGGGAGCAGCTCGG  
GTTGACTACGGGAGCGCTTTTGGGACGTCAGGGCAAGCTCTTCAGTTGCCGGTGTGGGTCTTCCAAG  
TGTCCGCACTCAAGCGCAGCCCTGGCCCAGAGGCAAGCCAGTGCAGCCCAGGAGCCTCAGGAGAATGGCC  
TTCCAGATACCAGCTCTGCAGCCGCTGCTGACCCCTA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >MR227091 representing NM\_001012518  
 Red=Cloning site Green=Tags(s)

```

MAAADAEQAVLAKQETKQDCMKTELLREDTPMAADEGSTKQEGETPMAADGETNGSCEKSGDPShLNA
PKHTQENTRASPEQGTNRVSRVAENGVSERDTEVGKQNHVTADDFMQTSVIGSNGYFLNKPALQGQPLRT
PNILTSSLPGHAAKTLPGGASKCRTLSALPQTPTTAPTVPGEADSATEDRKPTASGTDVVRHRARKTMPK
SILGLHAASKDHREVQDHKEPKEDINRNISECGRQQLLPTFPALHQSLPQNQCYMATTKSQTACLPFVLA
AAVSRKKRRMGTYSLVPKKKTKVLKQRTVIEMFKSITHSTVGAKGEKALDSSALHVNGESLEMDSEDED
SDELEDDHGAEQAAAFPTEDSRTSKESMSETDRAAKMDGDSEEEQESPDTGEDEDGGDESLSSESSI
KKKFLKRRGKTDSPWIKPARKRRRRSRKKPSSMLGSEACKSSPGSMEQAALGDSAGYMEVSLDSLDRVR
GILSSQTENEGLASGPDVLTGDLQEVPLCSCRMETPKSREISTLANNQCMATESVDHELGRCTNSVVKY
ELMRPSNKAPLLVLCEDHRGRMVKHQCCPGCYFCTAGNFMECQPESSISHRFHKDCASRVNNASYCPHC
GEEASKAKEVTIAKADTTSTVTLAPGQEKSLAAEGRADTTTGSAGAPEDERSQSTAPQAPECFDPAGPA
GLVRPTSGLSQGPGETLESALIALDSEKPKLRFHPKQLYFSARQELQKVLMLVDGIDPNFKMEHQ
KRSPHAAAEAGHVDICHMLVQAGANIDTCSAQRTPLMEAAENHLDVAVKYLKAGAQVDPKDAEGSTC
LHLAAKKGHYDVVQYLLSNGQMDVNCQDDGGWTPMIWATEYKHVELVKLLSKGSDINIRDNEENICLHW
AAFSGCVDIAEILLAAKCDLHAVNIHGDSPLHIAARENRYDCVVLFLSRSDVTLKNKEGETPLQCASLS
SQVWSALQMSKALRDSAPDKPVAVEKTVSRDIARGYERIPICVNAVDSLECPNTYKYVSNQCVTSPMNI
DRNITHLQYCVVDDCSSSTCMCGQLSMRCWYDKGRLLPEFNMAEPPLIFECNHACSCWRNCRNRVQ
GLRRLQLYRTQDMGWGVRSLQDIPLGTFVCEYVYVGLISDSEADVREEDSYLFDLNDKDGVEYCIDARFY
GNVSRFINHHCEPNLVPVRVFMHQDLRFPRIAFFSTRLIQAGEQLGFDYGERFWDVVKGLFSCRCSGSK
CRHSSAALAQKQASAAQEPQENGLPDTSSAAAADPL
  
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mm9034\\_a07.zip](https://cdn.origene.com/chromatograms/mm9034_a07.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_001012518

**ORF Size:** 3888 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001012518.3</a> , <a href="#">NP_001012536.2</a>
<b>RefSeq Size:</b>	5091 bp
<b>RefSeq ORF:</b>	3891 bp
<b>Locus ID:</b>	77683
<b>UniProt ID:</b>	<a href="#">Q5DW34</a>
<b>Cytogenetics:</b>	2 A3
<b>MW:</b>	142.4 kDa
<b>Gene Summary:</b>	Histone methyltransferase that specifically mono- and dimethylates 'Lys-9' of histone H3 (H3K9me1 and H3K9me2, respectively) in euchromatin. H3K9me represents a specific tag for epigenetic transcriptional repression by recruiting HP1 proteins to methylated histones. Also weakly methylates 'Lys-27' of histone H3 (H3K27me). Also required for DNA methylation, the histone methyltransferase activity is not required for DNA methylation, suggesting that these 2 activities function independently. Probably targeted to histone H3 by different DNA-binding proteins like E2F6, MGA, MAX and/or DP1. During G0 phase, it probably contributes to silencing of MYC- and E2F-responsive genes, suggesting a role in G0/G1 transition in cell cycle. In addition to the histone methyltransferase activity, also methylates non-histone proteins: mediates dimethylation of 'Lys-373' of p53/TP53.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR227091