

## **Product datasheet for MR227093**

## Vegfa (NM\_001025250) Mouse Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Vegfa (NM\_001025250) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Vegfa

**Synonyms:** V; Veg; Vegf; VEGF12; VEGF16; VEGF18; Vpf

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >MR227093 representing NM\_001025250 Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

CTGACGGACAGACAGACAGCCCCCCAGCCCCAGCGCCCACCTCCTCGCCGGCGGGGTGCCGACGG TGGACGCGGCGAGCCGCGAGGAACCGAAGCCCGCGCCCGGAGGCGGGTGGAGGGGGTCGGGGCTCG CGGGATTGCACGGAAACTTTTCGTCCAACTTCTGGGCTCTTCTCGCTCCGTAGTAGCCGTGGTCTGCGCC GCAGGAGACAAACCGATCGGAGCTGGGAGAAGTGCTAGCTCGGGCCTGGAGAAGCCGGGGCCCGAGAAGA GAGGGGAGGAAGAGAAGAGAGAGAGGGGGCCCCAGTGGCCCTCCGCCTCTCAGGAGCCGAGCTCATG TCGGTTCCAGAAGGGAGGAGCCCGCCAAGGCGCGCAAGAGAGCGGGCTGCCTCGCAGTCCGAGCCGGA GAGGGAGCGCGAGCCGCCCGGCCCGGACGGCCCTCCGAAACCATGAACTTTCTGCTCTCTTTGGGTGCA CTGGACCCTGGCTTTACTGCTGTACCTCCACCATGCCAAGTGGTCCCAGGCTGCACCCACGACAGAAGGA GAGCAGAAGTCCCATGAAGTGATCAAGTTCATGGATGTCTACCAGCGAAGCTACTGCCGTCCGATTGAGA CCCTGGTGGACATCTTCCAGGAGTACCCCGACGAGATAGAGTACATCTTCAAGCCGTCCTGTGTGCCGCT ATGCAGATCATGCGGATCAAACCTCACCAAAGCCAGCACATAGGAGAGATGAGCTTCCTACAGCACAGCA TCAAAAACGAAAGCGCAAGAAATCCCGGTTTAAATCCTGGAGCGTTCACTGTGAGCCTTGTTCAGAGCGG AGAAAGCATTTGTTTGTCCAAGATCCGCAGACGTGTAAATGTTCCTGCAAAAACACAGACTCGCGTTGCA AGGCGAGGCAGCTTGAGTTAAACGAACGTACTTGCAGATGTGACAAGCCAAGGCGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MR227093 representing NM\_001025250

Red=Cloning site Green=Tags(s)

LTDRQTDTAPSPSAHLLAGGLPTVDAAASREEPKPAPGGGVEGVGARGIARKLFVQLLGSSRSVVAVVCA AGDKPIGAGRSASSGLEKPGPEKRGEEEKEEERGPQWALGSQEPSSWTGEAAVCADSAPAARAPQAPARA SVPEGRGARQGAQESGLPRSPSRRGSASRAGPGRASETMNFLLSWVHWTLALLLYLHHAKWSQAAPTTEG EQKSHEVIKFMDVYQRSYCRPIETLVDIFQEYPDEIEYIFKPSCVPLMRCAGCCNDEALECVPTSESNIT MQIMRIKPHQSQHIGEMSFLQHSRCECRPKKDRTKPEKKSVRGKGKGQKRKRKKSRFKSWSVHCEPCSER RKHLFVQDPQTCKCSCKNTDSRCKARQLELNERTCRCDKPRR


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/ja1180">https://cdn.origene.com/chromatograms/ja1180</a> g08.zip

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 001025250

ORF Size: 1176 bp

**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customport@origene.com">customport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

ORIGENE

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 001025250.3, NP 001020421.2 RefSeq:

RefSeq Size: 3547 bp RefSeq ORF: 1179 bp Locus ID: 22339 **UniProt ID:** Q00731

17 22.79 cM Cytogenetics:

MW: 43.1 kDa


This gene is a member of the PDGF/VEGF growth factor family. It encodes a heparin-binding **Gene Summary:** protein, which exists as a disulfide-linked homodimer. This growth factor induces

> proliferation and migration of vascular endothelial cells, and is essential for both physiological and pathological angiogenesis. Disruption of this gene in mice resulted in abnormal embryonic blood vessel formation. This gene is upregulated in many known tumors and its expression is correlated with tumor stage and progression. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. There is also evidence for alternative translation initiation from upstream non-AUG (CUG) codons resulting in additional isoforms. A recent study showed that a C-terminally extended isoform is produced by use of an alternative in-frame translation termination codon via a stop codon readthrough mechanism, and that this isoform is antiangiogenic. Expression of some isoforms derived from the AUG start codon is regulated by a small upstream open reading

> frame, which is located within an internal ribosome entry site.[provided by RefSeq, Nov 2015]



## **Product images:**



Circular map for MR227093