

Product datasheet for MR227135

Grin2a (NM_008170) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Grin2a (NM_008170) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Grin2a
Synonyms:	GluN2A; NMDAR2A; NR2A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR227135 representing NM_008170 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCAGACTGGGCTACTGGACCTTGCTGGTATTGCCGGCCCTTCTGGTCTGGCACGGTCCGGCGCAGA
ACGCGCGCGCGGAGAAGGGTACTCCAGCGCTGAACATTGCGGTGCTGCTGGGTACAGCCACGACGTGAC
AGAACGCGAACTTCGAAATCTGTGGGGCCCGGAGCAGGCAACCGGCTTCCCCTGGATGTGAACGTGGTG
GCGTTATTGATGAACCGCACTGACCCTAAGAGCCTCATCAGCATGTGTGCGACCTCATGTCGGGGCGC
GCATCCATGGCTTGGTGTGGAGATGATACGGACCAAGAGGCTGTGGCTCAGATGCTGGATTTTATCTC
CTCACAGACTTTTCATCCCATCTTGGGCATTCATGGGGTGCATCTATGATCATGGCTGACAAGGATCCG
ACATCCACGTTCTTCCAGTTTGGAGCTTCCATCCAGCAGCAAGCCACGGTTCATGTGAAGATCATGCAGG
ACTATGACTGGCATGTCTTCTCCTTGGTACCACCATCTTCCCTGGCTACAGAGACTTCATCAGTTCAT
CAAGACAACAGTGGACAACAGCTTTGTGGGCTGGGATATGCAGAACGTGATCACACTGGACACCTTTTT
GAGGACGCCAAGACACAGGTCCAGCTGAAGAAGATCCACTCCTGTGCATCCTGCTCTACTGCTCCAAGG
ATGAGGCTGTCTCATCCTGAGCGAGGCTCGCTCTTGGCCTCACCGGCTACGATTTCTTCTGGATTGT
CCCCAGTTTGGTCTCCGGGAACACAGAGCTCATCCCCAAAGAGTTCCATCGGGTCTCATTTCAGTCTCT
TACGACGACTGGGACTACAGTCTGGAGGCAAGAGTGAGAGACGGTCTTGGGATCTTAACCCATGCCGAT
CTTCCATGTTGGAGAAATTCCTACATTCCCAGGCCAAGGCCAGCTGCTACGGGCAGACAGAGAAGCC
GGAGACCCGCTACACACTCTGCACCAATTTATGGTCAATGTGACTTGGGATGGCAAGGACTTGTCTTTC
ACTGAGGAAGGCTATCAGGTGCACCCAGGCTTGTGGTATCGTGTGAATAAGGACCGGGAATGGGAAA
AGGTGGGCAAGTGGGAGAATCAGACTCTGAGCCTGCGGCATGCTGTGGCCAAGGTATAAGTCTTTTC
TGACTGTGAGCCAGATGACAACCACCTCAGCATTGTACCTTGGAGGAAGCCCCCTTCGTCATCGTAGAA
GACATAGACCCACTGACTGAGACCTGCGTCAGGAACACGGTACCCTGTCGGAAGTTTGTCAAGATCAACA
ATCAACCAACGAAGGGATGAATGTGAAGAAGTCTGCAAGGGTTCGTCATCGACATCCTTAAGAACT
GTCGAGAAGTGAAGTTCACCTATGACCTCTACCTGGTGACCAATGGGAAGCATGGGAAAAGGTTAAC



[View online »](#)

AATGTGTGGAATGGAATGATAGGCGAAGTGGTCTATCAACGAGCAGTTATGGCCGTGGGCTCCCTCACCA
TCAATGAGGAGCGTTTCAGAAAGTGGTGGACTTCTCCGTGCCCTTTGTGGAGACAGGAATCAGTGTCTATGGT
CTCCAGGAGTAATGGCACTGTTTCCCCTTCTGCTTTCCTTGAACCCTTCAGCGCCTCTGTCTGGGTGATG
ATGTTTCGTGATGCTGCTCATTGTCTCTGCCATTGCTGTCTTCGTTTTGAATACTTCAGTCTGTGGAT
ACAACAGAACTTAGCCAAAGGAAAGCTCCCCATGGGCCTTCTTTACCATTGGAAAAGCTATATGGT
CCTCTGGGGCCTGGTCTCAACAATTCTGTGCCGTCCAGAATCCTAAAGGCACAACCAGCAAGATAATG
GTATCAGTGTGGCCTTCTTGGCGTCATCTTCCCTTGAAGTTACACAGCCAACCTGGCTGCCTTCATGA
TCCAGGAGGAGTTTGTGGACCAAGTACTGGCCTCAGTGACAAGAAGTTCCAGAGACCTCATGACTATTC
TCCGCCTTTCGATTTGGGACAGTACCCAATGGAAGTACAGAAAGGAATATTCTGTAACAACCTACCCCTAT
ATGCACCAGTACATGACCAAAATCAACCAGAGGGGCGTAGAGGATGCCTTGGTCAGCTTGAAAACCTGGGA
AGTTGGACGCTTTCATCTATGACGCAGCTGTCTTGAACATAACAGGCCGGGAGGGATGAAGGCTGTAACT
GGTGACCATTGGGAGCGGTACATCTTGGCCACCACAGGCTATGGAATTGCTCTGCAGAAGGGCTCACCC
TGAAGAGGCAGATTGACCTCGCTCTGCTCCAGTTTGTGGTGACGGTGAGATGGAAGAGCTGGAGACAC
TGTGGCTTACGGGCATCTGCCACAACGAGAAGAATGAGGTGATGACGAGCCAGCTGGACATCGACAACAT
GGCAGGAGTTTTCTACATGCTGGCTGCAGCTATGGCCCTCAGCCTCATCACCTTCATCTGGGAGCACCTC
TCTACTGGAAGCTGCGCTTCTGCTTACAGGCGTGTGTTCTGACCGGCCGGGGTGTCTTCTCCATCA
GCAGGGGCATCTACAGTTGCATCCATGGAGTGCACATTGAAGAAAAGAAGAGTCTCCAGACTTCAATCT
GACTGGGTACAGAGCAACATGCTAAAGCTTCTCCGCTCAGCTAAAAACATCTCCAACATGTCCAACATG
AACTCCTCGCAATGGACTCACCCAAAAGAGCTGCTGACTTCACTCAAAGAGGCTCACTTATTGTGGACA
TGGTTTCAGACAAGGAAATTTGATATACTCAGATAACAGGTCCTTTCAAGGGAAGGACAGTATATTTGG
AGAAAACATGAATGAACTGCAACATTTGTGGCCAACAGGCACAAGGATAGTCTCAGTAACTATGTGTT
CAGGGACAGCATCTCTCACTCTCAATGAGTCCAACCCCAACACAGTGGAGTGGCTGTGACACTGAAT
CCAAAGGGAACCTCCGACCCCGGACGCTTGGAAAGAAATCCATGGAGTCTCTACGCCAGGATCTCTAAA
CCAGAACCAGTCTCCAGAGGGATGAGAAGACTGCAGAGAATAGGACCCACTCCCTAAAGAGTCCTAGG
TATCTTCCAGAAGAGGTAGCCATTCTGACATTTCTGAAACCTCAAGCCGGGCCACATGCCACAGGGAGC
CAGATAATAAAGAACCACAAGACCAAGGATAACTTCAAAGGTCAATGGCCTCTAAATACCCCAAGGA
CTGTAGTGAGGTTGAACGTACCTACGTGAAAACCAAAGCAAGTTCTCCAGGGATAAGATCTACACCATC
GATGGTGAGAAGGAGCCAGCTTCCACTTAGATCCTCCACAGTTCATTGAAAACATAGTCTTGCCTGAGA
ATGTGGACTTCCAGATACCTACCAAGATCACAATGAGAATTTCCGCAAGGGGGACTCCACACTGCCCAT
GAACAGGAACCCACTACACAATGAAGATGGGCTTCCCAACAATGACCAGTATAAACTCTATGCCAAGCAC
TTTACCTTGAAAGACAAGGTTCCCCACATAGTGAGGGCAGTGATCGATATCGGCAGAACTCCACGCATT
GCAGAAGCTGCCTCTAAACCTGCCACCTACTCAGGCCACTTTACCATGAGATCTCCTTTCAAGTGTGA
TGCTGTCTGCGGATGGGGAACCTCTATGACATTGATGAAGACCAGATGCTTCAGGAGACAGGCAACCCA
GCTACTCGTGAGGAGGCCTACCAGCAGGACTGGTACAGAAACAACGCCCTCCAGTTCCAGAAGAACAAGC
TAAAGATTAATCGACAGCACTCTATGATAACATTTCTCGACAAACCCAGGGAGATAGACCTTAGCAGGCC
CTCTCGTAGCATAAGCCTCAAGGACAGGGAAAGGCTACTGGAGGGCAACTTATACGGGAGCCTGTTCAAGT
GTCCCCCTAAGCAAACCTTTGGGGAACAAAAGCTCCCTTTTCCCCAAGGCTGGAGGACAGCAAGAGGA
GCAAATCTCTCTTGGCAGACCATACCTCTGATAATCCTTCTCCACACGTACGGGGATGACCAACGCTT
AGTTATTGGGAGATGTCCTCGGACCCTTACAAACACTCATTGCCATCACAGGCAGTAAATGACAGCTAT
CTTCGGTCATCCTTGAGTCAACAGCATCATATTGCTCCAGGGACAGTCGGGGCCACAGTATGTGTATA
TTTCAGAGCATGTTATGCCTTATGCTGCAATAAGAATAACATGTACTCTACCCCAAGGTTTTAAATTC
CTGCAGCAATAGACGTGTGTACAAGAAAATGCCTAGTATTGAATCTGATGTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227135 representing NM_008170
 Red=Cloning site Green=Tags(s)

```

MGRLGYWTL LVPALLVWHGPAQNAAAEKGPALNIAVLLGSHDVTRELRNLWGPEQATGLPLDVNVV
ALLMNRDTPKSLITHVCDLMSGARIHGLVFGDDTDQEAQAQMLDFISSQTFIPILGIHGGASMIMADKDP
TSTFFQFGASIQQQATVMLKIMQDYDWHVFSLVTTIFPGYRDFISFIKTTVDNSFVGWDMQNVITLDTSF
EDAKTQVQLKKIHSSVILLYCSKDEAVLILSEARSLGLTGYDFFWIVPSLVSGNTELPKEFPSSGLISVS
YDDWDYSLEARVRDGLGILTTAASSMLEKFSYIPEAKASCYQTEKPEPLHTLHQFMVNVWTDGKDL SF
TEEGYQVHPRLVVIVLNKDREWEKVGKVENQTL SLRHAVWPRYKSFSDCEPDDNHL SIVTLEEAPFVIVE
DIDPLTETCVRNTVPCRKFVKINNSTNEGMNVKCKCKGFCIDILKLSRTVKFTYDLYLV TNGKHGKKNV
NVWNGMIGE VVYQRAVMAVGS L TINEERSEVVD FSVPFVETGISVMVSRNGTVSPSAFLEPFSASVWM
MFVMLLI VSAIAVFVFEYFSPVGYNRNLAKGKAPHGPSFTIGKAIWLLWGLVFNNVSPVQNPKGTT SKIM
VSVWAFFAVIFLASYTANLAAFMIQEEFVDQVTGLSDKKFQRPHDYSPPFRFGTVPNGSTERNIRNNYPY
MHQYMTKFNQRGVEDALVSLKTGKLD AFIYDAAVLNYKAGRDEGCKLVTIGSGYIFATTGYGIALQK GSP
WKRQIDLALLQFVGDGEMEELETLWLTGICHNEKNEVMSSQLDIDNMAGVFYMLAAMALSLITFIWEHL
FYWKLRFCTGVCSDRPLLFSISRGIYSCIHGVIIEKKKSPDFNL TGSQSNMLKLLRSAKNISNMSNM
NSSRMDSPKRAADF IQRGSLIVDMVSDKGNLIYSDNRSFQ GKDSIFGENMNE LQTFVANRHKDSL S NYVF
QQQHPLTLNESNPNTVEVAVSTESKGNRPRQLWKKSMESLRQDSL NQNPVSRDEKTAENRTHSLKSPR
YLP EEVAHSDISETSSRATCHREPDNNKNHKTKDNFKRSMASKYPKDCSEVERTYVTKASSPRDKIYTI
DGEKEPSFHLDP PQFIENIVL PENVDFPD TYQDHNEFRKGDSTLPMNRNPLH NEDGLPNDQYKLYAKH
FTLKDKGSPHSEGS DRYRQNSTHCRSCLSNLPTYS GHFTMRSPFKCDA CLRMGNLYDIDEDQMLQETGNP
ATREEAYQQDWSQNNALQFQKNL KINRQHSYDNILDKPREIDL SRPSRSISLKDRE RLLLEGNL YGSLFS
VPSSKLLGNKSSLPQGLEDSKR SKSLLPDHTSDNPFLHTY GDDQRLVIGRCPSDPYKHSLPSQAVNDSY
LRSSLRSTASYCSRDSRGHSDVYI SEHVMPYAANKNM MYSTPRVLN SCSNRRVYKMP SIESDV
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9001_b10.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_008170

ORF Size: 4392 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_008170.4](#)

RefSeq Size: 4512 bp

RefSeq ORF: 4395 bp

Locus ID: 14811

UniProt ID: [P35436](#)


Cytogenetics: 16 5.28 cM

MW: 165.9 kDa

Gene Summary:

Component of NMDA receptor complexes that function as heterotetrameric, ligand-gated ion channels with high calcium permeability and voltage-dependent sensitivity to magnesium (PubMed:1374164). Channel activation requires binding of the neurotransmitter glutamate to the epsilon subunit, glycine binding to the zeta subunit, plus membrane depolarization to eliminate channel inhibition by Mg(2+). Sensitivity to glutamate and channel kinetics depend on the subunit composition; channels containing GRIN1 and GRIN2A have higher sensitivity to glutamate and faster kinetics than channels formed by GRIN1 and GRIN2B (By similarity). Contributes to the slow phase of excitatory postsynaptic current, long-term synaptic potentiation, and learning (PubMed:7816096, PubMed:8987814).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR227135