

Product datasheet for MR227277

II5 (NM_010558) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
 Product Name: II5 (NM_010558) Mouse Tagged ORF Clone
 Tag: Myc-DDK
 Symbol: II5
 Synonyms: II-5
 Mammalian Cell Selection: Neomycin
 Vector: pCMV6-Entry (PS100001)
 E. coli Selection: Kanamycin (25 ug/mL)
 ORF Nucleotide Sequence: >MR227277 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAGAAGGATGCTTCTGCACTTGAGTGTCTGACTCTCAGCTGTGTCTGGCCACTGCCATGGAGATTC
 CCATGAGCACAGTGGTAAAAGACCTTGACACAGCTGTCCGCTCACCGAGCTCTGTTGACAAGCAATGA
 GACGATGAGGCTTCTGTCCCTACTCATAAAAAATCACCAGCTATGCATTGGAGAAATCTTTCAGGGGCTA
 GACATACTGAAGAATCAAAGTCCGTGGGGTACTGTGGAAATGCTATTCCAAAACCTGCATTAATAA
 AGAAATACATTGACCGCCAAAAGAGAAGTGTGGCGAGGAGACGGAGGACGAGGCAGTTCCTGGATTA
 CCTGCAAGAGTTCCTTGGTGTGATGAGTACAGAGTGGCAATGGAAGGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227277 protein sequence
 Red=Cloning site Green=Tags(s)

MRRMLLHLSVLTLSVCVWATAMEIPMSTVVKETLTQLSAHRALLTSNETMRLPVPTHKNHQLCIGEIFQGL
 DILKNQTVRGGTVEMLFQNLSLIKKYIDRQKEKCGEERRRTRQFLDYLQEF LGVMSTEWAMEG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_010558

ORF Size: 402 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_010558.1](#), [NP_034688.1](#)

RefSeq Size: 1534 bp

RefSeq ORF: 402 bp

Locus ID: 16191


UniProt ID: [P04401](#)

Cytogenetics: 11 31.99 cM

MW: 15.4 kDa

Gene Summary: Factor that induces terminal differentiation of late-developing B-cells to immunoglobulin secreting cells.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR227277