

Product datasheet for MR227348L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Itgb3 (NM_016780) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Itgb3 (NM_016780) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Itgb3

Synonyms: CD61; GP3A; INGRB3

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_016780 **ORF Size:** 2361 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR227348).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 016780.2</u>, <u>NP 058060.2</u>

 RefSeq Size:
 5795 bp

 RefSeq ORF:
 2364 bp

 Locus ID:
 16416

 UniProt ID:
 054890

Cytogenetics: 11 67.84 cM





Gene Summary:

Integrin alpha-V/beta-3 (ITGAV:ITGB3) is a receptor for cytotactin, fibronectin, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin, vitronectin and von Willebrand factor. Integrin alpha-IIB/beta-3 (ITGA2B:ITGB3) is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. Integrins alpha-IIB/beta-3 and alpha-V/beta-3 recognize the sequence R-G-D in a wide array of ligands. Integrin alpha-IIB/beta-3 recognizes the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin alpha-IIB/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial surfaces. Fibrinogen binding enhances SELP expression in activated platelets (PubMed:19332769). ITGAV:ITGB3 binds to fractalkine (CX3CL1) and acts as its coreceptor in CX3CR1-dependent fractalkine signaling. ITGAV:ITGB3 binds to NRG1 (via EGF domain) and this binding is essential for NRG1-ERBB signaling. ITGAV:ITGB3 binds to FGF1 and this binding is essential for FGF1 signaling. ITGAV:ITGB3 binds to FGF2 and this binding is essential for FGF2 signaling (By similarity). ITGAV:ITGB3 binds to IGF1 and this binding is essential for IGF1 signaling (By similarity). ITGAV:ITGB3 binds to IGF2 and this binding is essential for IGF2 signaling (By similarity). ITGAV:ITGB3 binds to IL1B and this binding is essential for IL1B signaling (By similarity). ITGAV:ITGB3 binds to PLA2G2A via a site (site 2) which is distinct from the classical ligandbinding site (site 1) and this induces integrin conformational changes and enhanced ligand binding to site 1 (By similarity). ITGAV:ITGB3 acts as a receptor for fibrillin-1 (FBN1) and mediates R-G-D-dependent cell adhesion to FBN1 (By similarity). In brain, plays a role in synaptic transmission and plasticity (PubMed:29038237, PubMed:18549786). Involved in the regulation of the serotonin neurotransmission, is required to localize to specific compartments within the synapse the serotonin receptor SLC6A4 and for an appropriate reuptake of serotonin (PubMed:29038237). Controls excitatory synaptic strength by regulating GRIA2-containing AMPAR endocytosis, which affects AMPAR abundance and composition (PubMed:18549786).[UniProtKB/Swiss-Prot Function]