

## **Product datasheet for MR227533L3V**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Trp63 (NM\_001127260) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Trp63 (NM\_001127260) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Trp63

**Synonyms:** Al462811; delta; Ket; p6; p7; p51/p; P51/P63; P63; P73l; TAp; Tp63; Trp53rp1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001127260

ORF Size: 1668 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR227533).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** NM 001127260.1, NP 001120732.1

 RefSeq Size:
 5288 bp

 RefSeq ORF:
 1668 bp

 Locus ID:
 22061

 UniProt ID:
 088898

Cytogenetics: 16 17.37 cM







## **Gene Summary:**

This gene encodes tumor protein p63, a member of the p53 family of transcription factors involved in cellular responses to stress and development. The family members include tumor proteins p53, p63, and p73, which have high sequence similarity to one another. This similarity allows p63 and p73 to transactivate p53-responsive genes causing cell cycle arrest and apoptosis. The family members can interact with each other in many ways, including direct and indirect protein interactions. This results in mutual regulation of target gene promoters. Tumor protein p63 -/- mice have several developmental defects which include the lack of limbs and other tissues, such as teeth and mammary glands, which develop as a result of interactions between mesenchyme and epithelium. Both alternative splicing and the use of alternative promoters result in multiple transcript variants encoding different protein isoforms.[provided by RefSeq, Dec 2009]