

Product datasheet for MR227590L3V

Ahr (NM_013464) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

| Product Type: | Lentiviral Particles |
|------------------------------|---|
| Product Name: | Ahr (NM_013464) Mouse Tagged ORF Clone Lentiviral Particle |
| Symbol: | Ahr |
| Synonyms: | A; Ah; Ahh; Ahre; bHLHe7; bHLHe76; In |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-Myc-DDK-P2A-Puro (PS100092) |
| Tag: | Myc-DDK |
| ACCN: | NM_013464 |
| ORF Size: | 2415 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(MR227590). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | <u>NM 013464.4, NP 038492.1</u> |
| RefSeq Size: | 5494 bp |
| RefSeq ORF: | 2418 bp |
| Locus ID: | 11622 |
| UniProt ID: | <u>P30561</u> |
| Cytogenetics: | 12 15.78 cM |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



Gene Summary:The protein encoded by this gene is a ligand-activated helix-loop-helix transcription factor
involved in the regulation of biological responses to planar aromatic hydrocarbons. This
receptor has been shown to regulate xenobiotic-metabolizing enzymes such as cytochrome
P450. Before ligand binding, the encoded protein is sequestered in the cytoplasm; upon
ligand binding, this protein moves to the nucleus and stimulates transcription of target genes.
Two transcript variants encoding different isoforms have been found for this gene. [provided
by RefSeq, Sep 2015]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US