

## Product datasheet for MR227608

### Slit2 (NM\_178804) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Slit2 (NM_178804) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Slit2
Synonyms:	b2b1200.1Clo; Drad; Drad-1; E030015M03Rik; E130320P19Rik; mKIAA4141; S; Slil3; slit-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR227608 representing NM_178804 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAGTGGCATTGGCTGGCAGACACTGTCCCTATCGCTGGGGTTAGTGTTGTCGATCTTGAACAAGGTGG  
CGCCGAGGCGTGCCCGGCCAGTGCTCCTGTTTCAGGCAGCACGGTGGACTGTCTGGGCTGGCACTGCG  
CAGTGTGCCAGGAATATCCCCGCAACACCGAGAGACTGGATTTGAATGGAAATAACATCACGAGGATC  
ACGAAGATAGATTTTGTGGTCTCAGGCACCTCAGAGTCTTCAGCTCATGGAGAACAGAATCAGCACCA  
TCGAGAGGGGAGCATTCCAGGATCTTAAGGAGCTGGAAAGACTGCGTTTTAACAGAAATAACCTTCAGTT  
GTTTCCTGAGCTGCTGTTTCTCGGGACTGCGAAGCTCTACCGGCTTGATCTCAGTGAAAAACAAATTCAA  
GCAATTCGAAGGAAGGCTTTCCGTGGGGCAGTTGACATTAACAACTGCAACTGGATTACAACAGATCA  
GCTGCATTGAAGATGGGGCGTTCAGAGCTCTACGAGATCTGGAAGTGTCTACTCTGAACAATAACAATAT  
TACTAGACTTTCAGTGGCAAGTTTCAACCATATGCCTAACTTAGGACATTTGACTCCACTCGAACAAC  
TTGTAAGTGGACTGCCACCTAGCCTGGCTCTCAGACTGGCTTCGCCAAAGGCCACGGTGGGCTTGTA  
CTCAGTGTATGGGCCATCCCACCTGAGGGGCCACAATGTAGCAGAGGTTCAAAAACGAGAGTTGTCTG  
CAGTGGTCAACAGTCATTCATGGCTCCCTCCTGCAGTGTGCTGCCACTGCCCGCTGCTTTGACCTGTAGC  
AACACATTGTAGACTGCCGAGGGAAAGTCTCACTGAGATCCCCACAAATCTGCCTGAGACCATCACAG  
AAATACGTTTGGAAACAGAACTCCATCAGGGTCATCCCTCCAGGAGCCTTCTCACCATACAAAAAGCTTAG  
ACGACTAGACCTGAGCAACAACAGATCTCTGAACCTGCAACAGATGCCTTCCAAGGACTGCGCTCTCTG  
AATTCACTTGTCTGTATGGAAATAAAATCACAGAACTCCAAAAAGTTTATTGGAAGGACTATTTTCT  
TGCAGCTACTATTATTGAATGCCAACAAGATAAACTGCCTTCGGGTAGATGCTTTTCAGGACCTGCACAA  
CTTGAACCTTCTCCTTATATGACAATAAGCTTCAGACGGTTGCCAAGGGCACCTTCTCAGCCCTCAGA  
GCCATCCAAACTATGCATTTGGCCGAGAATCCTTTCATTTGTGACTGCCATCTCAAGTGGCTAGCGGATT  
ATCTCCACCAACCAATTGAGACCAGCGGTGCCGTTGCACCAGCCCCGCCCTGGCAACAAAAG  
AATTGGACAGATCAAAGCAAGAAATTCGGTTGTCAGGTACAGAAGATTATCGATCAAAATTAAGTGA



[View online >](#)

GACTGCTTGCAGACTTGGCTTGTCTGAGAAAGTGTGCGCTGTGAAGGGACCACAGTAGACTGCTCCAATC  
AAAGACTCAACAAAATCCCTGACCATATCCCCAGTACACAGCAGAGCTGCGTCTCAATAATAATGAATT  
CACAGTGTTAGAAGCCACGGGAATATTTAAGAACTTCCCTCAGTTACGTAATAAATCAACTTGAACAAT  
AAGATCACGGATATCGAGGAGGGTGCATTTGAAGGCGCTGTGGTGTGAATGAAATCTTCTCACCAGTA  
ACCGTTTGGAAAATGTTACAGCATAAGATGTTCAAAGGACTGGAGAGCCTCAAACATTGATGCTGAGAAG  
TAATCGAATAAGCTGTGTGGGAACGACAGTTTCATAGGACTCGGCTCTGTGCGTCTGCTCTTTATAT  
GACAATAAAATACCACAGTGGCACCAGGACATTTGATTCTCCTCATTATTATCCACTTAAACCTCT  
TGGCCAATCCTTTCAACTGTAACTGTCACTGGCATGGCTGGGAGAATGGCTCAGAAGGAAAAGAATTGT  
AACAGGAAATCCTCGATGCCAAAAACCCTACTTCTGAAGGAAATCCCAATCCAGGATGTAGCCATTGAG  
GACTTCACCTGTGATGATGGAATGATGACAATAGTTGCTCTCCACTCTCCCGTTGCTCTTCTGAATGTA  
CCTGCTTGGATACAGTGGTACGATGTAGCAACAAGGGCTTGAAGGTTTTGCCTAAAGGATTCCAAAAGA  
TGTACAGAGCTGTATCTGGATGGGAACAGTTTACGCTGGTCCCGAAGGAACTCTAACTACAAACAT  
TTAACACTTATAGACTTAAGTAACAACCGAATAAGCACCTTTCCAATCAAAGCTTACAGCAACATGACCC  
AGCTTCTCACCTAATCCTCAGTTACAACCGTCTGAGATGTATCCCTCCACGAACCTTTGATGGATTGAA  
GTCTCTCGGTTACTGTCTTACATGGAATGACATTTCTGTTGTCCTGAAGGTGCCTTCAATGACTTG  
TCAGCCTTGTCACTTACGATTTGGAGCAACCTCTTTACTGTGATTGTAACATGCAGTGGTTATCCG  
ACTGGGTGAAGTCGGAATATAAGGAACCTGGAATTGCACGCTGTGCCGGCCCTGGAGAAATGGCAGATAA  
ATTACTACTACTCCCTCCAAAAATTTACATGTCAAGGTCCCGTGGATATCACTATTCAAGCCAAG  
TGTAATCCCTGCTTATCAAATCCATGAAAAATGATGGCACCTGTAAATGACCCCGTTGATTTTTATC  
GATGTACTGCCCATATGGATTCAGGGTCAAGGACTGTGATGTCCCATTCATGCTTGTATCAGTAATCC  
ATGTAACATGGAGGAACTTGTCACTTAAAGGAAGGAGAGAATGCTGGATTCTGGTGCACCTGTGCTGAT  
GGGTTTGAAGGAGAAAATGTGAAGTCAATATTGATGATTGTGAAGATAATGATTGTGAAAATAATTCTA  
CATGCGTTGATGGAATTAACAACACTACACATGTCTTTGCCACCGGAATACACAGTGAACCTGTGCTGGA  
AAAGCTGGACTTCTGTGCACAAGACTTGAATCCCTGCCAGCATGACTCCAAGTGCATCCTGACTCCAAAG  
GGATTCAGTGTGACTGCACTCCAGGATACATTGGTGAGCACTGTGACATTGACTTTGATGACTGCCAAG  
ATAACAAGTGTAAAAACGGTGTCACTGCACAGATGCCGTGAACGGATACACGTGCGTCTGCTGAAAGG  
CTACAGTGGCTTGTCTGTGAGTTTTCTCCACCCATGGTCTCCCTCGCACCCAGCCCTGTGATAATTTT  
GATTGCCAGAATGGAGCCAGTGTATCATCAGGATAAAAGAACCAATATGCCAGTGTTCGCTGGCTACC  
TGGGAGAGAAGTGTGAGAAATTTGGTCAAGTGTGAATTTTGTAAACAAGAGTCTATCTTCAGATTCCTC  
AGCCAAGTTCGGCTCAGACAAACATCACACTCAGATTGCCACAGATGAAGACAGCGGCATCCTCTTG  
TATAAAGTGTGACAAAGACCACATTTGCCGTGGAACCTCTATAGAGGGCGAGTTCGAGCCAGCTATGACCCG  
GCTCTCATCCGGCTTCTGCCATTTACAGTGTGGAGACAATCAATGATGGAACCTCCACATTTGGAGCT  
ACTGACCTGGATTCCAGTCTTTCCCTCTCTGTGGATGGAGGAAGCCCTAAAGTCATCACCATTTGTCA  
AAACAATCTACTGAAATTTGACTCTCCACTCTATGTAGGAGGCATGCCTGGGAAAAATAACGTGGCAT  
CCCTGCGCCAGGCCCTGGGCAAAATGGCACCAGCTTCCATGGCTGTATCCGGAACCTTTACATTAACAG  
TGAGCTGCAGGACTTCCGGAAAAATGCCTATGCAAACCGGAATTTGCTGGCTGTGAACCATGCCACAAG  
AAAGTATGTGCCATGGCATGTGCCAGCCAGCAGCAATCAGGCTTACCTGTGAATGTGAGGAAGGGT  
GGATGGGGCCCTCTGTGACCAGAGAACCAATGATCCCTGCCCGGAAACAAATGTGTGCATGGGACCTG  
CCTGCCATCAATGCCTTCTCTATAGTTGCAAGTGCCTGGAGGGCCATGGCGGTGCTCTGTGATGAA  
GAAGAAGATCTCTTTAACCCCTGCCAGATGATCAAGTGAAGCATGGGAAGTGCAGGCTTTCTGGAGTGG  
GCCAGCCATTATTGGAATGCAACAGTGGATTACCGGGGACAGCTGTGATAGAGAATTTCTTGTGAGG  
GGAACGGATAAGGGACTATTACCAGAAGCAGCAGGGTTACGCTGCCTGTCAAACAACTAAGAAAGTATCT  
CGTTGGAATGCAGAGCGGGTGCCTGGAGGCCAGTGTGTGGACCTCTGAGAAGCAAGAGCGGAAAT  
ACTCTTTCGAATGCACAGATGGCTCCTCATTGTGGACGAGGTTGAGAAAGTGGTGAAGTGCCTGCGC  
GAGATGTGCTCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227608 representing NM\_178804  
 Red=Cloning site Green=Tags(s)


MSGIGWQTL SLSLGLVLSILNKVAPQACPAQCSCSGSTVDCHGLALRSVPRNIPRNTERLDLNGNITRI  
 TKIDFAGLRHLRVLQLMENRISTIERGAFQDLKELERLRNRNLQLFPELLFLGTAKLYRLDLSENQIQ  
 AIPRKAFRGAVDIKNLQLDYNQISCIEDGAFRALRDLEVLTLNNNITRLSVASFNHMPKLRFLRHSNN  
 LYCDCHLAWLSDWLRQRPRVGLYTQCMGPSHLRGHNVAEVQKREFVCSGHQSFMAPSCSVLHCPAACTCS  
 NNIVDCRGKGLTEIPTNLPETITEIRLEQNSIRVIPPAGAFSPYKLRRLDL SNNQISELAPDAFQGLRSL  
 NSLVLYGNKITEPKSLFEGLFSLQLLLNANKINCLRVDAFQDLHNLNLLSLYDNKLQTVAKGTF SALR  
 AIQTMHLAQNPFI CDCHLKWADYLHTNPIETSGARCTSPRRLANKRIGQIKSKKFRCSGTEDYRSKLSG  
 DCFADLACPEKCRCEGTTVDCSNQRLNKIPDHIPQYTAELRLNNEFTVLEATGIFKKLPQLRKINF SNN  
 KITDIEEGAFEGASGVNEILLTSNRLENVQHKMFKGLSKLTLMLRSNRISCVGNSDFIGLSVRLLSLY  
 DNQITTVAPGAFDSLHSLSTLNL LANPFCNCHLAWLGEWLRKRIVTGNPRCQKPYFLKEIPIQDVAIQ  
 DFTCDDGNDNSCSPLSRCPSECTCLD TVVRC SNKGLKVL PKGIPKDVTELYLDGNQFTLVPKELSNYKH  
 LTLIDL SNNRISTLSNQFSNMTQLLTLILSYNRLRCIPPRTFDGLKSLRLLSLHGNDISVVPEGAFNDL  
 SALSHLAI GANPLYCDCNMQWLSDWVKSEYKEPGIARCAGPGEMADKLLLTTPSKKFTCQGPVDITIQA  
 CNPCLSNPCKNDGT CNNDPVDFYRCTCPYFGKQDCDVP IHACISNPCKHGGTCHLKEGENAGFWCTCAD  
 GFEGENCEVNIDDCE DNDCE NNSTCV DGINNYTCLCPPEYTGELCEEKLD FCAQDLNPCQHDSKCILTPK  
 GFKCDCTPGYIGEHCDIDFDDCQDNKCKNGAHC TDAVNGYTCVCEGYSGLFCEFSPPMVLPRTPCNDNF  
 DCQNGAQCIIRINEPICQLPGYLGEKCEKLSVNFVNKESYLQIPSAKVRPQTNI TLQIATDEDSGILL  
 YKGDKDHIAVELYRGRVRASYDTGSHPASAIYSVETINDGNFHI VELLTLDSSL SLDVGGSPKVI TNLS  
 KQSTLNFDSPLYVGGMPGKNNVASLRQAPGQNGTSFHGCIRNLYINSELQDFRKMPMQTGILPGCEPCHK  
 KVCAHGMCPSSQSGFTCECEEGWMGPLCDQRTNDPCLGNKCVHGTCLP INAFSYSCKCLEHGGVLCDE  
 EEDLFNPCQMIKCKHGKCR LSGVGOPYCECNSGFTG DSCDREI SCRGERIRDY YQKQQGYAACQTTKVVS  
 RL ECRGGCAGGQCCGPLRSKRRKYSFECTDGS SFVDEVEKVVVKCGCARCAS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/ja1719\\_a09.zip](https://cdn.origene.com/chromatograms/ja1719_a09.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM\_178804

<b>ORF Size:</b>	4563 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_178804.5</a> , <a href="#">NP_848919.3</a>
<b>RefSeq Size:</b>	7988 bp
<b>RefSeq ORF:</b>	4566 bp
<b>Locus ID:</b>	20563
<b>UniProt ID:</b>	<a href="#">Q9R1B9</a>
<b>Cytogenetics:</b>	5 B3
<b>MW:</b>	169.2 kDa

**Gene Summary:**

The protein encoded by this gene is a member of the Slit family of secreted glycoproteins, which function as ligands for the Robo family of immunoglobulin receptors. Slit proteins play highly conserved roles in axon guidance and neuronal migration and may also have functions during other cell migration processes including leukocyte migration. In mammals, members of the slit family are characterized by an N-terminal signal peptide, four leucine-rich repeats, nine epidermal growth factor repeats, and a C-terminal cysteine knot. Mice deficient for this gene exhibit abnormal axonal projections in the embryonic forebrain and develop supernumerary uretic buds that maintain improper connections to the nephric duct. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2015]

**Product images:**



Circular map for MR227608