

## Product datasheet for **MR227661**

### **Pdlim5 (NM\_001190856) Mouse Tagged ORF Clone**

#### **Product data:**

|                    |   |
|--------------------|---|
| Product Type:      | Expression Plasmids   |
| Product Name:      | Pdlim5 (NM_001190856) Mouse Tagged ORF Clone                |
| Tag:               | Myc-DDK   |
| Symbol:            | Pdlim5  |
| Synonyms:          | 1110001A05Rik; AI987914; C87059; Enh; Enh1; Enh2; Enh3; LIM |
| Vector:            | pCMV6-Entry (PS100001)                                      |
| E. coli Selection: | Kanamycin (25 ug/mL)  |
| Cell Selection:    | Neomycin  |



[View online »](#)

**ORF Nucleotide Sequence:**

>MR227661 representing NM\_001190856  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGAGCAACTACAGTGTGTCATTGGTCGGCCAGCTCCTTGGGGTTTCCGGCTCCAAGGTGGCAAGGATT  
 TCAACATGCCTCTGACAATCTCTAGTCTGAAGGATGGTGGCAAGGCATCTCAGGCACATGTGAGAATAGG  
 GGACGTGGTTCTCAGCATCGATGGGATCAGTGCACAGGGAATGACGCATCTTGAAGCCCAGAAACAAGATT  
 AAGGCTTGTACGGGCTCCTTGAATATGACTCTACAAAGAGCTTCAGTGCAGCCAAGAGTGAAGCCGTTT  
 CCGTCCAGAAGCCACAGTACCAGCGTGTGTTCCGAGTCTGCTCAGGAGCTAGCAGAGGGACAGAGAAG  
 AGGATCCCAGGGTGACATTAAGCAGCAAAATGGCCACCAAGAAAACACATTGTGGAGCGCAACACGGAG  
 TTTTATCACATACCCACTCACAGTATGCCAGCAAGAACGGCTGATTGAGGACTGAGGACTGGCGCC  
 CCCGGACTGGAACGACTCAGTCTCGTTCCTTCCGGATCCTTGCCAGATCACTGGGACTGAGCATCTGAC  
 AGAATCTGAAAATGACAATACGAAGAAGGCAAAATGTAAGCAGGTCTACAAGAACTGTAGAAGGTGCTTTG  
 GAAGGCTTTGGAACTTTCTGCCTTCTCCCTCTACTAGATACAGTGTGTAGTGTGCTGATGCGG  
 CTGCCACTGTGTCTGCTGCTCTCGCTGCGAAAACAGGCTCTTCCGGCCCTGAAAACCTCCAGTCTCTTCT  
 GGATGCACTGTGCATCAGCACTGTCCCCAAGCCTCTAGCTCTTTCCTGTCTTCAGTCTCTGAGGAGTCG  
 AGTGGCTCTGTCCACGTTAAGAAGAGCAGTAGCACCCAGGAGCCTTCTCAGCAACCGGCGTCATCTGGAG  
 CTTACCTCTGAGCGCGTCTGAGGGCCCCGAGAGCCAGGTTCCAGCAGGCCCTCGGTGGCTGGCCCTCCG  
 CTCGGTCTGCTTTCAAGCCTGTAGGATCCACCAGCGTCAAGTACCTAGCTGGCAGCGTCCAAACCAA  
 GCAGCACCTTCTACTGGGAGAATTTCAAACAATGCACGTTCTTCAGGTACAGGGGCGTCTGTGGGGCCTC  
 CCCAGCCAAAGTACCAAGACACACTTGTGCAGAGAGCGGAACACATTCCAGCGGGCAAGGCCACCCCA  
 GTGTGCCACTGCAACCAAGTTATCAGGGGACCTTTTCTTGTGGCTCTGGGGAAGTCTGGCATCCAGAA  
 GAATTTAACTGTGCTCATTGCAAAAACACAATGGCCTACATAGGCTTTGTAGAGGAGAAGGGAGCACTGT  
 ACTGTGAGCTATGCTATGAGAAGTTCTTTGCTCCTGAATGTGGCCGGTGCCAAAGGAAGATCCTTGAGAG  
 AGTCATCAATGCTTTGAAGCAGACCTGGCATGTGTCCTGTTTTGTGTGTGGCCTGTGGAAAACCCATT  
 CGTAATAATGTTTTCCACTTGAAGATGGCGAGCCCTACTGTGAGACAGACTACTACGCCCTTTTGGAA  
 CAATATGTCGTGGATGTGAATCCCCATAGAGGCTGGTGCATGTTCTGGAAGCTCTGGGATACACTTG  
 GCATGATACTTGTGCTCTGTGTGTTGTGAAAGTTTGAAGGGCAGACATTTTTCTCCAAGAAG  
 GACAAGCCACTTTGCAAAAACATGCTCATTCTGTGAATTT

**ACGCGT**ACGCGGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>MR227661 representing NM\_001190856  
 Red=Cloning site Green=Tags(s)


MSNYSVSLVGPAPWGFRLQGGKDFNMPLTISSLKDGKASQAHVRIQDVVLSIDGISAQGMTHLEAQNKI  
 KACTGSLNMTLQRASAAKSEPVSVQKPTVTSVCSESAQELAEQRRGSQGDIKQQNGPPRKHIVERNTE  
 FYHIPHSDASKRRLIEDTEDWRPRTGTTQSRFRILAQITGTEHLTESENDNTKKANVSRSTRTEGAL  
 EGFNFPAFSPPTRYSAVVVSDAAATVSAALAAKTRLFGPENSQSLLDALCISTVPKPLALSCLQSSEES  
 SGSVHVKKSSSTQEPSQQPASSGASPLSASEGPESPGSSRPSVAGLRSAAAFKPVGSTSVKSPSQRPNQ  
 AAPSTGRISNNARSSGTGASVGPQPSDQDLVQRAEHIPAGKRTPMCAHCNQVIRGPFLVALGKSWHPE  
 EFNCAHCKNTMAYIGFVEEKGALYCELCYEKFFAPECGRCQRKILGEVINALKQTHWVSCFVACGKPI  
 RNNVFHLEDGEPYCETDYYALFGTICRGCFPIEAGDMFLEALGYTWHDTCFVCSVCCESLEGQTFFSK  
 DKPLCKKHAHSVNF

**TRTRPLEQKLI**SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001190856  
 ORF Size: 1722 bp

|                               |   |
|-------------------------------|---|
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>  |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol> |
| <b>RefSeq:</b>                | <a href="#">NM_001190856.1</a> , <a href="#">NP_001177785.1</a>   |
| <b>RefSeq Size:</b>           | 4988 bp   |
| <b>RefSeq ORF:</b>            | 1725 bp   |
| <b>Locus ID:</b>              | 56376   |
| <b>UniProt ID:</b>            | <a href="#">Q8CI51</a>  |
| <b>Cytogenetics:</b>          | 3 H1  |
| <b>MW:</b>                    | 62.3 kDa  |
| <b>Gene Summary:</b>          | May play an important role in the heart development by scaffolding PKC to the Z-disk region. Isoform 2 and isoform 3 may negatively modulate the scaffolding activity of isoform 1. May play a role in the regulation of cardiomyocyte expansion. Overexpression promotes the development of heart hypertrophy. Contributes to the regulation of dendritic spine morphogenesis in neurons. May restrain postsynaptic growth of excitatory synapses (By similarity).[UniProtKB/Swiss-Prot Function]                |