

Product datasheet for MR227694

Apela (NM 001297554) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Apela (NM_001297554) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Apela

Synonyms: Ela; Elabela; Ende; ENSMUSG00000074303; Gm10664

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR227694 representing NM_001297554
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCGATTCCAGCCCCTTTTTTGGGTATTTTTTATTTTTTGCCATGAGTCTCCTTTTTATCAGTGAACAGA AACCAGTTAACTTTCCCAGGAGAAGAAACTATACAGACACAACTGCTTTCGCAGGAGATGCATTCCACT

TCATTCTCGAGTGCCCTTCCCA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227694 representing NM_001297554

Red=Cloning site Green=Tags(s)

MRFQPLFWVFFIFAMSLLFISEQKPVNFPRRRKLYRHNCFRRRCIPLHSRVPFP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001297554

ORF Size: 162 bp



Apela (NM_001297554) Mouse Tagged ORF Clone - MR227694

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001297554.1</u>, <u>NP 001284483.1</u>

RefSeq Size: 990 bp RefSeq ORF: 165 bp

Locus ID: 100038489

UniProt ID: P0DMC4

Cytogenetics: 8

MW: 7.3 kDa



Gene Summary:

Endogenous ligand for the apelin receptor (APLNR) (By similarity). Hormone required for mesendodermal differentiation, blood vessels formation and heart morphogenesis during early development and for adult cardiovascular homeostasis (PubMed:28371822, PubMed:28854362, PubMed:28890073, PubMed:28663440). Drives internalization of the APLNR (By similarity). Acts as a motogen by promoting mesendodermal cell migration during gastrulation by binding and activating APLNR (By similarity). Acts as an early embryonic regulator of cellular movement with a role in migration and development of cardiac progenitor cells (PubMed:28854362). May act as a chemoattractant for the activation of angioblast migration toward the embryonic midline, i.e. the position of the future vessel formation, during vasculogenesis (By similarity). Positively regulates sinus venosus (SV)derived endothelial cells migration into the developing heart to promote coronary blood vessel sprouting (PubMed:28890073). Plays a role in placental vascular development; promotes placental trophoblast invasion and spiral artery remodeling in the uterus (PubMed:28663440). Involved in the regulation of maternal cardiovascular homeostasis to prevent gestational hypertension and for potent cardioprotective functions during heart failure (PubMed:28371822, PubMed:28663440). Mediates myocardial contractility in an ERK1/2-dependent manner (By similarity).[UniProtKB/Swiss-Prot Function]