

Product datasheet for MR227742

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Rora (NM 001289917) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Rora (NM_001289917) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Rora

Synonyms: 9530021D13Rik; nmf267; Nr1f1; ROR1; ROR2; ROR3; sg; staggerer; tmgc26

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR227742 representing NM_001289917
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGGAAGGAGAACTCACAAGCTAAATTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227742 representing NM_001289917

Red=Cloning site Green=Tags(s)

MESAPAAPDPAASEPGSSGSEAAAGSRETPLTQDTGRKSEAPGAGRRQSYASSSRGDFIISRHRHVSLKS

RKENSQAKF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001289917

ORF Size: 237 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001289917.1</u>, <u>NP 001276846.1</u>

RefSeq Size: 1422 bp RefSeq ORF: 240 bp



Locus ID: 19883


Cytogenetics: 9 37.45 cM **MW:** 8.7 kDa

Gene Summary: The protein encoded by this gene is a member of the NR1 subfamily of nuclear hormone

receptors. It can bind as a monomer or as a homodimer to hormone response elements upstream of several genes to enhance the expression of those genes. The encoded protein has been shown to interact with NM23-2, a nucleoside diphosphate kinase involved in organogenesis and differentiation, as well as with NM23-1, the product of a tumor metastasis suppressor candidate gene. Also, it has been shown to aid in the transcriptional regulation of some genes involved in circadian rhythm. Three transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Feb 2014]

Product images:



Circular map for MR227742