

Product datasheet for MR227768

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Lsm2 (NM_001204273) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lsm2 (NM_001204273) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Lsm2

Synonyms: D17H6S56E-2; D17H6S56E2; Dmapl; Dmpkap; G7b; Sm-X5; SmX5; snRNP

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR227768 representing NM_001204273
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCTGTGGAACCCTCCACTCTGTGGACCAGTACCTCAATATCAAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227768 representing NM_001204273

Red=Cloning site Green=Tags(s)

 ${\tt MVFWGKPLASPRESPRAPGENGKRALHFCAVDEDFVRLFYSFFKSLVGKDVVVELKNDLRTHRCCLQASA}$

SVEPSTLWTSTSISN


TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001204273

ORF Size: 255 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



Lsm2 (NM_001204273) Mouse Tagged ORF Clone - MR227768

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001204273.1, NP 001191202.1

RefSeq Size:901 bpRefSeq ORF:258 bpLocus ID:27756

Cytogenetics: 17 18.52 cM

MW: 10 kDa

Gene Summary: Plays role in pre-mRNA splicing as component of the U4/U6-U5 tri-snRNP complex that is

involved in spliceosome assembly, and as component of the precatalytic spliceosome (spliceosome B complex). The heptameric LSM2-8 complex binds specifically to the 3'-

terminal U-tract of U6 snRNA.[UniProtKB/Swiss-Prot Function]