

Product datasheet for **MR227865**

Tmpo (NM_001283048) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Tmpo (NM_001283048) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Tmpo
Synonyms: 5630400D24Rik; AI195756; AI606875; AW214352; AW547477; LAP2; TP
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR227865 representing NM_001283048
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGTTCCCTACGAAGCCTCCACTCCGACGGGAATCAGTGCTAGCTGCCGACACCAATCAAAGGTGCTG
CAGGCCGGCCGCTCGAGCTCAGTGACTTCAGGATGGAAGAGTCGTTCTCATCTAAGTACGTCGCCGAAGTA
TGCTCCCTTGGCAGATGTCAAGTCAGAAAAGACAAAGAAGAGACGCTCCGTTCCCATGTGGATAAAATG
TTGCTGTTTGGCCTTGTGGCCGTGTTTTGTTTTGGTCTATCAAGCTATGGAAACCAACCAAGGAAATC
CCTTCACTAATTTCTTCAAGATACTAAATATCCAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR227865 representing NM_001283048
Red=Cloning site Green=Tags(s)

MFPYEASTPTGISASCRRIKGAAGRPLELSDFRMEESFSSKYVPKYAPLADVSEKTKRRSVPMWIKM
LLFALVAVFLFLVYQAMETNQGPNFTNFLQDTKISN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_001283048

ORF Size: 318 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001283048.1</u> , <u>NP_001269977.1</u>
RefSeq Size:	3294 bp
RefSeq ORF:	321 bp
Locus ID:	21917
Cytogenetics:	10 45.66 cM
MW:	12.5 kDa
Gene Summary:	May be involved in the structural organization of the nucleus and in the post-mitotic nuclear assembly. Plays an important role, together with LMNA, in the nuclear anchorage of RB1 (By similarity).[UniProtKB/Swiss-Prot Function]