

# Product datasheet for MR227983

## H2bc4 (NM\_001290380) Mouse Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	H2bc4 (NM_001290380) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	H2bc4
Synonyms:	2610022J01Rik; H2bc6; H2bc8; H2bf; H2bfs; Hist1h2; Hist1h2bc; R74621
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR227983 representing NM_001290380 Red=Cloning site Blue=ORF Green=Tags(s)
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGCCTGAGCCTGCGAAGTCCGCTCCCGCCCCGAAGAAGGGCTCCAAGAAGGCCGTCACCAAGGCCCAGA AGAAGGACGGCAAGAAGCGCAAGCGCAGCCGCAAGGAGAGCTACTCGGTGTACGTGTACAAGGTGCTGAA GCAAGTGCACCCCGACACCGGCATCTCCTCCAAGGCCATGGGCATCATGAACTCGTTCGT
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	>MR227983 representing NM_001290380 <mark>Red=</mark> Cloning site Green=Tags(s)
	MPEPAKSAPAPKKGSKKAVTKAQKKDGKKRKRSRKESYSVYVYKVLKQVHPDTGISSKAMGIMNSFVNDI FERIAGEASRLAHYNKRSTITSREIQTAVRLLLPGELAKHAVSEGTKAVTKYTSSK
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **Cloning Scheme:**




\* The last codon before the Stop codon of the ORF

cular sequence of this clone aligns with the gene accession number as a point of e only. However, individual transcript sequences of the same gene can differ through occurring variations (e.g. polymorphisms), each with its own valid existence. This ubstantially in agreement with the reference, but a complete review of all prevailing s recommended prior to use. <u>More info</u> e was engineered to express the complete ORF with an expression tag. Expression pending on the nature of the gene.
e only. However, individual transcript sequences of the same gene can differ through occurring variations (e.g. polymorphisms), each with its own valid existence. This ubstantially in agreement with the reference, but a complete review of all prevailing s recommended prior to use. <u>More info</u> e was engineered to express the complete ORF with an expression tag. Expression pending on the nature of the gene. clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube
pending on the nature of the gene. clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube
g 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
uge at 5,000xg for 5min. lly open the tube and add 100ul of sterile water to dissolve the DNA. he tube and incubate for 10 minutes at room temperature. vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid ttom. he suspended plasmid at -20°C. The DNA is stable for at least one year from date of when stored at -20°C.
90380.1, NP_001277309.1

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	H2bc4 (NM_001290380) Mouse Tagged ORF Clone – MR227983
UniProt ID:	Q6ZWY9
Cytogenetics:	13 A3.1
MW:	13.9 kDa
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene encodes a replication-dependent histone that is a member of the histone H2B family and generates two transcripts through the use of the conserved stemloop termination motif, and the polyA addition motif. [provided by RefSeq, Aug 2015]

## Product images:



Circular map for MR227983

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US