

## **Product datasheet for MR228080**

## Mdk (NM 001291481) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Mdk (NM\_001291481) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Mdk

Synonyms: Mek; MK

Mammalian Cell Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR228080 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCAGCACCGAGGCTTCTTCCTTCTCGCCCTTCTTGCCCTCTTGGTGGTCACGTCCGCGGTGGCCAAAA AAAAAGAGAAGGTGAAGAAGGGCAGCGAGTGTTCGGAGTGGACCTGGGGGCCCTGCACCCCCAGCAGCAAGAGACTGCGGCATTGCGAGGGTACCTGTGGGGCCCAGACCCAGCCGCTCCATTGCAAGGTGCCC TGCAACTGGAAGAAGGAAGTTTGGAGCCGACTGCAAATACAAGTTTGAGAGCTGGGGGGCGTGTGATGGGA GCACTGGCACCAAAGCCCAAGGCCCAAGGGACCCTGAAGAAGGCCGGTTACAATGCCCAGTGCCAGGAGACCAT CCGCGTGACTAAGCCCTGCACCTCCAAGACCAAGTCAAAGCCAAAGCCAAGAAAGGAAAAGGAAAAGGACAAAGGACCAAAGCCAAAGCCAAAGCAAAAGGAAAAGGAAAAGGACAAAGGACCAAAGCCAAAGCCAAAGACCAAAGCAAAGGAAAAGGAAAAGGACAAAGCAAAGCCAAAGCCAAGAAAAGGAAAAGGAAAAGGACAAAGCAAAGCCAAAGCCAAAGCCAAGAAAAGGAAAAGGACAAAGCAAAAGCAAAAGGACCAAAGCCAAAGCCAAAGCCAAAGCAAAAGGAAAAGGAAAAGGACAAAGGACCAAAGCCAAAGCCAAAGCCAAGAAAAGGAAAAGGAAAAGGACAAAGCAAAGCCAAAGCCAAAGCCAAAGCAAAGCAAAAGGAAAAGGAAAAGGAAAAGGACAAAGCCAAAGCCAAAGCCAAAGCCAAAGCCAAAGCCAAAGCAAAGGAAAAGGAAAAGGAAAAGGAAAAGGAAAAGGACAAAGCCAAAGCCAAAGCCAAAGCCAAAGCCAAAGCCAAAGCCAAAGCACAAAGCCAAGACCAAGACCAAGACCAAGACCAAAGCCAAAGCCAAGACCAAGACCAAGACCAAGACCAAGACCAAGCCAAGCCAAGCCAAGCCAAGCCAAGACCAAGACCAAGACCAAGACCAAGACCAAGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >MR228080 protein sequence

Red=Cloning site Green=Tags(s)

MQHRGFFLLALLALLVVTSAVAKKKEKVKKGSECSEWTWGPCTPSSKDCGMGFREGTCGAQTQRVHCKVPCNWKKEFGADCKYKFESWGACDGSTGTKARQGTLKKARYNAQCQETIRVTKPCTSKTKSKTKAKKGKGKD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001291481

ORF Size: 423 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001291481.1</u>, <u>NP 001278410.1</u>

RefSeq Size: 785 bp
RefSeq ORF: 423 bp
Locus ID: 17242



MW:

UniProt ID: P12025


Cytogenetics: 2 50.63 cM

15.4 kDa

Gene Summary: This gene encodes a secreted growth factor that belongs to the pleiotrophin/midkine heparin-

binding protein family and functions in a variety of biological processes. The encoded cytokine promotes the growth, differentiation, survival and migration of several target cells including leucocytes involved in inflammation. This protein plays a role in the formation of scar tissue and intraperitoneal adhesions, and promotes neurite outgrowth and neuron survival. The protein encoded by this gene is associated with obesity and inhibition of insulin signaling in fat cells. A pseudogene of this gene is present on chromosome 11. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2014]

## **Product images:**



Circular map for MR228080